



General Catalog



Implants | International





Implants | International

INDEX

SMALL FRAGMENT LOCKING & NON-LOCKING PLATES

- Small Fragment Locking Plates _____ 007
- Small Fragment Non-Locking Plates _____ 023

SMALL FRAGMENT LOCKING & NON-LOCKING SCREWS

- Small Fragment Locking Screws _____ 031
- Small Fragment Non-Locking Screws _____ 035

LARGE FRAGMENT LOCKING & NON-LOCKING PLATES

- Large Fragment Locking Plates _____ 039
- Large Fragment Non-Locking Plates _____ 054

DHS - DCS PLATES & LAG-COMPRESSION SCREWS

- DHS-DCS Plates _____ 063
- DHS-DCS Lag & Compression Screws _____ 066

LARGE FRAGMENT LOCKING & NON-LOCKING SCREWS

- Large Fragment Locking Screws _____ 067
- Large Fragment Non-Locking Screws _____ 073

MINI FRAGMENT LOCKING PLATES & SCREWS

- 1.5 mm Mini Fragment Locking Plates and Screws _____ 077
- 2.0 mm Mini Fragment Locking Plates and Screws _____ 080
- 2.4 mm Mini Fragment Locking Plates and Screws _____ 083
- 2.7 mm Mini Fragment Locking Plates and Screws _____ 085

CHEST WALL PLATES, SCREWS & SPLINTS

- Chest Wall Locking Plates _____ 89
- Chest Wall Locking Screws _____ 92
- Rib Intramedullary Splints _____ 92

ANGLED BLADE PLATES & PEDIATRIC PLATES

- Angled Blade Plates _____ 93
- Pediatric Locking Plates _____ 96
- Pediatric Eight Plates _____ 96

TROCHANTERIC PLATES & CABLE SYSTEMS

- Straight Cable Grip Plates _____ 97
- Trochanteric Cable Hook Plates _____ 98
- Trochanteric Cable Hook Grip Plates _____ 99
- Cable Locking Screws _____ 100
- Cable-Crimp Blocks _____ 100

CANNULATED SCREWS

- Cannulated Screws _____ 101

HEADLESS & HERBERT SCREWS

- Headless Screws _____ 109
- Herbert Screws _____ 111
- Interference Screws _____ 112

INTRAMEDULLARY NAILS

Humerus Intramedullary Nails

- Humerus Intramedullary Nails _____ 114

Femur Intramedullary Nails

- Femur Intramedullary Nails (ANTEGRADE) _____ 115
- Femur Intramedullary Nails (DFN/RETROGRADE) _____ 116
- Femur Short Reconstruction Intramedullary Nails (PFN) _____ 116
- Femur Long Reconstruction Intramedullary Nails _____ 117
- APFNA Femur Short Intramedullary Nails _____ 118
- AROCOM Proximal Femur Antirotation Compression Intramedullary Nails _____ 119
- ANTIRO Proximal Femur Antirotation Compression Intramedullary Nails _____ 121

Tibia Intramedullary Nails

- Tibia Intramedullary Nails _____ 123
- ANT Tibia Intramedullary Nails _____ 124

ELASTIC NAILS _____ 125

SPINAL SYSTEMS

- Posterior Spinal Systems _____ 127
- Cervical Plates & Screws _____ 132
- Anterior Thoracic-Lumbar Plates, Bolts & Screws _____ 134

EXTERNAL FIXATORS

- Dynamic Axial External Fixators _____ 135
- Mini Rail External Fixators _____ 148
- Tubular External Fixators _____ 150
- Hybrid External Fixators _____ 154
- Circular External Fixators _____ 159
- Pediatric Circular External Fixators _____ 166

WIRES, PINS, STAPLES & DRILL BITS

- Kirschner Wires _____ 172
- Steinmann Pins _____ 173
- Schanz Screws _____ 174
- Rush Pins _____ 175
- Staples _____ 176
- Tibial Bolts _____ 177
- Knowless Hip Pins _____ 177
- Drill Bits _____ 178
- Gigli Saw _____ 178

SMALL FRAGMENT


Locking
Plate
product
group

Small Fragment Locking Plates

3,5 mm Clavicle Locking Compression Plate



SS	TI	HOLES	SIDE	LENGTH (mm)
II-1031906	II-1031806	6	Left	70
II-1031907	II-1031807	7	Left	84
II-1031908	II-1031808	8	Left	98
II-1031909	II-1031809	9	Left	112
II-1042906	II-1042806	6	Right	70
II-1042907	II-1042807	7	Right	84
II-1042908	II-1042808	8	Right	98
II-1042909	II-1042809	9	Right	112




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the clavicle, particularly for patients with osteopenic bone.

3,5 mm Clavicle Hook Locking Plate



SS	TI	HOLES	SIDE	LENGTH (mm)
II-26009141	II-26009041	4	Left	63
II-26009151	II-26009051	5	Left	75
II-26009161	II-26009061	6	Left	86
II-26009171	II-26009071	7	Left	97
II-26009142	II-26009042	4	Right	63
II-26009152	II-26009052	5	Right	75
II-26009162	II-26009062	6	Right	86
II-26009172	II-26009072	7	Right	97




Intended use : Intended use: Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the clavicle, for the treatment of acromioclavicular dislocations, particularly for patients with osteopenic bone.

Small Fragment Locking Plates

2,7/3,5 mm Distal Clavicle Locking Compression Plate



SS	TI	HOLES	SIDE	LENGTH (mm)
II-5521903	II-1021803	3	Left	66,5
II-5521904	II-1021804	4	Left	78,7
II-5521905	II-1021805	5	Left	91,1
II-5521906	II-1021806	6	Left	103,2
II-5521907	II-1021807	7	Left	113,8
II-5522903	II-1022803	3	Right	66,5
II-5522904	II-1022804	4	Right	78,7
II-5522905	II-1022805	5	Right	91,1
II-5522906	II-1022806	6	Right	103,2
II-5522907	II-1022807	7	Right	113,8




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the clavicle, for the treatment of acromioclavicular dislocations, particularly for patients with osteopenic bone.

3,5 mm Clavicle Reconstruction Locking Compression Plate



SS	TI	HOLES	SIDE	LENGTH (mm)
II-1531806	II-1530806	6	Left	94,3
II-1531807	II-1530807	7	Left	107,8
II-1531813	II-1530813	8	Left	121
II-1531809	II-1530809	9	Left	133
II-1531906	II-1530906	6	Right	94,3
II-1531907	II-1530907	7	Right	107,8
II-1531913	II-1530913	8	Right	121
II-1531910	II-1530910	9	Right	133




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the clavicle, particularly for patients with osteopenic bone.

Small Fragment Locking Plates

3,5 mm Proximal Humerus Locking Compression Plate 1




SS	TI	HOLES	LENGTH (mm)
II-1620903	II-1620803	3	61,1
II-1620904	II-1620804	4	73,1
II-1620905	II-1620805	5	85,1
II-1620906	II-1620806	6	97,1
II-1620907	II-1620807	7	109,1
II-1620908	II-1620808	8	121,1




Intended use : Temporary fixation of fractures and fracture dislocations, malunions, nonunions, osteotomies and pseudoarthroses of the proximal humerus, particularly for adult patients with osteopenic bone.

3,5 mm Proximal Humerus Locking Compression Plate 2



SS	TI	HOLES	LENGTH (mm)
II-1630903	II-1630803	3	87
II-1630904	II-1630804	4	99
II-1630905	II-1630805	5	111
II-1630906	II-1630806	6	123
II-1630907	II-1630807	7	135
II-1630908	II-1630808	8	147
II-1630909	II-1630809	9	159




Intended use : Temporary fixation of fractures and fracture dislocations, malunions, nonunions, osteotomies and pseudoarthroses of the proximal humerus, particularly for adult patients with osteopenic bone.

Small Fragment Locking Plates

3,5 mm Proximal Humerus Locking Compression Plate 3



SS	TI	HOLES	LENGTH (mm)
II-1640903	II-1640803	3	122
II-1640904	II-1640804	4	140
II-1640905	II-1640805	5	158
II-1640906	II-1640806	6	176
II-1640907	II-1640807	7	194




Intended use : Temporary fixation of fractures and fracture dislocations, malunions, nonunions, osteotomies and pseudoarthroses of the proximal humerus, particularly for adult patients with osteopenic bone.

3,5 mm Cloverleaf Locking Plate



SS	TI	HOLES	LENGTH (mm)
II-101 02 270 0003	II-111 02 270 0003	3	88,1
II-101 02 270 0004	II-111 02 270 0004	4	104,1
II-101 02 270 0005	II-111 02 270 0005	5	120,1
II-101 02 270 0006	II-111 02 270 0006	6	136,1
II-101 02 270 0007	II-111 02 270 0007	7	152,1
II-101 02 270 0008	II-111 02 270 0008	8	168,1




Intended use : Temporary fixation of intra-articular fractures of the distal tibia and proximal humerus fractures in adult patients.

Small Fragment Locking Plates

3,5 mm Distal Lateral Humerus Locking Plate




SS	TI	HOLES	SIDE	LENGTH (mm)
II-5248105	II-5238105	5	Left	56,5
II-5248107	II-5238107	7	Left	83,5
II-5248109	II-5238109	9	Left	108,5
II-5248111	II-5238111	11	Left	133,5
II-5248113	II-5238113	13	Left	158,5
II-5248115	II-5238115	15	Left	183,5
II-5248205	II-5238205	5	Right	56,5
II-5248207	II-5238207	7	Right	83,5
II-5248209	II-5238209	9	Right	108,5
II-5248211	II-5238211	11	Right	133,5
II-5248213	II-5238213	13	Right	158,5
II-5248215	II-5238215	15	Right	183,5



Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal humerus (lateral approach), particularly for adult patients with osteopenic bone.


2,7/3,5 mm Distal Humerus Dorsolateral Locking Plate

with lateral support



without lateral support

SS	TI	HOLES	SIDE	LENGTH (mm)
II-9248105	II-9238105	5	Left	103,9
II-9248107	II-9238107	7	Left	126,9
II-9248109	II-9238109	9	Left	152,9
II-9248111	II-9238111	11	Left	178,9
II-9248113	II-9238113	13	Left	204,9
II-9248205	II-9238205	5	Right	103,9
II-9248207	II-9238207	7	Right	126,9
II-9248209	II-9238209	9	Right	152,9
II-9248211	II-9238211	11	Right	178,9
II-9248213	II-9238213	13	Right	204,9




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal humerus (dorsolateral approach), particularly for adult patients with osteopenic bone.

Small Fragment Locking Plates

3,5 mm Distal Medial Humerus Locking Plate 1



SS	TI	HOLES	LENGTH (mm)
II-5249206	II-5249106	6	69,5
II-5249208	II-5249108	8	94
II-5249210	II-5249110	10	114
II-5249212	II-5249112	12	138,5
II-5249214	II-5249114	14	163
II-5249216	II-5249116	16	184




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal humerus (medial approach), particularly for adult patients with osteopenic bone.

2,7/3,5 mm Distal Medial Humerus Locking Plate 2



SS	TI	HOLES	SIDE	LENGTH (mm)
II-1015279106	II-1115278106	6	Left	84,8
II-1015279108	II-1115278108	8	Left	109,3
II-1015279110	II-1115278110	10	Left	133,8
II-1015279112	II-1115278112	12	Left	158,3
II-1015279114	II-1115278114	14	Left	182,8
II-1015279116	II-1115278116	16	Left	207,3
II-1015279206	II-1115278206	6	Right	84,8
II-1015279208	II-1115278208	8	Right	109,3
II-1015279210	II-1115278210	10	Right	133,8
II-1015279212	II-1115278212	12	Right	158,3
II-1015279214	II-1115278214	14	Right	182,8
II-1015279216	II-1115278216	16	Right	207,3




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal humerus (medial approach), particularly for adult patients with osteopenic bone.

Small Fragment Locking Plates

3,5 mm Y-Distal Humerus Locking Plate 1



SS	TI	HOLES	SIDE	LENGTH (mm)
II-5319103	II-5318103	3	Left	91,4
II-5319104	II-5318104	4	Left	106,4
II-5319105	II-5318105	5	Left	121,4
II-5319106	II-5318106	6	Left	136,4
II-5319107	II-5318107	7	Left	151,4
II-5319108	II-5318108	8	Left	166,4
II-5319203	II-5318203	3	Right	91,4
II-5319204	II-5318204	4	Right	106,4
II-5319205	II-5318205	5	Right	121,4
II-5319206	II-5318206	6	Right	136,4
II-5319207	II-5318207	7	Right	151,4
II-5319208	II-5318208	8	Right	166,4




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal humerus, particularly for adult patients with osteopenic bone.

3,5 mm Olecranon Locking Compression Plate 1



SS	TI	HOLES	SIDE	LENGTH (mm)
II-1651904	II-1651804	4	Left	128,8
II-1651906	II-1651806	6	Left	153,7
II-1651908	II-1651808	8	Left	179,8
II-1662904	II-1662804	4	Right	128,8
II-1662906	II-1662806	6	Right	153,7
II-1662908	II-1662808	8	Right	179,8




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the proximal ulna, particularly for adult patients with osteopenic bone.

Small Fragment Locking Plates

3,5 mm Olecranon Locking Compression Plate 2



SS	TI	HOLES	SIDE	LENGTH (mm)
II-22024130	II-22014130	3	Left	67,2
II-22024140	II-22014140	4	Left	79,6
II-22024150	II-22014150	5	Left	92,1
II-22024160	II-22014160	6	Left	104,6
II-22024170	II-22014170	7	Left	117
II-22024180	II-22014180	8	Left	129,4
II-22024230	II-22014230	3	Right	67,2
II-22024240	II-22014240	4	Right	79,6
II-22024250	II-22014250	5	Right	92,1
II-22024260	II-22014260	6	Right	104,6
II-22024270	II-22014270	7	Right	117
II-22024280	II-22014280	8	Right	129,4




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the proximal ulna, particularly for adult patients with osteopenic bone.

3,5 mm Metaphysis Locking Compression Plate



SS	TI	HOLES	LENGTH (mm)
II-1060906	II-1060806	6	86
II-1060907	II-1060807	7	99
II-1060908	II-1060808	8	112
II-1060909	II-1060809	9	125
II-1060911	II-1060811	11	151
II-1060913	II-1060813	13	177




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the various long bones, excluding the femur in adult patients, particularly for patients with osteopenic bone.

Small Fragment Locking Plates

3,5 mm Locking Compression Hook Plate



SS	TI	HOLES	LENGTH (mm)
II-1610905	II-1610805	5	64,4
II-1610906	II-1610806	6	72,9
II-1610907	II-1610807	7	81,4
II-1610908	II-1610808	8	89,9
II-1610909	II-1610809	9	98,4
II-1610910	II-1610810	10	106,9
II-1610911	II-1610811	11	115,4
II-1610912	II-1610812	12	123,9
II-1610913	II-1610813	13	132,4




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the ulna, radius and fibula, particularly for adult patients with osteopenic bone.

3,5 mm Locking Compression Plate




SS	TI	HOLES	LENGTH (mm)
II-1840904	II-1820804	4	58
II-1840905	II-1820805	5	72
II-1840906	II-1820806	6	86
II-1840907	II-1820807	7	100
II-1840908	II-1820808	8	114
II-1840909	II-1820809	9	128
II-1840910	II-1820810	10	142
II-1840911	II-1820811	11	156
II-1840912	II-1820812	12	170




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the clavicle, scapula, olecranon, humerus, radius, ulna, pelvis, distal tibia, fibula, particularly in osteopenic bone for adult patients. These plates are also indicated for fracture fixation of diaphyseal and metaphyseal areas of long bones in pediatric patients.

Small Fragment Locking Plates

1/3 Tubular Locking Plate



SS	TI	HOLES	LENGTH (mm)
II-5051004	II-5050004	4	54
II-5051005	II-5050005	5	66
II-5051006	II-5050006	6	78
II-5051007	II-5050007	7	90
II-5051008	II-5050008	8	102
II-5051009	II-5050009	9	114
II-5051010	II-5050010	10	126
II-5051011	II-5050011	11	138
II-5051012	II-5050012	12	150
II-5051013	II-5050013	13	162




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of small bones, including the ulna, radius and fibula, particularly for patients with osteopenic bone.

3,5 mm Reconstruction Locking Plate



SS	TI	HOLES	LENGTH (mm)
II-1050904	II-1050804	4	48
II-1050905	II-1050805	5	60
II-1050906	II-1050806	6	72
II-1050907	II-1050807	7	84
II-1050908	II-1050808	8	96
II-1050909	II-1050809	9	108
II-1050910	II-1050810	10	120
II-1050911	II-1050811	11	132
II-1050912	II-1050812	12	144




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the clavicle, scapula, olecranon, humerus, radius, ulna, pelvis, distal tibia, fibula for adult patients. These plates are also indicated for fracture fixation of diaphyseal and metaphyseal areas of long bones in pediatric patients.

Small Fragment Locking Plates

3,5 mm Ulna/Radius Anatomic Locking Plate



SS	TI	HOLES	LENGTH (mm)
II-1822005	II-1821005	5	69
II-1822006	II-1821006	6	82
II-1822007	II-1821007	7	95,4
II-1822008	II-1821008	8	108,8
II-1822009	II-1821009	9	121,2




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the midshaft ulna and radius, particularly for patients with osteopenic bone.

3,5 mm Curved Reconstruction Locking Plate



SS	TI	HOLES	LENGTH (mm)
II-101 02 221 0004	II-111 02 221 0004	4	61,4
II-101 02 221 0005	II-111 02 221 0005	5	77,8
II-101 02 221 0006	II-111 02 221 0006	6	93,7
II-101 02 221 0007	II-111 02 221 0007	7	109,4
II-101 02 221 0008	II-111 02 221 0008	8	125,0
II-101 02 221 0009	II-111 02 221 0009	9	140,2
II-101 02 221 0010	II-111 02 221 0010	10	155,0
II-101 02 221 0011	II-111 02 221 0011	11	169,9
II-101 02 221 0012	II-111 02 221 0012	12	184,7
II-101 02 221 0013	II-111 02 221 0013	13	198,0
II-101 02 221 0014	II-111 02 221 0014	14	212,0




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the pelvis, particularly for patients with osteopenic bone.

Small Fragment Locking Plates

2,7/3,5 mm Distal Radius Locking Plate 1



SS	TI	HOLES	SIDE	LENGTH (mm)
II-5159303	II-5159103	3	Left	54
II-5159304	II-5159104	4	Left	62
II-5159305	II-5159105	5	Left	70
II-5159306	II-5159106	6	Left	78
II-5159307	II-5159107	7	Left	86
II-5159403	II-5159203	3	Right	54
II-5159404	II-5159204	4	Right	62
II-5159405	II-5159205	5	Right	70
II-5159406	II-5159206	6	Right	78
II-5159407	II-5159207	7	Right	86




Intended use : Temporary fixation of complex intra-articular and extra-articular fractures and osteotomies of the distal radius in adults, skeletally mature adolescents.

2,7/3,5 mm Distal Radius Locking Plate 2



SS	TI	HOLES	SIDE	LENGTH (mm)
II-5169303	II-5169103	3	Left	63,2
II-5169304	II-5169104	4	Left	71,2
II-5169305	II-5169105	5	Left	79,2
II-5169306	II-5169106	6	Left	87,2
II-5169307	II-5169107	7	Left	95,2
II-5169403	II-5169203	3	Right	63,2
II-5169404	II-5169204	4	Right	71,2
II-5169405	II-5169205	5	Right	79,2
II-5169406	II-5169206	6	Right	87,2
II-5169407	II-5169207	7	Right	95,2




Intended use : Temporary fixation of complex intra-articular and extra-articular fractures and osteotomies of the distal radius in adults, skeletally mature adolescents.

Small Fragment Locking Plates

3,5 mm Locking Compression T-Plate, Right-Angled (3 Holes on Head)



SS	TI	HOLES	LENGTH (mm)
II-1480903	II-1480803	3	49
II-1480904	II-1480804	4	61
II-1480905	II-1480805	5	73
II-1480906	II-1480806	6	85




Intended use : Temporary fixation of complex intra-articular and extra-articular fractures and osteotomies of the distal radius in adults, skeletally mature adolescents.

3,5 mm Locking Compression T-Plate Oblique-Angled



SS	TI	HOLES	SIDE	LENGTH (mm)
II-1511903	II-1511803	3	Left	53
II-1511904	II-1511804	4	Left	66,5
II-1511905	II-1511805	5	Left	80
II-1511906	II-1511806	6	Left	93,5
II-1522903	II-1522803	3	Right	53
II-1522904	II-1522804	4	Right	66,5
II-1522905	II-1522805	5	Right	80
II-1522906	II-1522806	6	Right	93,5




Intended use : Temporary fixation of complex intra-articular and extra-articular fractures and osteotomies of the distal radius in adults, skeletally mature adolescents.

Small Fragment Locking Plates

3,5 mm Locking Compression T-Plate, Right-Angled (4 Holes on Head)



SS	TI	HOLES	LENGTH (mm)
II-1480930	II-1480830	3	46
II-1480940	II-1480840	4	57
II-1480950	II-1480850	5	68
II-1480960	II-1480860	6	80




Intended use : Temporary fixation of complex intra-articular and extra-articular fractures and osteotomies of the distal radius in adults, skeletally mature adolescents.

2,7 mm Radius Head Locking Plate



SS	TI	HOLES	LENGTH (mm)
II-5159603	II-5159503	3	33
II-5159605	II-5159505	5	47




Intended use : Temporary fixation of extra-articular and intra-articular fractures of the proximal radius and multifragmented radial neck fractures in adults, skeletally mature adolescents.

Small Fragment Locking Plates

2,7 mm Hallux-Valgus Locking Plate



TI	HOLES	SIDE	LENGTH (mm)
II-312 02 062 0402	2	90° Left	33
II-312 02 062 0403	3	90° Left	35
II-312 02 062 0404	4	90° Left	37
II-312 02 062 0202	2	110° Left	33
II-312 02 062 0203	3	110° Left	35
II-312 02 062 0204	4	110° Left	37
II-312 02 061 0302	2	90° Right	33
II-312 02 061 0303	3	90° Right	35
II-312 02 061 0304	4	90° Right	37
II-312 02 061 0102	2	110° Right	33
II-312 02 061 0103	3	110° Right	35
II-312 02 061 0104	4	110° Right	37




Intended use : Temporary fixation of hallux valgus osteotomies of adult patients.

Attachment Locking Plate Small



TI	TYPE
II-110 02 190 0006	Small




Intended use : For augmented temporary fixation of fractures, used as an attachment of 3.5 mm locking compression plates.

Small Fragment Non-Locking Plates

3,5 mm Clavicle Plate



SS	TI	HOLES	SIDE	LENGTH (mm)
II-5089106	II-5088106	6	Left	70
II-5089107	II-5088107	7	Left	84
II-5089108	II-5088108	8	Left	98
II-5089109	II-5088109	9	Left	112
II-5089206	II-5088206	6	Right	70
II-5089207	II-5088207	7	Right	84
II-5089208	II-5088208	8	Right	98
II-5089209	II-5088209	9	Right	112




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the clavicle.

3,5 mm Clavicle Hook Plate



SS	TI	HOLES	SIDE	LENGTH (mm)
II-5269104	II-5268104	4	Left	63
II-5269105	II-5268105	5	Left	75
II-5269106	II-5268106	6	Left	86
II-5269107	II-5268107	7	Left	97
II-5269204	II-5268204	4	Right	63
II-5269205	II-5268205	5	Right	75
II-5269206	II-5268206	6	Right	86
II-5269207	II-5268207	7	Right	97




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the clavicle, for the treatment of acromioclavicular dislocations

Small Fragment Non-Locking Plates

3,5 mm Cloverleaf Plate




SS	TI	HOLES	LENGTH (mm)
II-100 02 270 0003	II-110 02 270 0003	3	88,1
II-100 02 270 0004	II-110 02 270 0004	4	104,1
II-100 02 270 0005	II-110 02 270 0005	5	120,1
II-100 02 270 0006	II-110 02 270 0006	6	136,1
II-100 02 270 0007	II-110 02 270 0007	7	152,1
II-100 02 270 0008	II-110 02 270 0008	8	168,1




Intended use : Temporary fixation of intra-articular fractures of the distal tibia and proximal humerus fractures in adult patients.

3,5 mm Y-Distal Humerus Plate 1



SS	TI	HOLES	SIDE	LENGTH (mm)
II-5219103	II-5218103	3	Left	91,4
II-5219104	II-5218104	4	Left	106,4
II-5219105	II-5218105	5	Left	121,4
II-5219106	II-5218106	6	Left	136,4
II-5219107	II-5218107	7	Left	151,4
II-5219108	II-5218108	8	Left	166,4
II-5219203	II-5218203	3	Right	91,4
II-5219204	II-5218204	4	Right	106,4
II-5219205	II-5218205	5	Right	121,4
II-5219206	II-5218206	6	Right	136,4
II-5219207	II-5218207	7	Right	151,4
II-5219208	II-5218208	8	Right	166,4




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal humerus in adult patients.

Small Fragment Non-Locking Plates

3,5 mm Y-Distal Humerus Plate 2



SS	TI	HOLES	SIDE	LENGTH (mm)
II-100 02 224 1305	II-110 02 224 1305	5	Left	137
II-100 02 224 1306	II-110 02 224 1306	6	Left	153
II-100 02 224 1307	II-110 02 224 1307	7	Left	169
II-100 02 224 1309	II-110 02 224 1309	9	Left	201
II-100 02 224 1205	II-110 02 224 1205	5	Right	137
II-100 02 224 1206	II-110 02 224 1206	6	Right	153
II-100 02 224 1207	II-110 02 224 1207	7	Right	169
II-100 02 224 1209	II-110 02 224 1209	9	Right	201




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal humerus in adult patients.

3,5 mm Ulnar Olecranon Plate



SS	TI	HOLES	SIDE	LENGTH (mm)
II-100 02 224 1104	II-22014040	4	Left	79,6
II-100 02 224 1105	II-22014050	5	Left	92,1
II-100 02 224 1103	II-22014060	6	Left	104,6
II-100 02 224 1004	II-22014030	4	Right	79,6
II-100 02 224 1005	II-22014070	5	Right	92,1
II-100 02 224 1003	II-22014080	6	Right	104,6




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the proximal ulna in adult patients.

Small Fragment Non-Locking Plates

3,5 mm Distal Medial Humerus Reconstruction Plate




TI	HOLES	LENGTH (mm)
II-5249010	10	69,6
II-5249012	12	85
II-5249014	14	100,4




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal humerus (medial approach) in adults.

3,5 mm Y-Distal Humerus Reconstruction Plate




SS	TI	LENGTH (mm)
II-100 02 224 0000	II-110 02 224 0000	88,6




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal humerus in adults.

Small Fragment Non-Locking Plates

1/3 Tubular Plate



SS	TI	HOLES	LENGTH (mm)
II-100 02 181 0004	II-110 02 181 0004	4	54
II-100 02 181 0005	II-110 02 181 0005	5	66
II-100 02 181 0006	II-110 02 181 0006	6	78
II-100 02 181 0007	II-110 02 181 0007	7	90
II-100 02 181 0008	II-110 02 181 0008	8	102
II-100 02 181 0009	II-110 02 181 0009	9	114
II-100 02 181 0010	II-110 02 181 0010	10	126
II-100 02 181 0011	II-110 02 181 0011	11	138
II-100 02 181 0012	II-110 02 181 0012	12	150




Intended use : Fractures, osteotomies, nonunions and malunions of small bones, including the ulna, radius and fibula.

Quarter 1/4 Tubular Plate



SS	TI	HOLES	LENGTH (mm)
II-100 02 182 0003	II-110 02 170 0003	3	23
II-100 02 182 0004	II-110 02 170 0004	4	31
II-100 02 182 0005	II-110 02 170 0005	5	39
II-100 02 182 0006	II-110 02 170 0006	6	47
II-100 02 182 0007	II-110 02 170 0007	7	55
II-100 02 182 0008	II-110 02 170 0008	8	63
II-100 02 182 0009	II-110 02 170 0009	9	71
II-100 02 182 0010	II-110 02 170 0010	10	79




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of small bones, including the ulna, radius and fibula, metacarpal and metatarsal bones.

Small Fragment Non-Locking Plates

3,5 mm Thin Narrow Plate DCP



SS	TI	HOLES	LENGTH (mm)
II-100 02 171 0004	II-110 02 171 0004	4	54
II-100 02 171 0005	II-110 02 171 0005	5	66
II-100 02 171 0006	II-110 02 171 0006	6	78
II-100 02 171 0007	II-110 02 171 0007	7	90
II-100 02 171 0008	II-110 02 171 0008	8	102
II-100 02 171 0009	II-110 02 171 0009	9	114
II-100 02 171 0010	II-110 02 171 0010	10	126
II-100 02 171 0012	II-110 02 171 0012	12	150




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the clavicle, scapula, olecranon, humerus, radius, ulna, pelvis, distal tibia, fibula. These plates are also indicated for fracture fixation of diaphyseal and metaphyseal areas of long bones in pediatric patients.

3,5 mm Straight Reconstruction Plate



SS	TI	HOLES	LENGTH (mm)
II-100 02 220 0004	II-110 02 220 0004	4	48
II-100 02 220 0005	II-110 02 220 0005	5	60
II-100 02 220 0006	II-110 02 220 0006	6	72
II-100 02 220 0007	II-110 02 220 0007	7	84
II-100 02 220 0008	II-110 02 220 0008	8	96
II-100 02 220 0009	II-110 02 220 0009	9	108
II-100 02 220 0010	II-110 02 220 0010	10	120
II-100 02 220 0011	II-110 02 220 0011	11	132
II-100 02 220 0012	II-110 02 220 0012	12	144




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the clavicle, scapula, olecranon, humerus, radius, ulna, pelvis, distal tibia, fibula for adult patients. These plates are also indicated for fracture fixation of diaphyseal and metaphyseal areas of long bones in pediatric patients.

Small Fragment Non-Locking Plates

3,5 mm Curved Reconstruction Plate



SS	TI	HOLES	LENGTH (mm)
II-100 02 221 0002	II-110 02 221 0002	2	29,1
II-100 02 221 0003	II-110 02 221 0003	3	45,1
II-100 02 221 0004	II-110 02 221 0004	4	60,8
II-100 02 221 0005	II-110 02 221 0005	5	76,9
II-100 02 221 0006	II-110 02 221 0006	6	92,7
II-100 02 221 0007	II-110 02 221 0007	7	108,2
II-100 02 221 0008	II-110 02 221 0008	8	123,6
II-100 02 221 0009	II-110 02 221 0009	9	138,7
II-100 02 221 0010	II-110 02 221 0010	10	153,9
II-100 02 221 0011	II-110 02 221 0011	11	168,4
II-100 02 221 0012	II-110 02 221 0012	12	183,2




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the pelvis

3,5 mm T-Plate Right-Angled (3 Holes On Head)



SS	TI	HOLES	LENGTH (mm)
II-300 02 079 003	II-310 02 079 003	3	49
II-300 02 079 004	II-310 02 079 004	4	61
II-300 02 079 005	II-310 02 079 005	5	73
II-300 02 079 006	II-310 02 079 006	6	85




Intended use : Temporary fixation of complex intra-articular and extra-articular fractures and osteotomies of the distal radius in adults, skeletally mature adolescents.

Small Fragment Non-Locking Plates

3,5 mm T-Plate Right-Angled (4 Holes On Head)



SS	TI	HOLES	LENGTH (mm)
II-300 02 080 0003	II-310 02 080 0003	3	46
II-300 02 080 0004	II-310 02 080 0004	4	57
II-300 02 080 0005	II-310 02 080 0005	5	68
II-300 02 080 0006	II-310 02 080 0006	6	79




Intended use : Temporary fixation of complex intra-articular and extra-articular fractures and osteotomies of the distal radius in adults, skeletally mature adolescents.

3,5 mm Compression T-Plate Oblique-Angled



SS	TI	HOLES	SIDE	LENGTH (mm)
II-300 02 090 0003	II-310 02 090 0003	3	Left	52
II-300 02 090 0004	II-310 02 090 0004	4	Left	62
II-300 02 090 0005	II-310 02 090 0005	5	Left	72
II-300 02 090 0006	II-310 02 090 0006	6	Left	82
II-300 02 091 0003	II-310 02 091 0003	3	Right	52
II-300 02 091 0004	II-310 02 091 0004	4	Right	62
II-300 02 091 0005	II-310 02 091 0005	5	Right	72
II-300 02 091 0006	II-310 02 091 0006	6	Right	82



Intended use : Temporary fixation of complex intra-articular and extra-articular fractures and osteotomies of the distal radius in adults, skeletally mature adolescents.

SMALL FRAGMENT


Locking
Screw
product
group

Small Fragment Locking Screws

3,5 mm Self-Tapping Locking Screw




SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-1993510	II-1983510	3,5X10	II-1993530	II-1983530	3,5X30
II-1993512	II-1983512	3,5X12	II-1993532	II-1983532	3,5X32
II-1993514	II-1983514	3,5X14	II-1993534	II-1983534	3,5X34
II-1993516	II-1983516	3,5X16	II-1993536	II-1983536	3,5X36
II-1993518	II-1983518	3,5X18	II-1993538	II-1983538	3,5X38
II-1993520	II-1983520	3,5X20	II-1993540	II-1983540	3,5X40
II-1993522	II-1983522	3,5X22	II-1993542	II-1983542	3,5X42
II-1993524	II-1983524	3,5X24	II-1993544	II-1983544	3,5X44
II-1993526	II-1983526	3,5X26	II-1993546	II-1983546	3,5X46
II-1993528	II-1983528	3,5X28	II-1993548	II-1983548	3,5X48
			II-1993550	II-1983550	3,5X50
			II-1993555	II-1983555	3,5X55
			II-1993560	II-1983560	3,5X60



3,5 mm Low-Profile Locking Screw




TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-1973510	3,5X10	II-1973520	3,5X20
II-1973512	3,5X12	II-1973522	3,5X22
II-1973514	3,5X14	II-1973524	3,5X24
II-1973516	3,5X16	II-1973526	3,5X26
II-1973518	3,5X18	II-1973528	3,5X28



3,5 mm Locking Cancellous Screw Full Threaded



SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-33803510	II-33703510	3,5X10	II-33803530	II-33703530	3,5X30
II-33803512	II-33703512	3,5X12	II-33803532	II-33703532	3,5X32
II-33803514	II-33703514	3,5X14	II-33803534	II-33703534	3,5X34
II-33803516	II-33703516	3,5X16	II-33803536	II-33703536	3,5X36
II-33803518	II-33703518	3,5X18	II-33803538	II-33703538	3,5X38
II-33803520	II-33703520	3,5X20	II-33803540	II-33703540	3,5X40
II-33803522	II-33703522	3,5X22	II-33803542	II-33703542	3,5X42
II-33803524	II-33703524	3,5X24	II-33803544	II-33703544	3,5X44
II-33803526	II-33703526	3,5X26	II-33803546	II-33703546	3,5X46
II-33803528	II-33703528	3,5X28	II-33803548	II-33703548	3,5X48
			II-33803550	II-33703550	3,5X50
			II-33803555	II-33703555	3,5X55
			II-33803560	II-33703560	3,5X60




Small Fragment Locking Screws


3,5 mm Locking Cancellous Screw Partially Threaded



SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-33813520	II-33713520	3,5X20	II-33813538	II-33713538	3,5X38
II-33813522	II-33713522	3,5X22	II-33813540	II-33713540	3,5X40
II-33813524	II-33713524	3,5X24	II-33813542	II-33713542	3,5X42
II-33813526	II-33713526	3,5X26	II-33813544	II-33713544	3,5X44
II-33813528	II-33713528	3,5X28	II-33813546	II-33713546	3,5X46
II-33813530	II-33713530	3,5X30	II-33813548	II-33713548	3,5X48
II-33813532	II-33713532	3,5X32	II-33813550	II-33713550	3,5X50
II-33813534	II-33713534	3,5X34	II-33813555	II-33713555	3,5X55
II-33813536	II-33713536	3,5X36	II-33813560	II-33713560	3,5X60




3,5 mm Cable Locking Screw



TI

II-900 03 020 0005




TI

II-900 03 020 0009

2,4 mm Locking Screw (5,5 mm Head Diameter)



SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-1992306	II-2065014	2,4X6	II-1992324	II-2065032	2,4X24
II-1992308	II-2065016	2,4X8	II-1992326	II-2065034	2,4X26
II-1992310	II-2065018	2,4X10	II-1992328	II-2065036	2,4X28
II-1992312	II-2065020	2,4X12	II-1992330	II-2065038	2,4X30
II-1992314	II-2065022	2,4X14	II-1992332	II-2065040	2,4X32
II-1992316	II-2065024	2,4X16	II-1992334	II-2065042	2,4X34
II-1992318	II-2065026	2,4X18	II-1992336	II-2065044	2,4X36
II-1992320	II-2065028	2,4X20	II-1992338	II-2065046	2,4X38
II-1992322	II-2065030	2,4X22	II-1992340	II-2065048	2,4X40




Small Fragment Locking Screws

2,7 mm Mini Locking Screw (5,5 mm Head Diameter)



SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-1992706	II-2065050	2,7X6	II-1992720	II-2065085	2,7X20
II-1992708	II-2065055	2,7X8	II-1992722	II-2065090	2,7X22
II-1992710	II-2065060	2,7X10	II-1992724	II-1992005	2,7X24
II-1992712	II-2065065	2,7X12	II-1992726	II-1992007	2,7X26
II-1992714	II-2065070	2,7X14	II-1992728	II-1992009	2,7X28
II-1992716	II-2065075	2,7X16	II-1992730	II-1992011	2,7X30
II-1992718	II-2065080	2,7X18	II-1992732	II-1992013	2,7X32
			II-1992734	II-1992015	2,7X34
			II-1992736	II-1992017	2,7X36
			II-1992738	II-1992019	2,7X38
			II-1992740	II-1992021	2,7X40



3,5 mm Self-Drilling Locking Screw




SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-2393510	II-2383510	3,5X10	II-2393530	II-2383530	3,5X30
II-2393512	II-2383512	3,5X12	II-2393532	II-2383532	3,5X32
II-2393514	II-2383514	3,5X14	II-2393534	II-2383534	3,5X34
II-2393516	II-2383516	3,5X16	II-2393536	II-2383536	3,5X36
II-2393518	II-2383518	3,5X18	II-2393538	II-2383538	3,5X38
II-2393520	II-2383520	3,5X20	II-2393540	II-2383540	3,5X40
II-2393522	II-2383522	3,5X22	II-2393542	II-2383542	3,5X42
II-2393524	II-2383524	3,5X24	II-2393544	II-2383544	3,5X44
II-2393526	II-2383526	3,5X26	II-2393546	II-2383546	3,5X46
II-2393528	II-2383528	3,5X28	II-2393548	II-2383548	3,5X48
			II-2393550	II-2383550	3,5X50
			II-2393555	II-2383555	3,5X55
			II-2393560	II-2383560	3,5X60



3,5 mm Self-Tapping Locking Cannulated Screw



SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-1953510	II-1963510	3,5X10	II-1863532	II-1963532	3,5X32
II-1953512	II-1963512	3,5X12	II-1863534	II-1963534	3,5X34
II-1953514	II-1963514	3,5X14	II-1863536	II-1963536	3,5X36
II-1953516	II-1963516	3,5X16	II-1863538	II-1963538	3,5X38
II-1953518	II-1963518	3,5X18	II-1953540	II-1963540	3,5X40
II-1953520	II-1963520	3,5X20	II-1863518	II-1963565	3,5X42
II-1953522	II-1963522	3,5X22	II-1863520	II-1963570	3,5X44
II-1953524	II-1963524	3,5X24	II-1863522	II-1963546	3,5X46
II-1953526	II-1963526	3,5X26	II-1863524	II-1963548	3,5X48
II-1953528	II-1963528	3,5X28	II-1953550	II-1963550	3,5X50
II-1953530	II-1963530	3,5X30	II-1953555	II-1963555	3,5X55
			II-1953560	II-1963560	3,5X60



Small Fragment Locking/Non-Locking Screws

2,4 mm Mini Locking Screw




TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-110 03 213 0060	2,4X6	II-100 03 216 0015	2,4X15
II-100 03 216 0070	2,4X7	II-110 03 213 0160	2,4X16
II-110 03 213 0080	2,4X8	II-110 03 213 0180	2,4X18
II-100 03 216 0090	2,4X9	II-110 03 213 0200	2,4X20
II-110 03 213 0100	2,4X10	II-110 03 213 0220	2,4X22
II-100 03216 0011	2,4X11	II-110 03 213 0240	2,4X24
II-110 03 213 0120	2,4X12	II-110 03 213 0260	2,4X26
II-100 03 216 0013	2,4X13	II-110 03 213 0280	2,4X28
II-110 03 213 0140	2,4X14	II-110 03 213 0300	2,4X30



2,4 mm Mini Screw




TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-1982306	2,4X6	II-100 03216 0025	2,4X15
II-100 03216 0017	2,4X7	II-1982316	2,4X16
II-1982308	2,4X8	II-1982318	2,4X18
II-100 03216 0019	2,4X9	II-1982320	2,4X20
II-1982310	2,4X10	II-1982322	2,4X22
II-100 03216 0021	2,4X11	II-1982324	2,4X24
II-1982312	2,4X12	II-1982326	2,4X26
II-100 03216 0023	2,4X13	II-1982328	2,4X28
II-1982314	2,4X14	II-1982330	2,4X30



3,5 mm Cortical Screw (Pitch 1,25 mm)



SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-100 03 218 0100	II-110 03 218 0100	3,5X10	II-100 03 218 0360	II-110 03 218 0360	3,5X36
II-100 03 218 0120	II-110 03 218 0120	3,5X12	II-100 03 218 0380	II-110 03 218 0380	3,5X38
II-100 03 218 0140	II-110 03 218 0140	3,5X14	II-100 03 218 0400	II-110 03 218 0400	3,5X40
II-100 03 218 0160	II-110 03 218 0160	3,5X16	II-100 03 218 0420	II-110 03 218 0420	3,5X42
II-100 03 218 0180	II-110 03 218 0180	3,5X18	II-100 03 218 0440	II-110 03 218 0440	3,5X44
II-100 03 218 0200	II-110 03 218 0200	3,5X20	II-100 03 218 0460	II-110 03 218 0460	3,5X46
II-100 03 218 0220	II-110 03 218 0220	3,5X22	II-100 03 218 0480	II-110 03 218 0480	3,5X48
II-100 03 218 0240	II-110 03 218 0240	3,5X24	II-100 03 218 0500	II-110 03 218 0500	3,5X50
II-100 03 218 0260	II-110 03 218 0260	3,5X26	II-100 03 218 0520	II-110 03 218 0520	3,5X52
II-100 03 218 0280	II-110 03 218 0280	3,5X28	II-100 03 218 0540	II-110 03 218 0540	3,5X54
II-100 03 218 0300	II-110 03 218 0300	3,5X30	II-100 03 218 0560	II-110 03 218 0560	3,5X56
II-100 03 218 0320	II-110 03 218 0320	3,5X32	II-100 03 218 0580	II-110 03 218 0580	3,5X58
II-100 03 218 0340	II-110 03 218 0340	3,5X34	II-100 03 218 0600	II-110 03 218 0600	3,5X60




Small Fragment Non-Locking Screws

3,5 mm Cancellous Bone Screw Full Threaded



SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-100 03 219 0100	II-110 03 219 0100	3,5X10	II-100 03 219 0320	II-110 03 219 0320	3,5X32
II-100 03 219 0120	II-110 03 219 0120	3,5X12	II-100 03 219 0340	II-110 03 219 0340	3,5X34
II-100 03 219 0140	II-110 03 219 0140	3,5X14	II-100 03 219 0360	II-110 03 219 0360	3,5X36
II-100 03 219 0160	II-110 03 219 0160	3,5X16	II-100 03 219 0380	II-110 03 219 0380	3,5X38
II-100 03 219 0180	II-110 03 219 0180	3,5X18	II-100 03 219 0400	II-110 03 219 0400	3,5X40
II-100 03 219 0200	II-110 03 219 0200	3,5X20	II-100 03 219 0420	II-6183542	3,5X42
II-100 03 219 0220	II-110 03 219 0220	3,5X22	II-100 03 219 0440	II-110 03 219 0450	3,5X44
II-100 03 219 0240	II-110 03 219 0240	3,5X24	II-100 03 219 0460	II-6183546	3,5X46
II-100 03 219 0260	II-110 03 219 0260	3,5X26	II-100 03 219 0480	II-6183548	3,5X48
II-100 03 219 0280	II-110 03 219 0280	3,5X28	II-100 03 219 0500	II-110 03 219 0500	3,5X50
II-100 03 219 0300	II-110 03 219 0300	3,5X30	II-100 03 219 0520	II-6183552	3,5X52
			II-100 03 219 0540	II-110 03 219 0540	3,5X54
			II-100 03 219 0560	II-6183556	3,5X56
			II-100 03 219 0580	II-110 03 219 0580	3,5X58
			II-100 03 219 0600	II-6183560	3,5X60



3,5 mm Cancellous Bone Screw Partially Threaded




SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-6353520	II-6153520	3,5X20	II-6353534	II-6153534	3,5X34
II-6353522	II-6153522	3,5X22	II-6353536	II-6153536	3,5X36
II-6353524	II-6153524	3,5X24	II-6353538	II-6153538	3,5X38
II-6353526	II-6153526	3,5X26	II-6353540	II-6153540	3,5X40
II-6353528	II-6153528	3,5X28	II-6353542	II-6153542	3,5X42
II-6353530	II-6153530	3,5X30	II-6353544	II-6153544	3,5X44
II-6353532	II-6153532	3,5X32	II-6353546	II-6153546	3,5X46
			II-6353548	II-6153548	3,5X48
			II-6353550	II-6153550	3,5X50



4,0 mm Cancellous Bone Screw Full Threaded




SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-100 03 220 0100	II-110 03 220 0100	4,0X10	II-100 03 220 0200	II-110 03 220 0200	4,0X20
II-100 03 220 0120	II-110 03 220 0120	4,0X12	II-100 03 220 0220	II-110 03 220 0220	4,0X22
II-100 03 220 0140	II-110 03 220 0140	4,0X14	II-100 03 220 0240	II-110 03 220 0240	4,0X24
II-100 03 220 0160	II-110 03 220 0160	4,0X16	II-100 03 220 0260	II-110 03 220 0260	4,0X26
II-100 03 220 0180	II-110 03 220 0180	4,0X18	II-100 03 220 0280	II-110 03 220 0280	4,0X28
			II-100 03 220 0300	II-110 03 220 0300	4,0X30
			II-100 03 220 0350	II-110 03 220 0350	4,0X35
			II-100 03 220 0400	II-110 03 220 0400	4,0X40
			II-100 03 220 0450	II-110 03 220 0450	4,0X45
			II-100 03 220 0500	II-110 03 220 0500	4,0X50
			II-100 03 220 0550	II-110 03 220 0550	4,0X55
			II-100 03 220 0600	II-110 03 220 0600	4,0X60




Small Fragment Non-Locking Screws

4,0 mm Cancellous Bone Screw Partially Threaded




SS	TI	DIA. x LENGTH (mm)
II-100 03 021 0200	II-110 03 021 0200	4,0X20
II-100 03 021 0220	II-110 03 021 0220	4,0X22
II-100 03 021 0240	II-110 03 021 0240	4,0X24
II-100 03 021 0260	II-110 03 021 0260	4,0X26
II-100 03 021 0280	II-110 03 021 0280	4,0X28
II-100 03 021 0300	II-110 03 021 0300	4,0X30
II-100 03 021 0350	II-110 03 021 0350	4,0X35
II-100 03 021 0400	II-110 03 021 0400	4,0X40
II-100 03 021 0450	II-110 03 021 0450	4,0X45
II-100 03 021 0500	II-110 03 021 0500	4,0X50
II-100 03 021 0550	II-110 03 021 0550	4,0X55
II-100 03 021 0600	II-110 03 021 0600	4,0X60

2,7 mm Cortical Screw



SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-100 03 217 0060	II-110 03 222 0110	2,7X6	II-100 03 217 0180	II-110 03 222 0220	2,7X18
II-100 03 217 0080	II-110 03 222 0112	2,7X8	II-100 03 217 0200	II-110 03 222 0240	2,7X20
II-100 03 217 0100	II-110 03 222 0140	2,7X10	II-100 03 217 0220	II-110 03 222 0260	2,7X22
II-100 03 217 0120	II-110 03 222 0160	2,7X12	II-100 03 217 0240	II-110 03 222 0280	2,7X24
II-100 03 217 0140	II-110 03 222 0180	2,7X14	II-100 03 217 0260	II-110 03 222 0300	2,7X26
II-100 03 217 0160	II-110 03 222 0200	2,7X16	II-100 03 217 0280	II-110 03 222 0320	2,7X28
			II-100 03 217 0300	II-110 03 222 0340	2,7X30
			II-100 03 217 0320	II-110 03 222 0360	2,7X32
			II-100 03 217 0340	II-110 03 222 0380	2,7X34
			II-100 03 217 0360	II-110 03 222 0400	2,7X36
			II-100 03 217 0380	II-110 03 222 0420	2,7X38
			II-100 03 217 0400	II-110 03 222 0440	2,7X40


2,4 mm Cortical Screw



SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-100 03 213 0060	II-110 03 222 0460	2,4X6	II-100 03 213 0140	II-110 03 222 0540	2,4X14
II-100 03 213 0080	II-110 03 222 0480	2,4X8	II-100 03 213 0160	II-110 03 222 0560	2,4X16
II-100 03 213 0100	II-110 03 222 0500	2,4X10	II-100 03 213 0180	II-110 03 222 0580	2,4X18
II-100 03 213 0120	II-110 03 222 0520	2,4X12	II-100 03 213 0200	II-110 03 222 0600	2,4X20
			II-100 03 213 0220	II-110 03 222 0620	2,4X22
			II-100 03 213 0240	II-110 03 222 0640	2,4X24
			II-100 03 213 0260	II-110 03 222 0650	2,4X26
			II-100 03 213 0280	II-110 03 222 0700	2,4X28
			II-100 03 213 0300	II-110 03 223 0100	2,4X30


Small Fragment Non-Locking Screws

2,0 mm Cortical Screw



SS	DIA. x LENGTH (mm)	SS	DIA. x LENGTH (mm)
II-100 03 216 0060	2,0X6	II-100 03 216 0220	2,0X22
II-100 03 216 0080	2,0X8	II-100 03 216 0240	2,0X24
II-100 03 216 0100	2,0X10	II-100 03 216 0260	2,0X26
II-100 03 216 0120	2,0X12	II-100 03 216 0280	2,0X28
II-100 03 216 0140	2,0X14	II-100 03 216 0300	2,0X30
II-100 03 216 0160	2,0X16	II-100 03 216 0340	2,0X34
II-100 03 216 0180	2,0X18	II-100 03 216 0360	2,0X36
II-100 03 216 0200	2,0X20	II-100 03 216 0380	2,0X38

1,5 mm Cortical Screw



SS	DIA. x LENGTH (mm)	SS	DIA. x LENGTH (mm)
II-100 03 215 0060	1,5X6	II-100 03 215 0120	1,5X12
II-100 03 215 0070	1,5X7	II-100 03 215 0140	1,5X14
II-100 03 215 0080	1,5X8	II-100 03 215 0160	1,5X16
II-100 03 215 0090	1,5X9	II-100 03 215 0180	1,5X18
II-100 03 215 0100	1,5X10	II-100 03 215 0200	1,5X20

LARGE FRAGMENT


Locking
Plate
product group

Large Fragment Locking Plates

4,5/5,0 mm Proximal Femur Locking Compression Plate 1




SS	TI	HOLES	SIDE	LENGTH (mm)
II-1120903	II-1120803	3	Left	91,0
II-1120905	II-1120805	5	Left	126,8
II-1120907	II-1120807	7	Left	162,8
II-1120909	II-1120809	9	Left	198,8
II-1120911	II-1120811	11	Left	234,8
II-1120913	II-1120813	13	Left	270,8
II-1130903	II-1130803	3	Right	91,0
II-1130905	II-1130805	5	Right	126,8
II-1130907	II-1130807	7	Right	162,8
II-1130909	II-1130809	9	Right	198,8
II-1130911	II-1130811	11	Right	234,8
II-1130913	II-1130813	13	Right	270,8




Intended use : Temporary fixation of fractures of the trochanteric region, fractures of the proximal femur, metastatic fractures of the proximal femur, osteotomies of the proximal femur and fixation of nonunions or malunions of proximal femur in adult patients.

4,5/5,0/7,3 mm Proximal Femur Locking Compression Plate 2



SS	TI	HOLES	SIDE	LENGTH (mm)
II-1120902	II-1120802	2	Left	119
II-1120904	II-1120804	4	Left	159
II-1120906	II-1120806	6	Left	195
II-1120908	II-1120808	8	Left	231
II-1120910	II-1120810	10	Left	267
II-1130902	II-1130802	2	Right	119
II-1130904	II-1130804	4	Right	159
II-1130906	II-1130806	6	Right	195
II-1130908	II-1130808	8	Right	231
II-1130910	II-1130914	10	Right	267




Intended use : Temporary fixation of fractures of the trochanteric region, fractures of the proximal femur, metastatic fractures of the proximal femur, osteotomies of the proximal femur and fixation of nonunions or malunions of proximal femur in adult patients.

Large Fragment Locking Plates

Proximal Femur Compression Plate 7,3 mm Cannulated Locking Screw




SS	TI	DIA. x LENGTH (mm)
II-6696050	II-6666050	7,3X50
II-6696055	II-6666055	7,3X55
II-6696060	II-6666060	7,3X60
II-6696065	II-6666065	7,3X65
II-6696070	II-6666070	7,3X70
II-6696075	II-6666075	7,3X75
II-6696080	II-6666080	7,3X80
II-6696085	II-6666085	7,3X85
II-6696090	II-6666090	7,3X90
II-6696095	II-6666095	7,3X95
II-6696100	II-6666100	7,3X100
II-6696105	II-6666105	7,3X105
II-6696110	II-6666110	7,3X110
II-6696115	II-6666115	7,3X115
II-6696120	II-6666120	7,3X120




Intended use : Temporary fixation of proximal femur fractures. Used only together with Proximal Femur Locking Compression Plate 2

4,5/5,0 mm Locking Plate Broad Curved



SS	TI	HOLES	LENGTH (mm)
II-1871909	II-1871809	9	195,4
II-1871910	II-1871810	10	212,7
II-1871911	II-1872811	11	230,5
II-1871912	II-1872812	12	248,4
II-1871913	II-1872813	13	265,7
II-1871914	II-1872814	14	282,9
II-1871915	II-1872815	15	300,7
II-1871916	II-1872816	16	318,5




Intended use : Temporary fixation of fractures of femur shaft, fixation of periprosthetic fractures, fixation of nonunions or malunions of femur shaft in adult patients.

Large Fragment Locking Plates

4,5/5,0 mm Distal Lateral Femur Locking Plate 1



SS	TI	HOLES	SIDE	LENGTH (mm)
II-1441905	II-1441805	5	Left	156,4
II-1441907	II-1441807	7	Left	196,4
II-1441909	II-1441809	9	Left	236,4
II-1441911	II-1441811	11	Left	276,4
II-1441913	II-1441813	13	Left	316,4
II-1452905	II-1452805	5	Right	156,4
II-1452907	II-1452807	7	Right	196,4
II-1452909	II-1452809	9	Right	236,4
II-1452911	II-1452811	11	Right	276,4
II-1452913	II-1452813	13	Right	316,4




Intended use : Temporary fixation of fractures, osteotomies, nonunions or malunions of the distal femur (intercondylar, supracondylar, intra-extra articular) in adult patients. Those plates are used by lateral approach.

4,5/5,0 mm Distal Lateral Femur Locking Plate 2



SS	TI	HOLES	SIDE	LENGTH (mm)
II-6729106	II-6728106	6	Left	158
II-6729107	II-6728107	7	Left	174
II-6729108	II-6728108	8	Left	191
II-6729109	II-6728109	9	Left	206
II-6729110	II-6728110	10	Left	223
II-6729112	II-6728111	11	Left	250
II-6729206	II-6728206	6	Right	158
II-6729207	II-6728207	7	Right	174
II-6729208	II-6728208	8	Right	191
II-6729209	II-6728209	9	Right	206
II-6729210	II-6728210	10	Right	223
II-6729211	II-6728211	11	Right	250




Intended use : Temporary fixation of fractures, osteotomies, nonunions or malunions of the distal femur (intercondylar, supracondylar, intra-extra articular) in adult patients. Those plates are used by lateral approach.

Large Fragment Locking Plates

4,5/5,0 mm Distal Medial Femur Locking Plate



SS	TI	HOLES	SIDE	LENGTH (mm)
II-6739104	II-6738104	4	Left	115,9
II-6739106	II-6738106	6	Left	147,9
II-6739108	II-6738108	8	Left	179,9
II-6739110	II-6738110	10	Left	211,9
II-6739204	II-6738204	4	Right	115,9
II-6739206	II-6738206	6	Right	147,9
II-6739208	II-6738208	8	Right	179,9
II-6739210	II-6738210	10	Right	211,9




Intended use : Temporary fixation of fractures, osteotomies, nonunions or malunions of the distal femur (intercondylar, supracondylar, intra-extra articular) in adult patients. Those plates are used by medial approach.

4,5/5,0 mm Condylar Femur Locking Plate




SS	TI	HOLES	SIDE	LENGTH (mm)
II-6749106	II-6748106	6	Left	149,1
II-6749108	II-6748108	8	Left	181,1
II-6749110	II-6748110	10	Left	213,1
II-6749112	II-6748112	12	Left	245,1
II-6749206	II-6748206	6	Right	149,1
II-6749208	II-6748208	8	Right	181,1
II-6749210	II-6748210	10	Right	213,1
II-6749212	II-6748212	12	Right	245,1




Intended use : Temporary fixation of fractures, osteotomies, nonunions or malunions of the distal femur (intercondylar, supracondylar, intra-extra articular) in adult patients. Those plates are used by lateral approach.

Large Fragment Locking Plates

4,5/5,0 mm Proximal Lateral Tibia Locking Plate 1




SS	TI	HOLES	SIDE	LENGTH (mm)
II-1461905	II-1461805	5	Left	143,3
II-1461907	II-1461807	7	Left	183,3
II-1461909	II-1461809	9	Left	223,3
II-1461911	II-1461811	11	Left	263,3
II-1461913	II-1461813	13	Left	303,3
II-1472905	II-1472805	5	Right	143,3
II-1472907	II-1472807	7	Right	183,3
II-1472909	II-1472809	9	Right	223,3
II-1472911	II-1472811	11	Right	263,3
II-1472913	II-1472813	13	Right	303,3




Intended use : Temporary fixation of fractures, osteotomies, nonunions or malunions of the proximal tibia in adult patients. Those plates are used by medial approach.

4,5/5,0 mm Proximal Lateral Tibia Locking Plate 2



SS	TI	HOLES	SIDE	LENGTH (mm)
II-9461905	II-9461805	5	Left	102
II-9461907	II-9461807	7	Left	138
II-9461909	II-9461809	9	Left	174
II-9461911	II-9461811	11	Left	210
II-9461913	II-9461813	13	Left	246
II-9472905	II-9472805	5	Right	102
II-9472907	II-9472807	7	Right	138
II-9472909	II-9472809	9	Right	174
II-9472911	II-9472811	11	Right	210
II-9472913	II-9472813	13	Right	246




Intended use : Temporary fixation of fractures, osteotomies, nonunions or malunions of the proximal tibia in adult patients. Those plates are used by lateral approach.

Large Fragment Locking Plates

4,5/5,0 mm Proximal Medial Tibia Locking Plate



SS	TI	HOLES	SIDE	LENGTH (mm)
II-5599104	II-5598104	4	Left	90,6
II-5599106	II-5598106	6	Left	122,6
II-5599108	II-5598108	8	Left	154,6
II-5599110	II-5598110	10	Left	186,6
II-5599112	II-5598112	12	Left	218,6
II-5599204	II-5598204	4	Right	90,6
II-5599206	II-5598206	6	Right	122,6
II-5599208	II-5598208	8	Right	154,6
II-5599210	II-5598210	10	Right	186,6
II-5599212	II-5598212	12	Right	218,6




Intended use : Temporary fixation of fractures, osteotomies, nonunions or malunions of the proximal tibia in adult patients. Those plates are used by medial approach.

4,5/5,0 mm Locking Compression L-Plate



SS	TI	HOLES	SIDE	LENGTH (mm)
II-1561903	II-1561803	3	Left	65,1
II-1561904	II-1561804	4	Left	81,1
II-1561905	II-1561805	5	Left	97,1
II-1561906	II-1561806	6	Left	113,1
II-1561907	II-1561807	7	Left	129,1
II-1561908	II-1561808	8	Left	145,1
II-1572903	II-1572803	3	Right	65,1
II-1572904	II-1572804	4	Right	81,1
II-1572905	II-1572805	5	Right	97,1
II-1572906	II-1572806	6	Right	113,1
II-1572907	II-1572807	7	Right	129,1
II-1572908	II-1572808	8	Right	145,1




Intended use : Temporary fixation of fractures, osteotomies, nonunions or malunions of the proximal tibia in adult patients.

Large Fragment Locking Plates

4,5/5,0 mm Locking Compression T-Plate



SS	TI	HOLES	LENGTH (mm)
II-1490904	II-1490804	4	81,7
II-1490905	II-1490805	5	97,7
II-1490906	II-1490806	6	113,7
II-1490907	II-1490807	7	129,7
II-1490908	II-1490808	8	145,7




Intended use : Temporary fixation of fractures, osteotomies, nonunions or malunions of the proximal tibia in adult patients.

3,5/4,5/5,0 mm Metaphysis Locking Compression Plate




SS	TI	HOLES	LENGTH (mm)
II-1850903	II-1850803	3	118
II-1850904	II-1850804	4	136
II-1850905	II-1850805	5	154
II-1850906	II-1850806	6	172
II-1850907	II-1850807	7	190
II-1850908	II-1850808	8	208
II-1850909	II-1850809	9	226
II-1850911	II-1850811	11	262



Intended use : Temporary fixation of extra-articular fractures, osteotomies, nonunions or malunions of the metaphyseal area of distal tibia, distal & proximal humerus that extend into the shaft.

Large Fragment Locking Plates

4,5/5,0 mm Narrow Locking Compression Plate




SS	TI	HOLES	LENGTH (mm)
II-1821105	II-1820905	5	110,6
II-1821106	II-1820906	6	128,6
II-1821107	II-1820907	7	146,6
II-1821108	II-1820908	8	164,6
II-1821109	II-1820909	9	182,6
II-1821110	II-1820910	10	200,6
II-1821111	II-1820911	11	218,6
II-1821112	II-1820912	12	236,6
II-1830816	II-1820913	13	254,6
II-1821114	II-1820914	14	272,6

Intended use : Temporary fixation of fractures, osteotomies, nonunions and malunions, pseudoarthroses of the humerus, tibia, femur in adult patients and adolescent patients.

Attachment Locking Plate Medium




TI	TYPE	LENGTH (mm)
II-110 02 190 0007	Medium	34,0



Intended use : For augmented Fixation of fractures, used as an attachment of 4,5/5,0 mm Narrow Locking Compression Plates.

4,5/5,0 mm Broad Locking Compression Plate




SS	TI	HOLES	LENGTH (mm)
II-1830905	II-1830805	5	87
II-1830906	II-1830806	6	103
II-1830907	II-1830807	7	119
II-1830908	II-1830808	8	135
II-1830909	II-1830809	9	151
II-1830910	II-1830810	10	167
II-1830911	II-1830811	11	183
II-1830912	II-1830812	12	199
II-1830913	II-1830813	13	215
II-1830914	II-1830814	14	231

Intended use : Temporary fixation of fractures, osteotomies, nonunions and malunions of the femur. Those plates are used by lateral approach.

Large Fragment Locking Plates


Attachment Locking Plate Large



TI	TYPE	LENGTH (mm)
II-110 02 190 0008	Large	41,8

Intended use : For augmented Fixation of fractures, used as an attachment of 4,5/5,0 mm Narrow Locking Compression Plates.


4,5/5,0 mm Distal Tibia Antrolateral Locking Plate 1



SS	TI	HOLES	SIDE	LENGTH (mm)
II-1261905	II-1261805	5	Left	108,3
II-1261907	II-1261807	7	Left	140,3
II-1261909	II-1261809	9	Left	172,3
II-1261911	II-1261811	11	Left	204,3
II-1261913	II-1261813	13	Left	236,3
II-1261915	II-1261815	15	Left	268,3
II-1272905	II-1272805	5	Right	108,3
II-1272907	II-1272807	7	Right	140,3
II-1272909	II-1272809	9	Right	172,3
II-1272911	II-1272811	11	Right	204,3
II-1272913	II-1272813	13	Right	236,3
II-1272915	II-1272815	15	Right	268,3

Intended use : Temporary fixation of fractures, osteotomies, nonunions and malunions of the distal tibia. Those plates are used by anterolateral approach.

3,5/4,0 mm Distal Tibia Antrolateral Locking Plate 2





SS	TI	HOLES	SIDE	LENGTH (mm)
II-1431905	II-1431805	5	Left	89,8
II-1431907	II-1431807	7	Left	119,8
II-1431909	II-1431809	9	Left	149,8
II-1431911	II-1431811	11	Left	179,8
II-1431913	II-1431813	13	Left	209,8
II-1431915	II-1431815	15	Left	239,8
II-1431917	II-1431817	17	Left	269,8
II-1432905	II-1432805	5	Right	89,8
II-1432907	II-1432807	7	Right	119,8
II-1432909	II-1432809	9	Right	149,8
II-1432911	II-1432811	11	Right	179,8
II-1432913	II-1432813	13	Right	209,8
II-1432915	II-1432815	15	Right	239,8
II-1432917	II-1432817	17	Right	269,8

Intended use : Temporary fixation of fractures, osteotomies, nonunions and malunions of the distal tibia. Those plates are used by anterolateral approach.

Large Fragment Locking Plates



3,5/4,0 mm Distal Medial Tibia Locking Compression Plate 1



SS	TI	HOLES	SIDE	LENGTH (mm)
II-1381904	II-1381804	4	Left	116
II-1381906	II-1381806	6	Left	142
II-1381908	II-1381808	8	Left	168
II-1381910	II-1381810	10	Left	194
II-1381912	II-1381812	12	Left	220
II-1381914	II-1381814	14	Left	246
II-1392904	II-1392804	4	Right	116
II-1392906	II-1392806	6	Right	142
II-1392908	II-1392808	8	Right	168
II-1392910	II-1392810	10	Right	194
II-1392912	II-1392812	12	Right	220
II-1392914	II-1392814	14	Right	246

Intended use : Temporary fixation of fractures, osteotomies, nonunions and malunions of the distal tibia. Those plates are used by medial approach.

3,5/4,0 mm Distal Medial Tibia Locking Compression Plate 2




SS	TI	HOLES	SIDE	LENGTH (mm)
II-1401906	II-1401806	6	Left	137,9
II-1401908	II-1401808	8	Left	161,9
II-1401910	II-1401810	10	Left	185,9
II-1401912	II-1401812	12	Left	209,9
II-1401914	II-1401814	14	Left	233,9
II-1412906	II-1412806	6	Right	137,9
II-1412908	II-1412808	8	Right	161,9
II-1412910	II-1412810	10	Right	185,9
II-1412912	II-1412812	12	Right	209,9
II-1412914	II-1412814	14	Right	233,9


Intended use : Temporary fixation of fractures, osteotomies, nonunions and malunions of the distal tibia. Those plates are used by medial approach.

Large Fragment Locking Plates

3,5/4,0 mm Distal Tibia Locking Pilon Plate




SS	TI	HOLES	LENGTH (mm)
II-1411816	II-1401816	16	111,5
II-1411818	II-1401818	18	142,5
II-1411820	II-1401820	20	173,5
II-1411822	II-1401822	22	204,5
II-1411824	II-1401824	24	235,5
II-1411826	II-1401826	26	266,5




Intended use : Temporary fixation of fractures, osteotomies, nonunions and malunions of the distal articular fractures of the tibia (pilon fractures) with emphasis on complex articular reconstruction.

3,5/4,0 mm Distal Fibula Locking Plate 1




SS	TI	HOLES	SIDE	LENGTH (mm)
II-5097103	II-5096103	3	Left	71
II-5097104	II-5096104	4	Left	81
II-5097105	II-5096105	5	Left	91
II-5097106	II-5096106	6	Left	101
II-5097107	II-5096107	7	Left	111
II-5097108	II-5096108	8	Left	121
II-5097109	II-5096109	9	Left	131
II-5097110	II-5096110	10	Left	141
II-5097111	II-5096111	11	Left	151
II-5097112	II-5096112	12	Left	161
II-5097203	II-5096203	3	Right	71
II-5097204	II-5096204	4	Right	81
II-5097205	II-5096205	5	Right	91
II-5097206	II-5096206	6	Right	101
II-5097207	II-5096207	7	Right	111
II-5097208	II-5096208	8	Right	121
II-5097209	II-5096209	9	Right	131
II-5097210	II-5096210	10	Right	141
II-5097211	II-5096211	11	Right	151
II-5097212	II-5096212	12	Right	161

Intended use : Temporary fixation of fractures, osteotomies and nonunions of the metaphyseal and diaphyseal region of the distal fibula.



Large Fragment Locking Plates


2,7/3,5/4,0 mm Distal Fibula Locking Plate 2



Intended use : Temporary fixation of fractures, osteotomies and nonunions of the metaphyseal and diaphyseal region of the distal fibula.

SS	TI	HOLES	SIDE	LENGTH (mm)
II-14319913	II-14318813	3	Left	75,5
II-14319914	II-14318814	4	Left	87,5
II-14319905	II-14318805	5	Left	99,5
II-14319906	II-14318806	6	Left	111,5
II-14319907	II-14318807	7	Left	123,5
II-14319908	II-14318808	8	Left	135,5
II-14319909	II-14318809	9	Left	147,5
II-14319910	II-14318810	10	Left	159,5
II-14319911	II-14318811	11	Left	171,5
II-14319912	II-14318812	12	Left	183,5
II-14329913	II-14328813	3	Right	75,5
II-14329914	II-14328814	4	Right	87,5
II-14329905	II-14328805	5	Right	99,5
II-14329906	II-14328806	6	Right	111,5
II-14329907	II-14328807	7	Right	123,5
II-14329908	II-14328808	8	Right	135,5
II-14329909	II-14328809	9	Right	147,5
II-14329910	II-14328810	10	Right	159,5
II-14329911	II-14328811	11	Right	171,5
II-14329912	II-14328812	12	Right	183,5

4,0/4,5/5,0 mm Reconstruction Locking Compression Plate



Intended use : Temporary fixation of fractures, osteotomies, nonunions and malunions of large bones, including pelvis, femur, tibia & humerus in Adult patients.


SS	TI	HOLES	LENGTH (mm)
II-1810905	II-1810805	5	86
II-1810906	II-1810806	6	102
II-1810907	II-1810807	7	118
II-1810908	II-1810808	8	134
II-1810909	II-1810809	9	150
II-1810910	II-1810810	10	166
II-1810912	II-1810812	12	198

Large Fragment Locking Plates

4,0/4,5/5,0 mm Curved Reconstruction Locking Plate




SS	TI	HOLES	LENGTH (mm)
II-101 02 228 0002	II-111 02 228 0002	2	30
II-101 02 228 0003	II-111 02 228 0003	3	45
II-101 02 228 0004	II-111 02 228 0004	4	61
II-101 02 228 0005	II-111 02 228 0005	5	78
II-101 02 228 0006	II-111 02 228 0006	6	94
II-101 02 228 0007	II-111 02 228 0007	7	109
II-101 02 228 0008	II-111 02 228 0008	8	125
II-101 02 228 0009	II-111 02 228 0009	9	140
II-101 02 228 0010	II-111 02 228 0010	10	155
II-101 02 228 0011	II-111 02 228 0011	11	169
II-101 02 228 0012	II-111 02 228 0012	12	184



Intended use : Temporary fixation of fractures, osteotomies, malunions and non-unions of pelvis.


3,5/4,0 mm Calcaneal Locking Plate 1



SS	TI	SIDE	LENGTH (mm)
II-5989100	II-5988100	Left	62,6
II-5989101	II-5988101	Right	62,6

Intended use : Temporary fixation of fractures, osteotomies, malunions and nonunions of calcaneus in adult & skeletally mature adolescents.

3,5/4,0 mm Calcaneal Locking Plate 2




SS	TI	SIDE	LENGTH (mm)
II-5999100	II-5998100	Left	60,5
II-5999101	II-5998101	Right	60,5

Intended use : Temporary fixation of fractures, osteotomies, malunions and nonunions of calcaneus in adult & skeletally mature adolescents.

Large Fragment Locking Plates


3,5/4,0 mm Calcaneal Locking Plate 3



SS	TI	SIDE	LENGTH (mm)
II-5979100	II-5978100	Left	45,7
II-5979101	II-5978101	Right	45,7

Intended use : Temporary fixation of fractures, osteotomies, malunions and nonunions of calcaneus in adult & skeletally mature adolescents.



3,5/4,0 mm Calcaneal Locking Plate 4



SS	TI	SIDE	LENGTH (mm)
II-5969100	II-5968100	Left	65,6
II-5969101	II-5968101	Right	65,6

Intended use : Temporary fixation of fractures, osteotomies, malunions and nonunions of calcaneus in adult & skeletally mature adolescents.

3,5/4,0 mm Calcaneal Locking Plate 5





SS	TI	SIDE	LENGTH (mm)
II-5959100	II-5958100	Left	59,1
II-5959101	II-5958101	Right	59,1

Intended use : Temporary fixation of fractures, osteotomies, malunions and nonunions of calcaneus in adult & skeletally mature adolescents.

Large Fragment Non-Locking Plates


4,5 mm Proximal Femur Compression Plate 1



SS	TI	HOLES	SIDE	LENGTH (mm)
II-100 02 252 0005	II-110 02 252 0005	5	Left	126,8
II-100 02 252 0007	II-110 02 252 0007	7	Left	162,8
II-100 02 252 0009	II-110 02 252 0009	9	Left	198,8
II-100 02 252 0011	II-110 02 252 0011	11	Left	234,8
II-100 02 252 0013	II-110 02 252 0013	13	Left	270,8
II-100 02 253 0005	II-110 02 253 0005	5	Right	126,8
II-100 02 253 0007	II-110 02 253 0007	7	Right	162,8
II-100 02 253 0009	II-110 02 253 0009	9	Right	198,8
II-100 02 253 0011	II-110 02 253 0011	11	Right	234,8
II-100 02 253 0013	II-110 02 253 0013	13	Right	270,8

Intended use : Temporary fixation of fractures of the trochanteric region, fractures of the proximal femur, metastatic fractures of the proximal femur, osteotomies of the proximal femur and fixation of nonunions or malunions of proximal femur in adult patients.

4,5 mm Distal Lateral Femur Plate 1





SS	TI	HOLES	SIDE	LENGTH (mm)
II-100 02 245 0005	II-110 02 245 0005	5	Left	156,4
II-100 02 245 0007	II-110 02 245 0007	7	Left	196,4
II-100 02 245 0009	II-110 02 245 0009	9	Left	236,4
II-100 02 245 0011	II-110 02 245 0011	11	Left	276,4
II-100 02 245 0013	II-110 02 245 0013	13	Left	306,4
II-100 02 246 0005	II-110 02 246 0005	5	Right	156,4
II-100 02 246 0007	II-110 02 246 0007	7	Right	196,4
II-100 02 246 0009	II-110 02 246 0009	9	Right	236,4
II-100 02 246 0011	II-110 02 246 0011	11	Right	276,4
II-100 02 246 0013	II-110 02 246 0013	13	Right	306,4

Intended use : Temporary fixation of fractures, osteotomies, nonunions or malunions of the distal femur (intercondylar, supracondylar, intra-extra articular) in adult patients. Those plates are used by lateral approach.

Large Fragment Non-Locking Plates


4,5 mm Distal Lateral Femur Plate 2



Intended use : Temporary fixation of fractures, osteotomies, nonunions or malunions of the distal femur (intercondylar, supracondylar, intra-extra articular) in adult patients. Those plates are used by lateral approach.

SS	TI	HOLES	SIDE	LENGTH (mm)
II-5729106	II-5728106	6	Left	158
II-5729107	II-5728107	7	Left	174
II-5729108	II-5728108	8	Left	191
II-5729109	II-5728109	9	Left	206
II-5729110	II-5728110	10	Left	223
II-5729112	II-5728112	12	Left	250
II-5729206	II-5728206	6	Right	158
II-5729207	II-5728207	7	Right	174
II-5729208	II-5728208	8	Right	191
II-5729209	II-5728209	9	Right	206
II-5729210	II-5728210	10	Right	223
II-5729212	II-5728212	12	Right	250

4,5/6,5 mm Femur Condylar Buttress Plate



Intended use : Temporary fixation of fractures, osteotomies, nonunions or malunions of the distal femur (intercondylar, supracondylar, intra-extra articular) in adult patients. Those plates are used by lateral approach.


SS	TI	HOLES	SIDE	LENGTH (mm)
II-100 02 185 0005	II-110 02 185 0005	5	Left	133
II-100 02 185 0006	II-110 02 185 0006	6	Left	149
II-100 02 185 0007	II-110 02 185 0007	7	Left	165
II-100 02 185 0008	II-110 02 185 0008	8	Left	181
II-100 02 185 0009	II-110 02 185 0009	9	Left	197
II-100 02 185 0010	II-110 02 185 0010	10	Left	213
II-100 02 185 0011	II-110 02 185 0011	11	Left	229
II-100 02 185 0012	II-110 02 185 0012	12	Left	245
II-100 02 185 0013	II-110 02 185 0013	13	Left	264
II-100 02 185 0014	II-110 02 185 0014	14	Left	277
II-100 02 185 0015	II-110 02 185 0015	15	Left	293
II-100 02 186 0005	II-110 02 186 0005	5	Right	133
II-100 02 186 0006	II-110 02 186 0006	6	Right	149
II-100 02 186 0007	II-110 02 186 0007	7	Right	165
II-100 02 186 0008	II-110 02 186 0008	8	Right	181
II-100 02 186 0009	II-110 02 186 0009	9	Right	197
II-100 02 186 0010	II-110 02 186 0010	10	Right	213
II-100 02 186 0011	II-110 02 186 0011	11	Right	229
II-100 02 186 0012	II-110 02 186 0012	12	Right	245
II-100 02 186 0013	II-110 02 186 0013	13	Right	264
II-100 02 186 0014	II-110 02 186 0014	14	Right	277
II-100 02 186 0015	II-110 02 186 0015	15	Right	293

Large Fragment Non-Locking Plates

4,5 mm Distal Medial Femur Buttress Plate




SS	TI	HOLES	SIDE	LENGTH (mm)
II-5739104	II-5738104	4	Left	115,9
II-5739106	II-5738106	6	Left	147,9
II-5739108	II-5738108	8	Left	179,9
II-5739204	II-5738204	4	Right	115,9
II-5739206	II-5738206	6	Right	147,9
II-5739208	II-5738208	8	Right	179,9




Intended use : Temporary fixation of fractures, osteotomies, nonunions or malunions of the distal femur (intercondylar, supracondylar, intra-extra articular) in adult patients. Those plates are used by medial approach.

4,5/6,5 mm Broad Compression Plate




SS	TI	HOLES	LENGTH (mm)
II-100 02 161 0004	II-110 02 161 0004	4	71
II-100 02 161 0005	II-110 02 161 0005	5	87
II-100 02 161 0006	II-110 02 161 0006	6	103
II-100 02 161 0007	II-110 02 161 0007	7	119
II-100 02 161 0008	II-110 02 161 0008	8	135
II-100 02 161 0009	II-110 02 161 0009	9	151
II-100 02 161 0010	II-110 02 161 0010	10	167
II-100 02 161 0011	II-110 02 161 0011	11	183
II-100 02 161 0012	II-110 02 161 0012	12	199
II-100 02 161 0013	II-110 02 161 0013	13	215
II-100 02 161 0014	II-110 02 161 0014	14	231
II-100 02 161 0015	II-110 02 161 0015	15	247
II-100 02 161 0016	II-110 02 161 0016	16	263
II-100 02 161 0017	II-110 02 161 0017	17	279
II-100 02 161 0018	II-110 02 161 0018	18	295




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the femur.

Large Fragment Non-Locking Plates

4,5/6,5 mm Narrow Compression Plate




SS	TI	HOLES	LENGTH (mm)
II-100 02 151 0002	II-110 02 151 0002	2	39
II-100 02 151 0003	II-110 02 151 0003	3	55
II-100 02 151 0004	II-110 02 151 0004	4	71
II-100 02 151 0005	II-110 02 151 0005	5	87
II-100 02 151 0006	II-110 02 151 0006	6	103
II-100 02 151 0007	II-110 02 151 0007	7	119
II-100 02 151 0008	II-110 02 151 0008	8	135
II-100 02 151 0009	II-110 02 151 0009	9	151
II-100 02 151 0010	II-110 02 151 0010	10	167
II-100 02 151 0011	II-110 02 151 0011	11	183
II-100 02 151 0012	II-110 02 151 0012	12	199
II-100 02 151 0013	II-110 02 151 0013	13	215
II-100 02 151 0014	II-110 02 151 0014	14	231
II-100 02 151 0015	II-110 02 151 0015	15	247
II-100 02 151 0016	II-110 02 151 0016	16	263




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the humerus and tibia.

4,5 mm Straight Reconstruction Plate



SS	TI	HOLES	LENGTH (mm)
II-100 02 277 0004	II-110 02 277 0004	4	71
II-100 02 277 0005	II-110 02 277 0005	5	87
II-100 02 277 0006	II-110 02 277 0006	6	103
II-100 02 277 0007	II-110 02 277 0007	7	119
II-100 02 277 0008	II-110 02 277 0008	8	135
II-100 02 277 0009	II-110 02 277 0009	9	151
II-100 02 277 0010	II-110 02 277 0010	10	167
II-100 02 227 0011	II-110 02 227 0011	11	183
II-100 02 227 0012	II-110 02 227 0012	12	199
II-100 02 227 0013	II-110 02 227 0013	13	215
II-100 02 227 0014	II-110 02 227 0014	14	231
II-100 02 227 0015	II-110 02 227 0015	15	247
II-100 02 227 0016	II-110 02 227 0016	16	263




Intended use : Temporary fixation of fractures, osteotomies, nonunions and malunions of large bones, including pelvis, femur, tibia & humerus in Adult patients.

Large Fragment Non-Locking Plates

4,5 mm Curved Reconstruction Plate




SS	TI	HOLES	LENGTH (mm)
II-100 02 228 0004	II-110 02 228 0004	4	61,4
II-100 02 228 0005	II-110 02 228 0005	5	77,3
II-100 02 228 0006	II-110 02 228 0006	6	93,2
II-100 02 228 0007	II-110 02 228 0007	7	108,9
II-100 02 228 0008	II-110 02 228 0008	8	124,7
II-100 02 228 0009	II-110 02 228 0009	9	139,8
II-100 02 228 0010	II-110 02 228 0010	10	154,9
II-100 02 228 0011	II-110 02 228 0011	11	169,6
II-100 02 228 0012	II-110 02 228 0012	12	184
II-100 02 228 0013	II-110 02 228 0013	13	198
II-100 02 228 0014	II-110 02 228 0014	14	211,6
II-100 02 228 0015	II-110 02 228 0015	15	224,7
II-100 02 228 0016	II-110 02 228 0016	16	237,5




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies of the pelvis.

4,5 mm Semi Tubular Plate



SS	TI	HOLES	LENGTH (mm)
II-100 02 180 0004	II-110 02 180 0004	4	71
II-100 02 180 0005	II-110 02 180 0005	5	87
II-100 02 180 0006	II-110 02 180 0006	6	103
II-100 02 180 0007	II-110 02 180 0007	7	119
II-100 02 180 0008	II-110 02 180 0008	8	135
II-100 02 180 0009	II-110 02 180 0009	9	151
II-100 02 180 0010	II-110 02 180 0010	10	167
II-100 02 180 0011	II-110 02 180 0011	11	183
II-100 02 180 0012	II-110 02 180 0012	12	231




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies of the fibula, ulna, radius.

Large Fragment Non-Locking Plates

4,5 mm Spoon Plate




SS	HOLES	LENGTH (mm)
II-100 02 260 0005	5	101,4
II-100 02 260 0006	6	120,6




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies of proximal and distal tibia.

4,5/6,5 mm Cobra Head Plate



SS	HOLES	LENGTH (mm)
II-200 02 180 0006	6	143
II-200 02 180 0007	7	159
II-200 02 180 0008	8	175
II-200 02 180 0009	9	191
II-200 02 180 0010	10	207
II-200 02 180 0011	11	223
II-200 02 180 0012	12	239
II-200 02 180 0013	13	255




Intended use : Temporary fixation for the purpose of hip arthrodesis.

Large Fragment Non-Locking Plates

4,5/6,5 mm T-Buttress Plate



SS	TI	HOLES	LENGTH (mm)
II-101 02 190 0003	II-111 02 190 0003	3	63,5
II-101 02 190 0004	II-111 02 190 0004	4	79,5
II-101 02 190 0005	II-111 02 190 0005	5	95,5
II-101 02 190 0006	II-111 02 190 0006	6	111,5
II-101 02 190 0007	II-111 02 190 0007	7	127,5
II-101 02 190 0008	II-111 02 190 0008	8	143,5




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies of the proximal tibia in adult patients. Those plates are used both by medial and lateral approach.

4,5/6,5 mm L-Buttress Plate




SS	TI	HOLES	SIDE	LENGTH (mm)
II-100 02 203 0003	II-110 02 203 0003	3	Left	65,1
II-100 02 203 0004	II-110 02 203 0004	4	Left	81,1
II-100 02 203 0005	II-110 02 203 0005	5	Left	97,1
II-100 02 203 0006	II-110 02 203 0006	6	Left	113,1
II-100 02 203 0007	II-110 02 203 0007	7	Left	129,1
II-100 02 203 0008	II-110 02 203 0008	8	Left	145,1
II-100 02 204 0003	II-110 02 204 0003	3	Right	65,1
II-100 02 204 0004	II-110 02 204 0004	4	Right	81,1
II-100 02 204 0005	II-110 02 204 0005	5	Right	97,1
II-100 02 204 0006	II-110 02 204 0006	6	Right	113,1
II-100 02 204 0007	II-110 02 204 0007	7	Right	129,1
II-100 02 204 0008	II-110 02 204 0008	8	Right	145,1



Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies of the proximal tibia in adult patients. Those plates are used both by medial and lateral approach.

Large Fragment Non-Locking Plates


4,5 mm Proximal Lateral Tibia Plate



Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the proximal tibia. Those plates are used by lateral approach.

SS	TI	HOLES	SIDE	LENGTH (mm)
II-100 02 256 0005	II-110 02 256 0005	5	Left	141,8
II-100 02 256 0007	II-110 02 256 0007	7	Left	181,8
II-100 02 256 0009	II-110 02 256 0009	9	Left	221,8
II-100 02 256 0011	II-110 02 256 0011	11	Left	261,8
II-100 02 256 0013	II-110 02 256 0013	13	Left	301,8
II-100 02 257 0005	II-110 02 257 0005	5	Right	141,8
II-100 02 257 0007	II-110 02 257 0007	7	Right	181,8
II-100 02 257 0009	II-110 02 257 0009	9	Right	221,8
II-100 02 257 0011	II-110 02 257 0011	11	Right	261,8
II-100 02 257 0013	II-110 02 257 0013	13	Right	301,8

4,5 mm Distal Tibia Lateral Plate



Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal tibia.


SS	TI	HOLES	SIDE	LENGTH (mm)
II-100 02 240 0005	II-110 02 240 0005	5	Left	108,3
II-100 02 240 0007	II-110 02 240 0007	7	Left	140,3
II-100 02 240 0009	II-110 02 240 0009	9	Left	172,3
II-100 02 240 0011	II-110 02 240 0011	11	Left	204,3
II-100 02 240 0013	II-110 02 240 0013	13	Left	236,3
II-100 02 241 0005	II-110 02 241 0005	5	Right	108,3
II-100 02 241 0007	II-110 02 241 0007	7	Right	140,3
II-100 02 241 0009	II-110 02 241 0009	9	Right	172,3
II-100 02 241 0011	II-110 02 241 0011	11	Right	204,3
II-100 02 241 0013	II-110 02 241 0013	13	Right	236,3

Large Fragment Non-Locking Plates

3,5 mm Distal Tibia Medial Plate 2



SS	TI	HOLES	SIDE	LENGTH (mm)
II-100 02 242 0005	II-110 02 242 0005	5	Left	125,9
II-100 02 242 0007	II-110 02 242 0007	7	Left	149,9
II-100 02 242 0009	II-110 02 242 0009	9	Left	173,9
II-100 02 242 0011	II-110 02 242 0011	11	Left	197,9
II-100 02 242 0013	II-110 02 242 0013	13	Left	221,9
II-100 02 243 0005	II-110 02 243 0005	5	Right	125,9
II-100 02 243 0007	II-110 02 243 0007	7	Right	149,9
II-100 02 243 0009	II-110 02 243 0009	9	Right	173,9
II-100 02 243 0011	II-110 02 243 0011	11	Right	197,9
II-100 02 243 0013	II-110 02 243 0013	13	Right	221,9




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal tibia. Those plates are used by medial approach.

3,5 mm Distal Fibula Plate 1



SS	TI	HOLES	SIDE	LENGTH (mm)
II-5099102	II-5098102	2	Left	61
II-5099104	II-5098104	4	Left	81
II-5099105	II-5098105	5	Left	91
II-5099106	II-5098106	6	Left	101
II-5099107	II-5098107	7	Left	111
II-5099108	II-5098108	8	Left	121
II-5099109	II-5098109	9	Left	131
II-5099110	II-5098110	10	Left	141
II-5099202	II-5098202	2	Right	61
II-5099204	II-5098204	4	Right	81
II-5099205	II-5098205	5	Right	91
II-5099206	II-5098206	6	Right	101
II-5099207	II-5098207	7	Right	111
II-5099208	II-5098208	8	Right	121
II-5099209	II-5098209	9	Right	131
II-5099210	II-5098210	10	Right	141



Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal fibula.

DHS-DCS

Plate

Lag Compression

Screws


product group

DHS-DCS Plates & Lag-Compression Screws

DHS Locking Plate 135°




SS	TI	HOLES	LENGTH (mm)
II-5839102	II-5838102	2	91,3
II-5839103	II-5838103	3	107,3
II-5839104	II-5838104	4	123,3
II-5839105	II-5838105	5	139,3
II-5839106	II-5838106	6	153,3
II-5839107	II-5838107	7	171,3
II-5839108	II-5838108	8	187,3
II-5839109	II-5838109	9	203,3
II-5839110	II-5838110	10	219,3
II-5839111	II-5838111	11	235,3
II-5839112	II-5838112	12	251,3




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the proximal femur (intertrochanteric fractures, subtrochanteric fractures, basilar neck fractures).

DCS Locking Plate 95°



SS	TI	HOLES	LENGTH (mm)
II-5829102	II-5828102	2	86,8
II-5829103	II-5828103	3	102,8
II-5829104	II-5828104	4	118,8
II-5829105	II-5828105	5	134,8
II-5829106	II-5828106	6	150,8
II-5829107	II-5828107	7	166,8
II-5829108	II-5828108	8	182,8
II-5829109	II-5828109	9	198,8
II-5829110	II-5828110	10	214,8
II-5829111	II-5828111	11	230,8
II-5829112	II-5828112	12	246,8




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal femur (Supracondylar, intercondylar fractures).

DHS-DCS Plates & Lag-Compression Screws

DHS Plate 135°




SS	TI	HOLES	LENGTH (mm)
II-100 02 310 0002	II-110 02 310 0002	2	91,4
II-100 02 310 0003	II-110 02 310 0003	3	107,4
II-100 02 310 0004	II-110 02 310 0004	4	123,4
II-100 02 310 0005	II-110 02 310 0005	5	139,4
II-100 02 310 0006	II-110 02 310 0006	6	155,4
II-100 02 310 0007	II-110 02 310 0007	7	171,4
II-100 02 310 0008	II-110 02 310 0008	8	187,4
II-100 02 310 0009	II-110 02 310 0009	9	203,4
II-100 02 310 0010	II-110 02 310 0010	10	219,4
II-100 02 310 0011	II-110 02 310 0011	11	235,4
II-100 02 310 0012	II-110 02 310 0012	12	251,4




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the proximal femur (intertrochanteric fractures, subtrochanteric fractures, basilar neck fractures).

DCS Plate 95°



SS	TI	HOLES	LENGTH (mm)
II-100 02 314 0002	II-110 02 314 0002	2	86,7
II-100 02 314 0003	II-110 02 314 0003	3	102,7
II-100 02 314 0004	II-110 02 314 0004	4	118,7
II-100 02 314 0005	II-110 02 314 0005	5	134,7
II-100 02 314 0006	II-110 02 314 0006	6	150,7
II-100 02 314 0007	II-110 02 314 0007	7	166,7
II-100 02 314 0008	II-110 02 314 0008	8	182,7
II-100 02 314 0009	II-110 02 314 0009	9	198,7
II-100 02 314 0010	II-110 02 314 0010	10	214,7
II-100 02 314 0011	II-110 02 314 0011	11	230,7
II-100 02 314 0012	II-110 02 314 0012	12	246,7




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies and pseudoarthroses of the distal femur (Supracondylar, intercondylar fractures).

DHS-DCS Plates & Lag-Compression Screws

DHS/DCS Lag Screw



SS	TI	LENGTH (mm)
II-100 03 011 0500	II-110 03 011 0500	50
II-100 03 011 0550	II-110 03 011 0550	55
II-100 03 011 0600	II-110 03 011 0600	60
II-100 03 011 0650	II-110 03 011 0650	65
II-100 03 011 0700	II-110 03 011 0700	70
II-100 03 011 0750	II-110 03 011 0750	75
II-100 03 011 0800	II-110 03 011 0800	80
II-100 03 011 0850	II-110 03 011 0850	85
II-100 03 011 0900	II-110 03 011 0900	90




Intended use : Temporary fixation and compression at fracture site.
Used together with compression screw, DHS/DCS plates.

DHS/DCS Compression Screw



SS	TI	LENGTH (mm)
II-100 03 011 1051	II-5878050	28




Intended use : Compression at fracture site.
Used together with lag screw, DHS/DCS plates.

LARGE FRAGMENT

Locking
Screw
product group

Large Fragment Locking Screws

5,0 mm Self-Tapping Locking Screw



SS	TI	DIA. x LENGTH (mm)
II-2095014	II-2085014	5,0X14
II-2095016	II-2085016	5,0X16
II-2095018	II-2085018	5,0X18
II-2095020	II-2085020	5,0X20
II-2095022	II-2085022	5,0X22
II-2095024	II-2085024	5,0X24
II-2095026	II-2085026	5,0X26
II-2095028	II-2085028	5,0X28


SS	TI	DIA. x LENGTH (mm)
II-2095030	II-2085030	5,0X30
II-2095032	II-2085032	5,0X32
II-2095034	II-2085034	5,0X34
II-2095036	II-2085036	5,0X36
II-2095038	II-2085038	5,0X38
II-2095040	II-2085040	5,0X40
II-2095042	II-2085042	5,0X42
II-2095044	II-2085044	5,0X44
II-2095046	II-2085046	5,0X46
II-2095048	II-2085048	5,0X48
II-2095050	II-2085050	5,0X50
II-2095055	II-2085055	5,0X55
II-2095060	II-2085060	5,0X60
II-2095065	II-2085065	5,0X65
II-2095070	II-2085070	5,0X70
II-2095075	II-2085075	5,0X75
II-2095080	II-2085080	5,0X80
II-2095085	II-2085085	5,0X85
II-2095090	II-2085090	5,0X90



5,0 mm Locking Cancellous Screw Full Threaded



SS	TI	DIA. x LENGTH (mm)
II-33802035	II-33702035	5,0X35
II-33802040	II-33702040	5,0X40
II-33802045	II-33702045	5,0X45
II-33802050	II-33702050	5,0X50
II-33802055	II-33702055	5,0X55
II-33802060	II-33702060	5,0X60
II-33802065	II-33702065	5,0X65
II-33802070	II-33702070	5,0X70
II-33802075	II-33702075	5,0X75
II-33802080	II-33702080	5,0X80
II-33802085	II-33702085	5,0X85
II-33802090	II-33702090	5,0X90
II-33802095	II-33702095	5,0X95
II-33802100	II-33702100	5,0X100
II-33802105	II-33702105	5,0X105
II-33802110	II-33702110	5,0X110





Large Fragment Locking Screws

5,0 mm Locking Cancellous Screw Partially Threaded



SS	TI	DIA. x LENGTH (mm)
II-33801035	II-33701035	5,0X35
II-33801040	II-33701040	5,0X40
II-33801045	II-33701045	5,0X45
II-33801050	II-33701050	5,0X50
II-33801055	II-33701055	5,0X55
II-33801060	II-33701060	5,0X60
II-33801065	II-33701065	5,0X65
II-33801070	II-33701070	5,0X70
II-33801075	II-33701075	5,0X75
II-33801080	II-33701080	5,0X80
II-33801085	II-33701085	5,0X85
II-33801090	II-33701090	5,0X90
II-33801095	II-33701095	5,0X95
II-33801100	II-33701100	5,0X100
II-33801105	II-33701105	5,0X105
II-33801110	II-33701110	5,0X110

5,0 mm Self-Drilling Locking Screw



SS	TI	DIA. x LENGTH (mm)
II-2495018	II-2485018	5,0X18
II-2495020	II-2485020	5,0X20
II-2495022	II-2485022	5,0X22
II-2495024	II-2485024	5,0X24
II-2495026	II-2485026	5,0X26
II-2495028	II-2485028	5,0X28
II-2495030	II-2485030	5,0X30

SS	TI	DIA. x LENGTH (mm)
II-2495032	II-2485032	5,0X32
II-2495034	II-2485034	5,0X34
II-2495036	II-2485036	5,0X36
II-2495038	II-2485038	5,0X38
II-2495040	II-2485040	5,0X40
II-2495042	II-2485042	5,0X42
II-2495044	II-2485044	5,0X44
II-2495046	II-2485046	5,0X46
II-2495048	II-2485048	5,0X48
II-2495050	II-2485050	5,0X50
II-2495055	II-2485055	5,0X55
II-2495060	II-2485060	5,0X60
II-2495065	II-2485065	5,0X65
II-2495070	II-2485070	5,0X70
II-2495075	II-2485075	5,0X75
II-2495080	II-2485080	5,0X80
II-2495085	II-2485085	5,0X85
II-2495090	II-2485090	5,0X90

Large Fragment Locking Screws

5,0 mm Cable Locking Screw





TI
II-900 03 020 0008

Locking Screw Plug




TI
II-900 03 020 0009



6,5 mm Locking Cancellous Screw Full Threaded




SS	TI	DIA. x LENGTH (mm)
II-34865035	II-34765035	6,5X35
II-34865040	II-34765040	6,5X40
II-34865045	II-34765045	6,5X45
II-34865050	II-34765050	6,5X50
II-34865055	II-34765055	6,5X55
II-34865060	II-34765060	6,5X60
II-34865065	II-34765065	6,5X65
II-34865070	II-34765070	6,5X70
II-34865075	II-34765075	6,5X75
II-34865080	II-34765080	6,5X80
II-34865085	II-34765085	6,5X85
II-34865090	II-34765090	6,5X90
II-34865095	II-34765095	6,5X95
II-34865100	II-34765100	6,5X100
II-34865105	II-34765105	6,5X105
II-34865110	II-34765110	6,5X110




Large Fragment Locking Screws

6,5 mm Locking Cancellous Screw 16 mm Threaded



SS	TI	DIA. x LENGTH (mm)
II-34867035	II-34767035	6,5X35
II-34867040	II-34767040	6,5X40
II-34867045	II-34767045	6,5X45
II-34867050	II-34767050	6,5X50
II-34867055	II-34767055	6,5X55
II-34867060	II-34767060	6,5X60
II-34867065	II-34767065	6,5X65
II-34867070	II-34767070	6,5X70
II-34867075	II-34767075	6,5X75
II-34867080	II-34767080	6,5X80
II-34867085	II-34767085	6,5X85
II-34867090	II-34767090	6,5X90
II-34867095	II-34767095	6,5X95
II-34867100	II-34767100	6,5X100
II-34867105	II-34767105	6,5X105
II-34867110	II-34767110	6,5X110

6,5 mm Locking Cancellous Screw 32 mm Threaded




SS	TI	DIA. x LENGTH (mm)
II-34866045	II-34766045	6,5X45
II-34866050	II-34766050	6,5X50
II-34866055	II-34766055	6,5X55
II-34866060	II-34766060	6,5X60
II-34866065	II-34766065	6,5X65
II-34866070	II-34766070	6,5X70
II-34866075	II-34766075	6,5X75
II-34866080	II-34766080	6,5X80
II-34866085	II-34766085	6,5X85
II-34866090	II-34766090	6,5X90
II-34866095	II-34766095	6,5X95
II-34866100	II-34766100	6,5X100
II-34866105	II-34766105	6,5X105
II-34866110	II-34766110	6,5X110

Large Fragment Locking Screws

5,0 mm Self-Tapping Locking Cannulated Screw




SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-2045014	II-2055014	5,0X14	II-2045032	II-2055032	5,0X32
II-2045016	II-2055016	5,0X16	II-2045034	II-2055034	5,0X34
II-2045018	II-2055018	5,0X18	II-2045036	II-2055036	5,0X36
II-2045020	II-2055020	5,0X20	II-2045038	II-2055038	5,0X38
II-2045022	II-2055022	5,0X22	II-2045040	II-2055040	5,0X40
II-2045024	II-2055024	5,0X24	II-2045042	II-2055042	5,0X42
II-2045026	II-2055026	5,0X26	II-2045044	II-2055044	5,0X44
II-2045028	II-2055028	5,0X28	II-2045046	II-2055046	5,0X46
II-2045030	II-2055030	5,0X30	II-2045048	II-2055048	5,0X48
			II-2045050	II-2055050	5,0X50
			II-2045055	II-2055055	5,0X55
			II-2045060	II-2055060	5,0X60
			II-2045065	II-2055065	5,0X65
			II-2045070	II-2055070	5,0X70
			II-2045075	II-2055075	5,0X75
			II-2045080	II-2055080	5,0X80
			II-2045085	II-2055085	5,0X85
			II-2045090	II-2055090	5,0X90



4,5 mm Self-Tapping Cortical Screw



SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-100 03 223 0140	II-110 03 223 0140	4,5X14	II-100 03 223 0400	II-110 03 223 0400	4,5X40
II-100 03 223 0160	II-110 03 223 0160	4,5X16	II-100 03 223 0420	II-110 03 223 0420	4,5X42
II-100 03 223 0180	II-110 03 223 0180	4,5X18	II-100 03 223 0440	II-110 03 223 0440	4,5X44
II-100 03 223 0200	II-110 03 223 0200	4,5X20	II-100 03 223 0460	II-110 03 223 0460	4,5X46
II-100 03 223 0220	II-110 03 223 0220	4,5X22	II-100 03 223 0480	II-110 03 223 0480	4,5X48
II-100 03 223 0240	II-110 03 223 0240	4,5X24	II-100 03 223 0500	II-110 03 223 0500	4,5X50
II-100 03 223 0260	II-110 03 223 0260	4,5X26	II-100 03 223 0520	II-110 03 223 0520	4,5X52
II-100 03 223 0280	II-110 03 223 0280	4,5X28	II-100 03 223 0540	II-110 03 223 0540	4,5X54
II-100 03 223 0300	II-110 03 223 0300	4,5X30	II-100 03 223 0560	II-110 03 223 0560	4,5X56
II-100 03 223 0320	II-110 03 223 0320	4,5X32	II-100 03 223 0580	II-110 03 223 0580	4,5X58
II-100 03 223 0340	II-110 03 223 0340	4,5X34	II-100 03 223 0600	II-110 03 223 0600	4,5X60
II-100 03 223 0360	II-110 03 223 0360	4,5X36	II-100 03 223 0650	II-110 03 223 0650	4,5X65
II-100 03 223 0380	II-110 03 223 0380	4,5X38	II-100 03 223 0700	II-110 03 223 0700	4,5X70



Large Fragment Non-Locking Screws


6,5 mm Cancellous Screw 16 mm Threaded



SS	TI	DIA. x LENGTH (mm)
II-100 03 225 0500	II-110 03 225 0500	6,5X50
II-100 03 225 0550	II-110 03 225 0550	6,5X55
II-100 03 225 0600	II-110 03 225 0600	6,5X60
II-100 03 225 0650	II-110 03 225 0650	6,5X65
II-100 03 225 0700	II-110 03 225 0700	6,5X70
II-100 03 225 0750	II-110 03 225 0750	6,5X75
II-100 03 225 0800	II-110 03 225 0800	6,5X80
II-100 03 225 0850	II-110 03 225 0850	6,5X85
II-100 03 225 0900	II-110 03 225 0900	6,5X90
II-100 03 225 0950	II-110 03 225 0950	6,5X95
II-100 03 225 1000	II-110 03 225 1000	6,5X100
II-100 03 225 1050	II-110 03 225 1050	6,5X105
II-100 03 225 1100	II-110 03 225 1100	6,5X110



6,5 mm Cancellous Screw 32 mm Threaded




SS	TI	DIA. x LENGTH (mm)
II-100 03 226 0500	II-110 03 226 0500	6,5X50
II-100 03 226 0550	II-110 03 226 0550	6,5X55
II-100 03 226 0600	II-110 03 226 0600	6,5X60
II-100 03 226 0650	II-110 03 226 0650	6,5X65
II-100 03 226 0700	II-110 03 226 0700	6,5X70
II-100 03 226 0750	II-110 03 226 0750	6,5X75
II-100 03 226 0800	II-110 03 226 0800	6,5X80
II-100 03 226 0850	II-110 03 226 0850	6,5X85
II-100 03 226 0900	II-110 03 226 0900	6,5X90
II-100 03 226 0950	II-110 03 226 0950	6,5X95
II-100 03 226 1000	II-110 03 226 1000	6,5X100
II-100 03 226 1050	II-110 03 226 1050	6,5X105
II-100 03 226 1100	II-110 03 226 1100	6,5X110



Large Fragment Non-Locking Screws

6,5 mm Cancellous Screw Full Threaded



SS	Ti	DIA. x LENGTH (mm)
II-100 03 227 0500	II-110 03 227 0500	6,5X50
II-100 03 227 0550	II-110 03 227 0550	6,5X55
II-100 03 227 0600	II-110 03 227 0600	6,5X60
II-100 03 227 0650	II-110 03 227 0650	6,5X65
II-100 03 227 0700	II-110 03 227 0700	6,5X70
II-100 03 227 0750	II-110 03 227 0750	6,5X75
II-100 03 227 0800	II-110 03 227 0800	6,5X80
II-100 03 227 0850	II-110 03 227 0850	6,5X85
II-100 03 227 0900	II-110 03 227 0900	6,5X90
II-100 03 227 0950	II-110 03 227 0950	6,5X95
II-100 03 227 1000	II-110 03 227 1000	6,5X100
II-100 03 227 1050	II-110 03 227 1050	6,5X105
II-100 03 227 1100	II-110 03 227 1100	6,5X110


4,5 mm Malleolar Screw



SS	Ti	DIA. x LENGTH (mm)
II-100 03 224 0250	II-110 03 224 0250	4,5X25
II-100 03 224 0300	II-110 03 224 0300	4,5X30
II-100 03 224 0350	II-110 03 224 0350	4,5X35
II-100 03 224 0400	II-110 03 224 0400	4,5X40
II-100 03 224 0450	II-110 03 224 0450	4,5X45
II-100 03 224 0500	II-110 03 224 0500	4,5X50
II-100 03 224 0550	II-110 03 224 0550	4,5X55
II-100 03 224 0600	II-110 03 224 0600	4,5X60
II-100 03 224 0650	II-110 03 224 0650	4,5X65
II-100 03 224 0700	II-110 03 224 0700	4,5X70


Large Fragment Non-Locking Screws

Washer Ø13




TI	DIA. (mm)
II-110 04 000 0014	13

Washer Ø10




SS	DIA. (mm)
II-110 04 000 0010	10

Washer Ø8,0



SS	TI	DIA. (mm)
II-34004108	II-34004008	8




MINI FRAGMENT

Locking
Plate and
Screw
product group

Mini Fragment Locking Plates & Screws


1,5 mm Mini Straight Compression Locking Plate



TI	HOLES	LENGTH (mm)
II-310 02 053 2704	4	23
II-310 02 053 2706	6	36

Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthoses, replantations, and fusions of small bones, maxillo-facial bones and small bone fragments.


1,5 mm Mini Straight Reconstruction Locking Plate



TI	HOLES	LENGTH (mm)
II-310 02 053 2705	6	29
II-310 02 053 2712	12	59

Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthoses, replantations, and fusions of small bones, maxillo-facial bones and small bone fragments.


1,5 mm Mini T Locking Plate



TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-310 02 053 2709	8	3	44,5
II-310 02 053 2710	8	4	44,5

Intended use : Fixation of fractures, osteotomies, nonunions, replantations, and fusions of small bones and small bone fragments.


1,5 mm Mini Strut Locking Plate



TI	SIDE	LENGTH (mm)
II-310 02 053 2707	RIGHT	23
II-310 02 053 2708	LEFT	23

Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthoses, replantations, and fusions of small bones, maxillo-facial bones and small bone fragments.

1,5 mm Mini Y Locking Plate (3 holes head)




TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-310 02 053 2711	8	3	47

Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthoses, replantations, and fusions of small bones, maxillo-facial bones and small bone fragments.

Mini Fragment Locking Plates & Screws


1,5 mm Mini Condylar Locking Plate



TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-310 02 053 0206	6	2	36


Intended use: Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses, replantations, and fusions of small bones, maxillo-facial bones and small bone fragments.

1,5 mm Mini Locking Screw



TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-1982606	1,5X6	II-1982632	1,5X13
II-1982626	1,5X7	II-1982614	1,5X14
II-1982608	1,5X8	II-1982634	1,5X15
II-1982628	1,5X9	II-1982616	1,5X16
II-1982610	1,5X10	II-1982618	1,5X18
II-1982630	1,5X11	II-1982620	1,5X20
II-1982612	1,5X12	II-1982622	1,5X22
		II-1982624	1,5X24


1,5 mm Mini Screw



TI	DIA. x LENGTH (mm)
II-110 03 215 0060	1,5X6
II-110 03 215 0070	1,5X7
II-110 03 215 0080	1,5X8
II-110 03 215 0090	1,5X9
II-110 03 215 0100	1,5X10
II-110 03 215 0120	1,5X12
II-110 03 215 0140	1,5X14
II-110 03 215 0160	1,5X16
II-110 03 215 0180	1,5X18
II-110 03 215 0200	1,5X20

Mini Fragment Locking Plates & Screws


2,0 mm Mini Straight Locking Plate



TI	HOLES	LENGTH (mm)
II-110 02 182 0004	4	31
II-110 02 182 0005	5	38
II-110 02 182 0006	6	45
II-110 02 182 0007	7	52
II-110 02 182 0008	8	59
II-110 02 182 0010	10	73

Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses, replantations, and fusions of small bones, maxillo-facial bones and small bone fragments.


2,0 mm Mini Condylar Locking Plate (2 holes head)



TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-310 02 042 0003	7	2	54

Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses, replantations, and fusions of small bones, maxillo-facial bones and small bone fragments.

2,0 mm Mini Rotation Correction Locking Plate (2 holes head)



TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-310 02 051 0012	4	2	34
II-310 02 051 0013	5	2	40


Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses, replantations, and fusions of small bones, maxillo-facial bones and small bone fragments.

Mini Fragment Locking Plates & Screws

2,0 mm Mini T Locking Plate (3 holes head)




TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-310 02 042 0012	7	3	52,5




Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses, replantations, and fusions of small bones, maxillo-facial bones and small bone fragments.

2,0 mm Mini Adaptation Locking Plate



TI	HOLES	LENGTH (mm)
II-310 02 063 0003	12	81,26




Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses, replantations, and fusions of small bones, maxillo-facial bones and small bone fragments.

2,0 mm Mini Adaptation T Locking Plate (2 holes head)




TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-310 02 041 0103	7	2	52,5



Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses, replantations, and fusions of small bones, maxillo-facial bones and small bone fragments.

Mini Fragment Locking Plates & Screws


2,0 mm Mini Adaptation Y Locking Plate (3 holes head)



TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-110 02 182 0009	7	3	54

Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthoses, replantations, and fusions of small bones, maxillo-facial bones and small bone fragments.


2,0 mm Mini H Locking Plate



TI	HOLES	LENGTH (mm)
II-110 02 182 0003	4	12


Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthoses, replantations, and fusions of small bones, maxillo-facial bones and small bone fragments.

2,0 mm Mini Locking Screw



TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-1982005	2,0X6	II-1982015	2,0X15
II-1982007	2,0X7	II-1982025	2,0X16
II-1982017	2,0X8	II-1982027	2,0X18
II-1982009	2,0X9	II-1982636	2,0X20
II-1982019	2,0X10	II-1982638	2,0X22
II-1982011	2,0X11	II-1982640	2,0X24
II-1982021	2,0X12	II-1983565	2,0X26
II-1982013	2,0X13	II-1983570	2,0X28
II-1982023	2,0X14		


2,0 mm Mini Screw



TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-110 03 216 0060	2,0X6	II-110 03 216 0160	2,0X16
II-110 03 216 0320	2,0X7	II-110 03 216 0180	2,0X18
II-110 03 216 0080	2,0X8	II-110 03 216 0200	2,0X20
II-110 03 216 0340	2,0X9	II-110 03 216 0220	2,0X22
II-110 03 216 0100	2,0X10	II-110 03 216 0240	2,0X24
II-110 03 216 0360	2,0X11	II-110 03 216 0260	2,0X26
II-110 03 216 0120	2,0X12	II-110 03 216 0280	2,0X28
II-110 03 216 0380	2,0X13	II-110 03 216 0300	2,0X30
II-110 03 216 0140	2,0X14		

Mini Fragment Locking Plates & Screws


2,4 mm Mini Straight Locking Plate



TI	HOLES	LENGTH (mm)
II-110 02 222 0006	4	36,0
II-110 02 222 0008	5	43,6
II-110 02 222 0010	6	51,2
II-110 02 222 0012	7	58,8
II-110 02 222 0014	8	66,4
II-110 02 222 0016	10	81,6

Intended use : Temporary fixation of fractures, osteotomies, nonunions, replantations, and fusions of small bones and small bone fragments.


2,4 mm Mini T Locking Plate (3 holes head)



TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-110 02 222 0018	7	3	57

Intended use : Temporary fixation of fractures, osteotomies, nonunions, replantations, and fusions of small bones and small bone fragments.

2,4 mm Mini Condylar Locking Plate




TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-110 02 222 0020	7	2	59


Intended use : Fixation of fractures, osteotomies, nonunions, replantations, and fusions of small bones and small bone fragments.

Mini Fragment Locking Plates & Screws

2,4 mm Mini Adaptation Locking Plate




TI	HOLES	LENGTH (mm)
II-110 02 222 0022	12	87,9




Intended use : Temporary fixation of fractures, osteotomies, nonunions, replantations, and fusions of small bones and small bone fragments.

2,4 mm Mini Adaptation T Locking Plate (2 holes head)




TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-110 02 222 0024	7	2	59




Intended use : Temporary fixation of fractures, osteotomies, nonunions, replantations, and fusions of small bones and small bone fragments.

2,4 mm Mini Adaptation Y Locking Plate (3 holes head)




TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-310 02 043 0013	7	3	60,5



Intended use : Temporary fixation of fractures, osteotomies, nonunions, replantations, and fusions of small bones and small bone fragments.


Mini Fragment Locking Plates & Screws

2,4 mm Mini Locking Screw





TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-110 03 213 0060	2,4X6	II-100 03216 0015	2,4X15
II-100 03216 0070	2,4X7	II-110 03 213 0160	2,4X16
II-110 03 213 0080	2,4X8	II-110 03 213 0180	2,4X18
II-100 03216 0090	2,4X9	II-110 03 213 0200	2,4X20
II-110 03 213 0100	2,4X10	II-110 03 213 0220	2,4X22
II-100 03216 0011	2,4X11	II-110 03 213 0240	2,4X24
II-110 03 213 0120	2,4X12	II-110 03 213 0260	2,4X26
II-100 03216 0013	2,4X13	II-110 03 213 0280	2,4X28
II-110 03 213 0140	2,4X14	II-110 03 213 0300	2,4X30

2,4 mm Mini Screw



TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-1982306	2,4X6	II-1982324	2,4X24
II-1982308	2,4X8	II-1982326	2,4X26
II-1982310	2,4X10	II-1982328	2,4X28
II-1982312	2,4X12	II-1982330	2,4X30
II-1982314	2,4X14	II-100 03216 0017	2,4X7
II-1982316	2,4X16	II-100 03216 0019	2,4X9
II-1982318	2,4X18	II-100 03216 0021	2,4X11
II-1982320	2,4X20	II-100 03216 0023	2,4X13
II-1982322	2,4X22	II-100 03216 0025	2,4X15

2,7 mm Mini Condylar Locking Plate




TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-310 02 063 0002	7	2	66


Intended use : Temporary fixation of fractures, osteotomies, nonunions, replantations, and fusions of small bones and small bone fragments.

Mini Fragment Locking Plates & Screws

2,7 mm Mini Adaptation Locking Plate




TI	HOLES	LENGTH (mm)
II-110 02 410 0012	12	97



Intended use : Temporary fixation of fractures, osteotomies, nonunions, replantations, and fusions of small bones and small bone fragments.



2,7 mm Mini T Locking Plate (2 holes head)



TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
II-310 02 062 0002	3	2	32
II-310 02 062 0003	4	2	40

Intended use : Temporary fixation of fractures, osteotomies, nonunions, replantations, and fusions of small bones and small bone fragments.

2,7 mm Mini Straight Locking Plate




TI	HOLES	LENGTH (mm)
II-110 02 410 0004	4	40
II-110 02 410 0005	5	49
II-110 02 410 0006	6	58
II-110 02 410 0007	7	67
II-110 02 410 0008	8	76
II-110 02 410 0010	10	94

Intended use : Temporary fixation of fractures, osteotomies, nonunions, replantations, and fusions of small bones and small bone fragments.

Mini Fragment Locking Plates & Screws


2,7 mm Mini L Locking Plate



TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)	SIDE
II-310 02 040 0003	3	2	32	Left
II-310 02 041 0003	3	2	32	Right
II-310 02 050 0003	4	2	40	Left
II-310 02 050 0004	4	2	40	Right

Intended use : Temporary fixation of fractures, osteotomies, nonunions, replantations, and fusions of small bones and small bone fragments.


2,7 mm Mini Oblique L Locking Plate



TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)	SIDE
II-310 02 060 0003	3	2	35	Left
II-310 02 061 0003	3	2	35	Right
II-110 02 410 0002	4	2	42	Left
II-110 02 410 0009	4	2	42	Right


Intended use : Temporary fixation of fractures, osteotomies, nonunions, replantations, and fusions of small bones and small bone fragments.

2,7 mm Mini Locking Screw



TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-1982710	2,7X10	II-1982726	2,7X26
II-1982712	2,7X12	II-1982728	2,7X28
II-1982714	2,7X14	II-1982730	2,7X30
II-1982716	2,7X16	II-1982732	2,7X32
II-1982718	2,7X18	II-1982734	2,7X34
II-1982720	2,7X20	II-1982736	2,7X36
II-1982722	2,7X22	II-1982738	2,7X38
II-1982724	2,7X24	II-1982740	2,7X40

2,7 mm Mini Screw



TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-110 03 217 0100	2,7X10	II-110 03 217 0260	2,7X26
II-110 03 217 0120	2,7X12	II-110 03 217 0280	2,7X28
II-110 03 217 0140	2,7X14	II-110 03 217 0300	2,7X30
II-110 03 217 0160	2,7X16	II-110 03 217 0320	2,7X32
II-110 03 217 0180	2,7X18	II-110 03 217 0340	2,7X34
II-110 03 217 0200	2,7X20	II-110 03 217 0360	2,7X36
II-110 03 217 0220	2,7X22	II-110 03 217 0380	2,7X38
II-110 03 217 0240	2,7X24	II-110 03 217 0400	2,7X40

CHEST WALL

Plate

Screw
product group

Chest Wall Plates, Screws & Splints


2,9 mm Sternal Locking T Plate




TI	HOLES
II-15408 128 07	7



TI	HOLES
II-15408 128 08	8



Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the sternum.



Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the sternum.


2,9 mm Sternal Locking I Plate




TI	HOLES
II-15408 2906	9



TI	HOLES
II-15408 2908	11



Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the sternum.




Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the sternum.

Chest Wall Plates, Screws & Splints

2,9 mm Sternal Locking Straight Plate



TI	HOLES
II-15408 2910	8
II-15408 2912	9
II-15408 2914	10




Intended use : Fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the sternum.

2,9 mm Universal Locking Straight Plate



TI	HOLES
II-15408 2916	8
II-15408 2918	24
II-15408 2920	30




Intended use : Fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the ribs.

Chest Wall Plates, Screws & Splints

2,9 mm Self-Tapping Rib Locking Screw




TI	DIA. x LENGTH (mm)
II-15409 2906	2,9X6
II-15409 2908	2,9X8
II-15409 2910	2,9X10
II-15409 2912	2,9X12
II-15409 2914	2,9X14
II-15409 2916	2,9X16
II-15409 2918	2,9X18
II-15409 2920	2,9X20



2,9 mm Self-Tapping Rib Screw




TI	DIA. x LENGTH (mm)
II-15508 2910	2,9X10
II-15508 2912	2,9X12



Rib Intramedullary Splints



TI	WIDTH (mm)	LENGTH (mm)
II-100 02 222 0003	3	50
II-100 02 222 0004	4	50
II-100 02 222 0005	5	50
II-100 02 222 0006	3	65
II-100 02 222 0007	4	65
II-100 02 222 0008	5	65
II-100 02 222 0009	3	80
II-100 02 222 0010	4	80
II-100 02 222 0011	5	80




Intended use : Fixation of fractures, malunions, non-unions, pseudoarthroses and osteotomies of the ribs.

ANGLED BLADE

Plate
and Pediatric
Plate
product group

Angled Blade Plates & Pediatric Plates


4,5 mm 135° Angled Blade Plate for operation on adult femur



Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the proximal femur for adult patients

SS	HOLES	BLADE (mm)	LENGTH (mm)	SS	HOLES	BLADE (mm)	LENGTH (mm)
II-100 02 040 4050	4	50	76	II-100 02 140 1280	7	80	124
II-100 02 040 4060	4	60	76	II-100 02 140 1290	7	90	124
II-100 02 040 4070	4	70	76	II-100 02 140 1200	7	100	124
II-100 02 040 4080	4	80	76	II-100 02 141 9050	8	50	140
II-100 02 040 4090	4	90	76	II-100 02 141 9060	8	60	140
II-100 02 040 4100	4	100	76	II-100 02 141 9070	8	70	140
II-100 02 041 4050	5	50	92	II-100 02 141 9080	8	80	140
II-100 02 041 4060	5	60	92	II-100 02 141 9090	8	90	140
II-100 02 041 4070	5	70	92	II-100 02 141 9100	8	100	140
II-100 02 041 4080	5	80	92	II-100 02 041 9050	9	50	156
II-100 02 041 4090	5	90	92	II-100 02 041 9060	9	60	156
II-100 02 041 4100	5	100	92	II-100 02 041 9070	9	70	156
II-100 02 040 1250	6	50	108	II-100 02 041 9080	9	80	156
II-100 02 040 1260	6	60	108	II-100 02 041 9090	9	90	156
II-100 02 040 1270	6	70	108	II-100 02 041 9100	9	100	156
II-100 02 040 1280	6	80	108	II-100 02 041 1250	12	50	204
II-100 02 040 1290	6	90	108	II-100 02 041 1260	12	60	204
II-100 02 040 1200	6	100	108	II-100 02 041 1270	12	70	204
II-100 02 140 1250	7	50	124	II-100 02 041 1280	12	80	204
II-100 02 140 1260	7	60	124	II-100 02 041 1290	12	90	204
II-100 02 140 1270	7	70	124	II-100 02 041 1200	12	100	204

4,5 mm 95° Angled Blade Plate for operation on adult femur




Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the proximal femur for adult patients

SS	HOLES	BLADE (mm)	LENGTH (mm)	SS	HOLES	BLADE (mm)	LENGTH (mm)
II-100 02 140 4050	4	50	86	II-100 02 140 6080	7	80	134
II-100 02 140 4060	4	60	86	II-100 02 140 7065	7	90	134
II-100 02 140 4070	4	70	86	II-100 02 140 7085	7	100	134
II-100 02 140 4080	4	80	86	II-100 02 140 8050	8	50	150
II-100 02 140 4090	4	90	86	II-100 02 140 8060	8	60	150
II-100 02 140 4100	4	100	86	II-100 02 140 8070	8	70	150
II-100 02 141 4050	5	50	102	II-100 02 140 8080	8	80	150
II-100 02 141 4060	5	60	102	II-100 02 141 6090	8	90	150
II-100 02 141 4070	5	70	102	II-100 02 141 6100	8	100	150
II-100 02 141 4080	5	80	102	II-100 02 140 9050	9	50	166
II-100 02 141 4090	5	90	102	II-100 02 140 9060	9	60	166
II-100 02 141 4100	5	100	102	II-100 02 140 9070	9	70	166
II-100 02 140 6051	6	50	118	II-100 02 140 9080	9	80	166
II-100 02 140 6061	6	60	118	II-100 02 140 9090	9	90	166
II-100 02 140 6071	6	70	118	II-100 02 140 9100	9	100	166
II-100 02 140 6081	6	80	118	II-100 02 141 1250	12	50	214
II-100 02 140 6090	6	90	118	II-100 02 141 1260	12	60	214
II-100 02 140 6100	6	100	118	II-100 02 141 1270	12	70	214
II-100 02 140 6050	7	50	134	II-100 02 141 1280	12	80	214
II-100 02 140 6060	7	60	134	II-100 02 141 1290	12	90	214
II-100 02 140 6070	7	70	134	II-100 02 141 1200	12	100	214

Angled Blade Plates & Pediatric Plates


4,5 mm 90° Angled Blade Plate Adolescent



SS	HOLES	BLADE (mm)	LENGTH (mm)
II-100 02 070 1040	3	40	78,5
II-100 02 070 1045	3	45	78,5
II-100 02 070 1050	3	50	78,5
II-100 02 070 1055	3	55	78,5
II-100 02 070 1060	3	60	78,5

Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the proximal femur in children. Especially used for fixation of subtrochanteric varus osteotomies in treatment of congenital dislocation of hip in adolescents.


3,5 mm 90° Angled Blade Plate Pediatric




SS	HOLES	BLADE (mm)	LENGTH (mm)
II-100 02 050 1225	3	25	51,7
II-100 02 050 1230	3	30	51,7
II-100 02 050 1232	3	32	51,7
II-100 02 050 1235	3	35	51,7

Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the proximal femur in children. Especially used for fixation of subtrochanteric varus osteotomies in treatment of congenital dislocation of hip in children.

3,5 mm Mini Pediatric Locking Plate 100°





SS	TI	HOLES	LENGTH (mm)
II-100 02 051 0725	II-100 02 051 0730	3	64



Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the proximal femur in children. Especially used for fixation of subtrochanteric varus osteotomies in treatment of congenital dislocation of hip in children.

Angled Blade Plate & Pediatric Plates



3,5 mm Pediatric Locking Plate 100°



SS	TI	HOLES	LENGTH (mm)
II-100 02 051 0732	II-100 02 051 0735	3	76

Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the proximal femur in children. Especially used for fixation of subtrochanteric varus osteotomies in treatment of congenital dislocation of hip in children


3,5 mm Pediatric Locking Plate 110°



SS	TI	HOLES	LENGTH (mm)
II-100 02 051 1232	II-100 02 051 1235	3	76

Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the proximal femur in children. Especially used for fixation of subtrochanteric varus osteotomies in treatment of congenital dislocation of hip in children.


3,5 mm Pediatric Locking Plate 150°



SS	TI	HOLES	LENGTH (mm)
II-100 02 050 0725	II-100 02 050 0730	3	65

Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the proximal femur in children. Especially used for fixation of subtrochanteric valgus osteotomies in treatment of congenital dislocation of hip in children.

Pediatric Eight Plate (for epiphysiodesis)



TI	TYPE
II-100 02 050 0732	Small
II-100 02 050 0735	Large

Intended use : Gradual correction of pediatric deformities in both the upper and lower extremities.

TROCHANTERIC

Plate

Cable System


product group

Trochanteric Plates & Cable Systems

4,5/5,0 mm Straight Cable Grip Plate



SS	TYPE
II-900 04 020 0051	Small
II-900 04 020 0052	Medium
II-900 04 020 0053	Large




Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the proximal femur and femoral shaft, especially in periprosthetic fractures. This plate group is used together with screws, cables and crimp blocks.

4,5/5,0 mm Trochanteric Hook Cable Plate 1



TI	TYPE
II-900 04 021 0051	Small
II-900 04 021 0052	Medium
II-900 04 021 0053	Large




Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the proximal femur and femoral shaft, especially in periprosthetic fractures. This plate group is used together with screws, cables and crimp blocks.

Trochanteric Plates & Cable Systems

4,5/5,0 mm Trochanteric Cable Hook Plate 2



TI	TYPE
II-900 04 023 0051	Small
II-900 04 023 0052	Medium
II-900 04 023 0053	Large




Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the proximal femur and femoral shaft, especially in periprosthetic fractures. This plate group is used together with screws, cables and crimp blocks.

Trochanteric Cable Hook Grip Plate



SS	TYPE
II-900 04 022 0051	Small
II-900 04 022 0052	Medium
II-900 04 022 0053	Large



Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the proximal femur. Especially used for fixation of periprosthetic fractures. This plate group is used together with cables and crimp blocks.



Trochanteric Plates & Cable Systems

Trochanteric Grip



SS/TI

II-900 04 020 0050




Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the proximal femur. Especially used for fixation of periprosthetic fractures. This plate group is used together with cables and crimp blocks.

3,5 mm Cable Locking Screw



TI

II-900 03 020 0005




Intended use : Fixation of cables used together with 3,5 mm locking plates.

5,0 mm Cable Locking Screw




TI

II-900 03 020 0008



Intended use : Fixation of cables used together with 5,0 mm locking plates.

Cable Crimp Block



Intended use : Temporary fixation of fractures, malunions, nonunions, pseudoarthroses and osteotomies of the trochanteric region of proximal femur. Especially used for fixation of periprosthetic fractures. This grip is used together with cables and crimp blocks.

SS

TYPE

II-900 03 015 0015	Cable 1,5 mm
II-900 03 020 0020	Cable 2,0 mm
II-900 04 015 0015	Crimp Block 1,5 mm
II-900 04 020 0020	Crimp Block 2,0 mm



CANNULATED


Screw
product group

Cannulated Screws

2,7 mm Cannulated Screw Partially Threaded



TI	DIA. x LENGTH (mm)
II-6072718	2,7X18
II-6072720	2,7X20
II-6072722	2,7X22
II-6072724	2,7X24
II-6072726	2,7X26
II-6072728	2,7X28
II-6072730	2,7X30




Intended use : Temporary fixation of fractures and arthrodeses of small bones & joints eg. ;
 -fractures of forearm, hand and foot (distal radius, carpal, metacarpal, tarsal, metatarsal bones
 -arthrodeses of forearm, hand and foot (intercarpal, intertarsal, interphalangeal, metacarpophalangeal, metatarsophalangeal Joints)

3,5 mm Cannulated Screw Partially Threaded



TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-6073516	3,5X16	II-6073534	3,5X34
II-6073518	3,5X18	II-6073536	3,5X36
II-6073520	3,5X20	II-6073538	3,5X38
II-6073522	3,5X22	II-6073540	3,5X40
II-6073524	3,5X24	II-6073542	3,5X42
II-6073526	3,5X26	II-6073544	3,5X44
II-6073528	3,5X28	II-6073546	3,5X46
II-6073530	3,5X30	II-6073548	3,5X48
II-6073532	3,5X32	II-6073550	3,5X50




Intended use : Temporary fixation of fractures and arthrodeses of small bones & joints eg. ;
 -fractures of forearm, hand and foot (distal radius, carpal, metacarpal, tarsal, metatarsal bones
 -arthrodeses of forearm, hand and foot (intercarpal, intertarsal, interphalangeal, metacarpophalangeal, metatarsophalangeal Joints)

3,5 mm Cannulated Screw Full Threaded



TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-6083514	3,5X14	II-6083534	3,5X34
II-6083516	3,5X16	II-6083536	3,5X36
II-6083518	3,5X18	II-6083538	3,5X38
II-6083520	3,5X20	II-6083540	3,5X40
II-6083522	3,5X22	II-6083542	3,5X42
II-6083524	3,5X24	II-6083544	3,5X44
II-6083526	3,5X26	II-6083546	3,5X46
II-6083528	3,5X28	II-6083548	3,5X48
II-6083530	3,5X30	II-6083550	3,5X50
II-6083532	3,5X32		



Intended use : Temporary fixation of fractures and arthrodeses of small bones & joints eg. ;
 -fractures of forearm, hand and foot (distal radius, carpal, metacarpal, tarsal, metatarsal bones
 -arthrodeses of forearm, hand and foot (intercarpal, intertarsal, interphalangeal, metacarpophalangeal, metatarsophalangeal Joints)

Cannulated Screws

4,0 mm Cannulated Screw Partially Threaded



TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-6074020	4,0X20	II-6074046	4,0X46
II-6074022	4,0X22	II-6074048	4,0X48
II-6074024	4,0X24	II-6074050	4,0X50
II-6074026	4,0X26	II-6074052	4,0X52
II-6074028	4,0X28	II-6074054	4,0X54
II-6074030	4,0X30	II-6074056	4,0X56
II-6074032	4,0X32	II-6074058	4,0X58
II-6074034	4,0X34	II-6074060	4,0X60
II-6074036	4,0X36	II-6074062	4,0X62
II-6074038	4,0X38	II-6074064	4,0X64
II-6074040	4,0X40	II-6074066	4,0X66
II-6074042	4,0X42	II-6074068	4,0X68
II-6074044	4,0X44	II-6074070	4,0X70



Intended use :

- Temporary fixation of fractures with medium fragments, e.g.:
- tarsal and metatarsal fractures and fixation in tarsal, metatarsal osteotomies,
 - tarsometatarsal and metatarsophalangeal arthrodeses,
 - ligament fixation,
 - hallux valgus correction osteotomies


4,0 mm Cannulated Screw Full Threaded



TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-6084020	4,0X20	II-6084046	4,0X46
II-6084022	4,0X22	II-6084048	4,0X48
II-6084024	4,0X24	II-6084050	4,0X50
II-6084026	4,0X26	II-6084052	4,0X52
II-6084028	4,0X28	II-6084054	4,0X54
II-6084030	4,0X30	II-6084056	4,0X56
II-6084032	4,0X32	II-6084058	4,0X58
II-6084034	4,0X34	II-6084060	4,0X60
II-6084036	4,0X36	II-6084062	4,0X62
II-6084038	4,0X38	II-6084064	4,0X64
II-6084040	4,0X40	II-6084066	4,0X66
II-6084042	4,0X42	II-6084068	4,0X68
II-6084044	4,0X44	II-6084070	4,0X70

Intended use :

- Temporary fixation of fractures with medium fragments, e.g.:
- tarsal and metatarsal fractures and fixation in tarsal, metatarsal osteotomies,
 - tarsometatarsal and metatarsophalangeal arthrodeses,
 - ligament fixation,
 - hallux valgus correction osteotomies



Cannulated Screws

4,5 mm Cannulated Screw Partially Threaded



SS	TI	DIA. x LENGTH (mm)
II-030120	II-6074220	4,5X20
II-030122	II-6074222	4,5X22
II-030124	II-6074224	4,5X24
II-030126	II-6074226	4,5X26
II-030128	II-6074228	4,5X28
II-030130	II-6074230	4,5X30
II-030132	II-6074232	4,5X32
II-030134	II-6074234	4,5X34
II-030136	II-6074236	4,5X36
II-030138	II-6074238	4,5X38

SS	TI	DIA. x LENGTH (mm)
II-030140	II-6074240	4,5X40
II-030142	II-6074242	4,5X42
II-030144	II-6074244	4,5X44
II-030146	II-6074246	4,5X46
II-030148	II-6074248	4,5X48
II-030150	II-6074250	4,5X50
II-030152	II-6074252	4,5X52
II-030154	II-6074254	4,5X54
II-030156	II-6074256	4,5X56
II-030158	II-6074258	4,5X58
II-030160	II-6074260	4,5X60



Intended use : Temporary fixation of fractures with medium fragments, e.g.:


- malleolar fractures
- pilon tibial fractures
- fractures of the calcaneus and talus
- tibial plateau fractures
- carpal and tarsal arthrodeses

4,5 mm Cannulated Screw Full Threaded



SS	TI	DIA. x LENGTH (mm)
II-040120	II-6074520	4,5X20
II-040122	II-6074522	4,5X22
II-040124	II-6074524	4,5X24
II-040126	II-6074526	4,5X26
II-040128	II-6074528	4,5X28
II-040130	II-6074530	4,5X30
II-040132	II-6074532	4,5X32
II-040134	II-6074534	4,5X34
II-040136	II-6074536	4,5X36
II-040138	II-6074538	4,5X38
II-040140	II-6074540	4,5X40

SS	TI	DIA. x LENGTH (mm)
II-040142	II-6074542	4,5X42
II-040144	II-6074544	4,5X44
II-040146	II-6074546	4,5X46
II-040148	II-6074548	4,5X48
II-040150	II-6074550	4,5X50
II-040152	II-6074552	4,5X52
II-040154	II-6074554	4,5X54
II-040156	II-6074556	4,5X56
II-040158	II-6074558	4,5X58
II-040160	II-6074560	4,5X60




Intended use : Temporary fixation of fractures with medium fragments, e.g.:

- malleolar fractures
- pilon tibial fractures
- fractures of the calcaneus and talus
- tibial plateau fractures
- carpal and tarsal arthrodeses

Cannulated Screws

6,5 mm Cannulated Screw 16 mm Threaded




Intended use : Temporary fixation of fractures with large fragments, e.g.:

- femoral neck fractures,
- intercondylar femoral fractures,
- epiphysiylisis of the femoral head,
- ankle arthrodeses,
- iliosacral dislocations,
- proximal tibia plateau fractures




SS	TI	DIA. x LENGTH (mm)
II-101 04 225 0300	II-111 04 225 0300	6,5X30
II-101 04 225 0350	II-111 04 225 0350	6,5X35
II-101 04 225 0400	II-111 04 225 0400	6,5X40
II-101 04 225 0450	II-111 04 225 0450	6,5X45
II-101 04 225 0500	II-111 04 225 0500	6,5X50
II-101 04 225 0550	II-111 04 225 0550	6,5X55
II-101 04 225 0600	II-111 04 225 0600	6,5X60
II-101 04 225 0650	II-111 04 225 0650	6,5X65
II-101 04 225 0700	II-111 04 225 0700	6,5X70
II-101 04 225 0750	II-111 04 225 0750	6,5X75
II-101 04 225 0800	II-111 04 225 0800	6,5X80
II-101 04 225 0850	II-111 04 225 0850	6,5X85
II-101 04 225 0900	II-111 04 225 0900	6,5X90
II-101 04 225 0950	II-111 04 225 0950	6,5X95
II-101 04 225 1000	II-111 04 225 1000	6,5X100
II-101 04 225 1050	II-111 04 225 1050	6,5X105
II-101 04 225 1100	II-111 04 225 1100	6,5X110
II-101 04 225 1150	II-111 04 225 1150	6,5X115
II-101 04 225 1200	II-111 04 225 1200	6,5X120

6,5 mm Cannulated Screw 32 mm Threaded



Intended use : Temporary fixation of fractures with large fragments, e.g.:

- femoral neck fractures,
- intercondylar femoral fractures,
- epiphysiylisis of the femoral head,
- ankle arthrodeses,
- iliosacral dislocations,
- proximal tibia plateau fractures




SS	TI	DIA. x LENGTH (mm)
II-101 04 300 0300	II-111 04 300 0300	6,5X30
II-101 04 300 0350	II-111 04 300 0350	6,5X35
II-101 04 300 0400	II-111 04 300 0400	6,5X40
II-101 04 300 0450	II-111 04 300 0450	6,5X45
II-101 04 300 0500	II-111 04 300 0500	6,5X50
II-101 04 300 0550	II-111 04 300 0550	6,5X55
II-101 04 300 0600	II-111 04 300 0600	6,5X60
II-101 04 300 0650	II-111 04 300 0650	6,5X65
II-101 04 300 0700	II-111 04 300 0700	6,5X70
II-101 04 300 0750	II-111 04 300 0750	6,5X75
II-101 04 300 0800	II-111 04 300 0800	6,5X80
II-101 04 300 0850	II-111 04 300 0850	6,5X85
II-101 04 300 0900	II-111 04 300 0900	6,5X90
II-101 04 300 0950	II-111 04 300 0950	6,5X95
II-101 04 300 1000	II-111 04 300 1000	6,5X100
II-101 04 300 1050	II-111 04 300 1050	6,5X105
II-101 04 300 1100	II-111 04 300 1100	6,5X110
II-101 04 300 1150	II-111 04 300 1150	6,5X115
II-101 04 300 1200	II-111 04 300 1200	6,5X120

Cannulated Screws

6,5 mm Cannulated Screw Full Threaded



SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-101 04 330 0350	II-111 04 330 0350	6,5X35	II-101 04 330 0800	II-111 04 330 0800	6,5X80
II-101 04 330 0400	II-111 04 330 0400	6,5X40	II-101 04 330 0850	II-111 04 330 0850	6,5X85
II-101 04 330 0450	II-111 04 330 0450	6,5X45	II-101 04 330 0900	II-111 04 330 0900	6,5X90
II-101 04 330 0500	II-111 04 330 0500	6,5X50	II-101 04 330 0950	II-111 04 330 0950	6,5X95
II-101 04 330 0550	II-111 04 330 0550	6,5X55	II-101 04 330 1000	II-111 04 330 1000	6,5X100
II-101 04 330 0600	II-111 04 330 0600	6,5X60	II-101 04 330 1050	II-111 04 330 1050	6,5X105
II-101 04 330 0650	II-111 04 330 0650	6,5X65	II-101 04 330 1100	II-111 04 330 1100	6,5X110
II-101 04 330 0700	II-111 04 330 0700	6,5X70	II-101 04 330 1150	II-111 04 330 1150	6,5X115
II-101 04 330 0750	II-111 04 330 0750	6,5X75	II-101 04 330 1200	II-111 04 330 1200	6,5X120



Intended use : Temporary fixation of fractures with large fragments, e.g.:

- femoral neck fractures,
- intercondylar femoral fractures,
- epiphysiolysis of the femoral head,
- ankle arthrodeses,
- iliosacral dislocations,
- proximal tibia plateau fractures

7,3 mm Cannulated Screw 16 mm Threaded



SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-6049050	II-6048050	7,3X50	II-6049090	II-6048090	7,3X90
II-6049055	II-6048055	7,3X55	II-6049095	II-6048095	7,3X95
II-6049060	II-6048060	7,3X60	II-6049100	II-6048100	7,3X100
II-6049065	II-6048065	7,3X65	II-6049105	II-6048105	7,3X105
II-6049070	II-6048070	7,3X70	II-6049110	II-6048110	7,3X110
II-6049075	II-6048075	7,3X75	II-6049115	II-6048115	7,3X115
II-6049080	II-6048080	7,3X80	II-6049120	II-6048120	7,3X120
II-6049085	II-6048085	7,3X85			



Intended use : Temporary fixation of fractures with large fragments, e.g.:


- femoral neck fractures,
- intercondylar femoral fractures,
- epiphysiolysis of the femoral head,
- ankle arthrodeses,
- iliosacral dislocations,
- proximal tibia plateau fractures

Cannulated Screws

7,3 mm Cannulated Screw 32 mm Threaded




SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-6059050	II-6058050	7,3X50	II-6059090	II-6058090	7,3X90
II-6059055	II-6058055	7,3X55	II-6059095	II-6058095	7,3X95
II-6059060	II-6058060	7,3X60	II-6059100	II-6058100	7,3X100
II-6059065	II-6058065	7,3X65	II-6059105	II-6058105	7,3X105
II-6059070	II-6058070	7,3X70	II-6059110	II-6058110	7,3X110
II-6059075	II-6058075	7,3X75	II-6059115	II-6058115	7,3X115
II-6059080	II-6058080	7,3X80	II-6059120	II-6058120	7,3X120
II-6059085	II-6058085	7,3X85			



Intended use : Temporary fixation of fractures with large fragments, e.g.:


- femoral neck fractures,
- intercondylar femoral fractures,
- epiphysiolysis of the femoral head,
- ankle arthrodeses,
- iliosacral dislocations,
- proximal tibia plateau fractures

Washer Ø13




TI	DIA. (mm)
II-110 04 000 0014	13

Washer Ø10



SS	DIA. (mm)
II-110 04 000 0010	10

Washer Ø8,0




SS	TI	DIA. (mm)
II-34004108	II-34004008	8

HEADLESS HERBERT

Screw
product group

Headless, Herbert Screw & Interference Screws


3,0 mm Headless Cannulated Compression Screw



Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies, pseudoarthroses, arthrodesis, of the hand and foot bones(carpal, metacarpal, tarsal, metatarsal, phalanges bones), distal and proximal humerus, radius and ulna in adult and pediatric patients. Ligamentous injuries of small medium and large joints.

TI	DIA. x LENGTH (mm)
II-6013014	3,0X14
II-6013016	3,0X16
II-6013018	3,0X18
II-6013020	3,0X20
II-6013022	3,0X22
II-6013024	3,0X24
II-6013026	3,0X26
II-6013028	3,0X28
II-6013030	3,0X30
II-6013035	3,0X35
II-6013040	3,0X40
II-6013045	3,0X45
II-6013050	3,0X50


3,5 mm Headless Cannulated Compression Screw



Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies, pseudoarthroses, arthrodesis, of the hand and foot bones(carpal, metacarpal, tarsal, metatarsal, phalanges bones), distal and proximal humerus, radius and ulna in adult and pediatric joints. Ligamentous injuries of small medium and large joints.

TI	DIA. x LENGTH (mm)
II-6013514	3,5X14
II-6013516	3,5X16
II-6013518	3,5X18
II-6013520	3,5X20
II-6013522	3,5X22
II-6013524	3,5X24
II-6013526	3,5X26
II-6013528	3,5X28
II-6013530	3,5X30
II-6013535	3,5X35
II-6013540	3,5X40
II-6013545	3,5X45
II-6013550	3,5X50

4,0 mm Headless Cannulated Compression Screw



Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies, pseudoarthroses, arthrodesis, of the distal and proximal humerus, radius and ulna in adult and pediatric patients. Ligamentous injuries of small medium and large joints. Fixation of fractures with medium fragments, e.g.:

- malleolar fractures
- tibia pilon fractures
- fractures of the calcaneus and talus
- tibial plateau fractures
- carpal and tarsal arthrodesis

TI	DIA. x LENGTH (mm)
II-6014015	4,0X15
II-6014020	4,0X20
II-6014025	4,0X25
II-6014030	4,0X30
II-6014035	4,0X35
II-6014040	4,0X40
II-6014045	4,0X45
II-6014050	4,0X50
II-6014055	4,0X55
II-6014060	4,0X60
II-6014065	4,0X65
II-6014070	4,0X70
II-6014075	4,0X75


Headless, Herbert Screw & Interference Screws

5,0 mm Headless Cannulated Compression Screw



Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies, pseudoarthroses, arthrodesis, of the, distal and proximal humerus, radius and ulna in adult and pediatric patients. ligamentous injuries of small medium and large joints. Fixation of fractures with medium fragments, e.g.:

- malleolar fractures
- tibia pilon fractures
- fractures of the calcaneus and talus
- tibial plateau fractures
- carpal and tarsal arthroses




TI	DIA. x LENGTH (mm)
II-6015030	5,0X30
II-6015035	5,0X35
II-6015040	5,0X40
II-6015045	5,0X45
II-6015050	5,0X50
II-6015055	5,0X55
II-6015060	5,0X60
II-6015065	5,0X65
II-6015070	5,0X70
II-6015075	5,0X75
II-6015080	5,0X80

6,5 mm Headless Cannulated Compression Screw



Intended use : Temporary fixation of fractures with large fragments, e.g.:

- femoral neck fractures
- intercondylar femoral fractures
- epiphyseolysis of the femoral head
- ankle arthroses
- iliosacral dislocations




TI	DIA. x LENGTH (mm)
II-6016540	6,5X40
II-6016545	6,5X45
II-6016550	6,5X50
II-6016555	6,5X55
II-6016560	6,5X60
II-6016565	6,5X65
II-6016570	6,5X70
II-6016575	6,5X75
II-6016580	6,5X80
II-6016585	6,5X85
II-6016590	6,5X90

3,0/4,0 mm Herbert Screw




Intended use : Temporary fixation of fractures, malunions, nonunions, osteotomies, pseudoarthroses, arthrodesis, of the, hand and foot bones (carpal, metacarpal, tarsal, metatarsal, phalanges bones), distal and proximal humerus, radius and ulna in adult and pediatric patients. Ligamentous injuries of small medium and large joints.




TI	LENGTH (mm)
II-34,114	14
II-34,116	16
II-34,118	18
II-34,120	20
II-34,122	22
II-34,124	24
II-34,126	26
II-34,128	28
II-34,130	30
II-34,132	32

Headless, Herbert Screw & Interference Screws

Interference Screw



TI	Diameter (mm)	LENGTH (mm)	LENGTH (mm)	LENGTH (mm)
II-6072710	7	20	25	30
II-6072712	8	20	25	30
II-6072714	9	20	25	30
II-6072716	10	20	25	30
II-6072732	11	20	25	30



Intended use : Temporary fixation of both bone-patellar tendon-bone (BTB) and soft tissue grafts in ACL and PCL reconstructions.




INTRAMEDULLARY

Nail
product group

Intramedullary Nails/Humerus


Humerus Intramedullary Nail



Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses of humerus. Especially used in humeral shaft fractures.

SS	TI	DIA x LENGTH (mm)
II-100 03 036 0718	II-100 03 035 0718	7X180
II-100 03 036 0720	II-100 03 035 0720	7X200
II-100 03 036 0722	II-100 03 035 0722	7X220
II-100 03 036 0724	II-100 03 035 0724	7X240
II-100 03 036 0726	II-100 03 035 0726	7X260
II-100 03 036 0728	II-100 03 035 0728	7X280
II-100 03 036 0730	II-100 03 035 0730	7X300
II-100 03 036 0732	II-100 03 035 0732	7X320
II-100 03 036 0818	II-100 03 035 0818	8X180
II-100 03 036 0820	II-100 03 035 0820	8X200
II-100 03 036 0822	II-100 03 035 0822	8X220
II-100 03 036 0824	II-100 03 035 0824	8X240
II-100 03 036 0826	II-100 03 035 0826	8X260
II-100 03 036 0828	II-100 03 035 0828	8X280
II-100 03 036 0830	II-100 03 035 0830	8X300
II-100 03 036 0832	II-100 03 035 0832	8X320
II-100 03 036 1018	II-100 03 035 1018	8,5X180
II-100 03 036 1020	II-100 03 035 1020	8,5X200
II-100 03 036 1022	II-100 03 035 1022	8,5X220
II-100 03 036 1024	II-100 03 035 1024	8,5X240
II-100 03 036 1026	II-100 03 035 1026	8,5X260
II-100 03 036 1028	II-100 03 035 1028	8,5X280
II-100 03 036 1030	II-100 03 035 1030	8,5X300
II-100 03 036 1032	II-100 03 035 1032	8,5X320
II-100 03 036 0918	II-100 03 035 0918	9X180
II-100 03 036 0920	II-100 03 035 0920	9X200
II-100 03 036 0922	II-100 03 035 0922	9X220
II-100 03 036 0924	II-100 03 035 0924	9X240
II-100 03 036 0926	II-100 03 035 0926	9X260
II-100 03 036 0928	II-100 03 035 0928	9X280
II-100 03 036 0930	II-100 03 035 0930	9X300
II-100 03 036 0932	II-100 03 035 0932	9X320

3,5 mm Intramedullary Nail Locking Screw



SS	TI	DIA x LENGTH (mm)
II-101 03 036 4020	II-101 03 035 4020	3,5X20
II-101 03 036 4025	II-101 03 035 4025	3,5X25
II-101 03 036 4030	II-101 03 035 4030	3,5X30
II-101 03 036 4035	II-101 03 035 4035	3,5X35
II-101 03 036 4040	II-101 03 035 4040	3,5X40
II-101 03 036 4045	II-101 03 035 4045	3,5X45
II-101 03 036 4050	II-101 03 035 4050	3,5X50


Humerus Intramedullary Nail End Cap



SS	TI
II-100 03 201 0000	II-100 03 202 0000

Intramedullary Nails/Femur

Femur Intramedullary Nail (ANTEGRADE)



Intended use :
Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses of femur. Especially used in femoral shaft fractures.


SS	TI	DIA x LENGTH (mm)	SS	TI	DIA x LENGTH (mm)
II-4099320	II-4089320	9X320	II-4090320	II-4080320	10X320
II-4099340	II-4089340	9X340	II-4090340	II-4080340	10X340
II-4099360	II-4089360	9X360	II-4090360	II-4080360	10X360
II-4099380	II-4089380	9X380	II-4090380	II-4080380	10X380
II-4099400	II-4089400	9X400	II-4090400	II-4080400	10X400
II-4099420	II-4089420	9X420	II-4090420	II-4080420	10X420
II-4099440	II-4089440	9X440	II-4090440	II-4080440	10X440
II-4099460	II-4089460	9X460	II-4090460	II-4080460	10X460
II-4091320	II-4081320	11X320	II-4092320	II-4082320	12X320
II-4091340	II-4081340	11X340	II-4092340	II-4082340	12X340
II-4091360	II-4081360	11X360	II-4092360	II-4082360	12X360
II-4091380	II-4081380	11X380	II-4092380	II-4082380	12X380
II-4091400	II-4081400	11X400	II-4092400	II-4082400	12X400
II-4091420	II-4081420	11X420	II-4092420	II-4082420	12X420
II-4091440	II-4081440	11X440	II-4092440	II-4082440	12X440
II-4091460	II-4081460	11X460	II-4092460	II-4082460	12X460
II-4093320	II-4083320	13X320	II-4094320	II-4084320	14X320
II-4093340	II-4083340	13X340	II-4094340	II-4084340	14X340
II-4093360	II-4083360	13X360	II-4094360	II-4084360	14X360
II-4093380	II-4083380	13X380	II-4094380	II-4084380	14X380
II-4093400	II-4083400	13X400	II-4094400	II-4084400	14X400
II-4093420	II-4083420	13X420	II-4094420	II-4084420	14X420
II-4093440	II-4083440	13X440	II-4094440	II-4084440	14X440
II-4093460	II-4083460	13X460	II-4094460	II-4084460	14X460
II-4095320	II-4085320	15X320	II-4096320	II-4086320	16X320
II-4095340	II-4085340	15X340	II-4096340	II-4086340	16X340
II-4095360	II-4085360	15X360	II-4096360	II-4086360	16X360
II-4095380	II-4085380	15X380	II-4096380	II-4086380	16X380
II-4095400	II-4085400	15X400	II-4096400	II-4086400	16X400
II-4095420	II-4085420	15X420	II-4096420	II-4086420	16X420
II-4095440	II-4085440	15X440	II-4096440	II-4086440	16X440
II-4095460	II-4085460	15X460	II-4096460	II-4086460	16X460

Femur Intramedullary Nail End Cap



SS	TI
II-100 03 040 4900	II-100 03 040 5000


4,5 mm Intramedullary Nail Locking Screw



SS	TI	DIA x LENGTH (mm)
II-4194020	II-4184020	4,5X20
II-4194025	II-4184025	4,5X25
II-4194030	II-4184030	4,5X30
II-4194035	II-4184035	4,5X35
II-4194040	II-4184040	4,5X40
II-4194045	II-4184045	4,5X45
II-4194050	II-4184050	4,5X50
II-4194055	II-4184055	4,5X55
II-4194060	II-4184060	4,5X60
II-4194065	II-4184065	4,5X65
II-4194070	II-4184070	4,5X70
II-4194075	II-4184075	4,5X75

Intramedullary Nails/Femur


Distal Femur Intramedullary Nail (DFN / RETROGRADE)



SS	TI	DIA. x LENGTH (mm)
II-4499200	II-4489200	9X200
II-4499220	II-4489220	9X220
II-4499240	II-4489240	9X240
II-4499260	II-4489260	9X260
II-4490200	II-4480200	10X200
II-4490220	II-4480220	10X220
II-4490240	II-4480240	10X240
II-4490260	II-4480260	10X260
II-4491200	II-4481200	11X200
II-4491220	II-4481220	11X220
II-4491240	II-4481240	11X240
II-4491260	II-4481260	11X260
II-4490300	II-4480300	12X200
II-4490320	II-4480320	12X220
II-4490340	II-4480340	12X240
II-4490360	II-4480360	12X260
II-4491300	II-4481300	13X200
II-4491320	II-4481320	13X220
II-4491340	II-4481340	13X240
II-4491360	II-4481360	13X260


Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses of distal femur.

4,5 mm Intramedullary Nail Locking Screw




SS	TI	DIA. X LENGTH (mm)
II-4194020	II-4184020	4,5X20
II-4194025	II-4184025	4,5X25
II-4194030	II-4184030	4,5X30
II-4194035	II-4184035	4,5X35
II-4194040	II-4184040	4,5X40
II-4194045	II-4184045	4,5X45
II-4194050	II-4184050	4,5X50
II-4194055	II-4184055	4,5X55
II-4194060	II-4184060	4,5X60
II-4194065	II-4184065	4,5X65
II-4194070	II-4184070	4,5X70
II-4194075	II-4184075	4,5X75

Femur Short Reconstruction Intramedullary Nail (PFN)



TI	DIA. x LENGTH (mm)
II-4289240	9X240
II-4280240	10X240
II-4281240	11X240
II-3282240	12X240



Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses of proximal femur. Especially used in ipsilateral pertrochanteric, intertrochanteric, subtrochanteric, femoral neck fractures.



Distal Femur Intramedullary Nail (DFN / RETROGRADE) End Cap



SS	TI
II-100 03 040 4700	II-100 03 040 4800

Intramedullary Nails/Femur

Femur Long Reconstruction Intramedullary Nail



TI	DIA. x LENGTH (mm)	SIDE	TI	DIA. x LENGTH (mm)	SIDE
II-4389340	9X340	Left	II-4399340	9X340	Right
II-4389360	9X360	Left	II-4399360	9X360	Right
II-4389380	9X380	Left	II-4399380	9X380	Right
II-4389400	9X400	Left	II-4399400	9X400	Right
II-4389420	9X420	Left	II-4399420	9X420	Right
II-4380340	10X340	Left	II-4390340	10X340	Right
II-4380360	10X360	Left	II-4390360	10X360	Right
II-4380380	10X380	Left	II-4390380	10X380	Right
II-4380400	10X400	Left	II-4390400	10X400	Right
II-4380420	10X420	Left	II-4390420	10X420	Right
II-4381340	11X340	Left	II-4391340	11X340	Right
II-4381360	11X360	Left	II-4391360	11X360	Right
II-4381380	11X380	Left	II-4391380	11X380	Right
II-4381400	11X400	Left	II-4391400	11X400	Right
II-4381420	11X420	Left	II-4391420	11X420	Right
II-4382340	12X340	Left	II-4392340	12X340	Right
II-4382360	12X360	Left	II-4392360	12X360	Right
II-4382380	12X380	Left	II-4392380	12X380	Right
II-4382400	12X400	Left	II-4392400	12X400	Right
II-4382420	12X420	Left	II-4392420	12X420	Right
II-4383340	13X340	Left	II-4393340	13X340	Right
II-4383360	13X360	Left	II-4393360	13X360	Right
II-4383380	13X380	Left	II-4393380	13X380	Right
II-4383400	13X400	Left	II-4393400	13X400	Right
II-4383420	13X420	Left	II-4393420	13X420	Right

Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses of proximal femur. Especially used in ipsilateral pertrochanteric, intertrochanteric, subtrochanteric, femoral neck fractures and femoral shaft fractures.

Femur Long Reconstruction Intramedullary Nail Lag Screw




TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-4385065	6,4X65	II-4385095	6,4X95
II-4385070	6,4X70	II-4385100	6,4X100
II-4385075	6,4X75	II-4385105	6,4X105
II-4385080	6,4X80	II-4385110	6,4X110
II-4385085	6,4X85	II-4385115	6,4X115
II-4385090	6,4X90	II-4385120	6,4X120




Intramedullary Nails/Femur

4,5 mm Intramedullary Nail Locking Screw




TI	DIA. x LENGTH (mm)
II-4184020	4,5X20
II-4184025	4,5X25
II-4184030	4,5X30
II-4184035	4,5X35
II-4184040	4,5X40
II-4184045	4,5X45
II-4184050	4,5X50
II-4184055	4,5X55
II-4184060	4,5X60
II-4184065	4,5X65
II-4184070	4,5X70
II-4184075	4,5X75

Femur Long Reconstruction Intramedullary Nail End Cap



APFNA Femur Short Intramedullary Nail




Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses of proximal femur. Especially used in pertrochanteric, intertrochanteric, subtrochanteric, femoral neck fractures

SS	DIA. x LENGTH (mm)
II-3080320	9X180
II-3080340	9X200
II-3080360	9X240
II-3080380	10X180
II-3080400	10X200
II-3080420	10X240
II-3080440	11X180
II-3080460	11X200
II-3081320	11X240
II-3081340	12X180
II-3081360	12X200
II-3081380	12X240
II-3081400	13X180
II-3081420	13X200
II-3081440	13X240
II-3081460	14X180
II-3082320	14X200
II-3082340	14X240

Intramedullary Nails/Femur

APFNA Intramedullary Nail End Cap




TI	DIA. x LENGTH (mm)
II-3184020	26
II-3184025	40

APFNA Intramedullary Nail Blade Screw



TI	DIA. x LENGTH (mm)
II-3395075	10,4X75
II-3395080	10,4X80
II-3395085	10,4X85
II-3395090	10,4 X90
II-3395095	10,4X95
II-3395100	10,4X100
II-3395105	10,4X105
II-3395110	10,4X110
II-3395115	10,4X115
II-3395120	10,4X120


AROCOM Proximal Femur Anti-Rotation Compression Intramedullary Nail



TI	DIA. x LENGTH (mm)
II-3089320	10X220
II-3089340	11X220
II-3089360	12X220
II-3089380	13X220

Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses of proximal femur. Especially used in pertrochanteric, intertrochanteric, subtrochanteric, femoral neck fractures.

AROCOM Proximal Femur Anti-Rotation Intramedullary Nail End Cap



TI
II-3184035



TI	LENGTH
II-3184040	35

Intramedullary Nails/**Femur**

AROCOM Proximal Femur Anti-Rotation Intramedullary Nail Lag Screw



TI	DIA x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-3082360	10X75	II-3083320	10X105
II-3082380	10X80	II-3083340	10X110
II-3082400	10X85	II-3083360	10X115
II-3082420	10X90	II-3083380	10X120
II-3082440	10X95	II-3083400	10X125
II-3082460	10X100	II-3083420	10X130

AROCOM Proximal Femur Anti-Rotation Intramedullary Nail Anti-Rotation Screw



TI	DIA x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-3083460	6X65	II-3084440	6X100
II-3084320	6X70	II-3084460	6X105
II-3084340	6X75	II-3085320	6X110
II-3084360	6X80	II-3085340	6X115
II-3084380	6X85	II-3085360	6X120
II-3084400	6X90	II-3085380	6X125
II-3084420	6X95	II-3085400	6X130

AROCOM Proximal Femur Anti-Rotation Intramedullary Nail Connection Sleeve



TI	DIA. x LENGTH (mm)
II-3083440	12X52

AROCOM Proximal Femur Anti-Rotation Intramedullary Nail Locking Screw




TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-3085420	5.5X26	II-3086400	5,5X40
II-3085440	5.5X28	II-3086420	5,5X42
II-3085460	5.5X30	II-3086440	5,5X44
II-3086320	5.5X32	II-3086460	5,5X46
II-3086340	5.5X34	II-4283240	5,5X48
II-3086360	5.5X36	II-4284240	5,5X50
II-3086380	5.5X38		

Intramedullary Nails/Femur

ANTIRO Proximal Femur Anti-Rotation Intramedullary Nail



TI	DIA. x LENGTH (mm)
II-3089400	10X220
II-3089420	11X220
II-3089440	12X220
II-3089460	13X220



Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses of proximal femur. Especially used in pertrochanteric, intertrochanteric, subtrochanteric, femoral neck fractures.

ANTIRO Proximal Femur Anti-Rotation Intramedullary Nail End Cap



TI
II-3184045

ANTIRO Proximal Femur Anti-Rotation Intramedullary Nail Compression Screw



TI
II-3184050

ANTIRO Proximal Femur Anti-Rotation Intramedullary Nail Lag Screw



TI	DIA. x LENGTH (mm)
II-4384320	11,5X75
II-4384340	11,5X80
II-4384360	11,5X85
II-4384380	11,5X90
II-4384400	11,5X95
II-4384420	11,5X100
II-4384440	11,5X105
II-4384460	11,5X110
II-4385320	11,5X115
II-4385340	11,5X120

Intramedullary Nails/**Femur**

ANTIRO Proximal Femur Anti-Rotation Intramedullary Nail Pin



TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-4385360	5X75	II-4385460	5X100
II-4385380	5X80	II-4386320	5X105
II-4385400	5X85	II-4386340	5X110
II-4385420	5X90	II-4386360	5X115
II-4385440	5X95	II-4386380	5X120

ANTIRO Proximal Femur Anti-Rotation Intramedullary Nail Locking Screw





TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-43879320	5X20	II-43879440	5X50
II-43879340	5X25	II-43879460	5X55
II-43879360	5X30	II-43870320	5X60
II-43879380	5X35	II-43870340	5X65
II-43879400	5X40	II-43870360	5X70
II-43879420	5X45	II-43870380	5X75

Intramedullary Nails/Tibia

Tibia Intramedullary Nail

SS	TI	DIA. x LENGTH (mm)	SS	TI	DIA. x LENGTH (mm)
II-4199260	II-4189260	8X255	II-4192260	II-4182260	11X255
II-4199280	II-4189280	8X270	II-4192280	II-4182280	11X270
II-4199300	II-4189300	8X285	II-4192300	II-4182300	11X285
II-4199320	II-4189320	8X300	II-4192320	II-4182320	11X300
II-4199340	II-4189340	8X315	II-4192340	II-4182340	11X315
II-4199360	II-4189360	8X330	II-4192360	II-4182360	11X330
II-4199380	II-4189380	8X345	II-4192380	II-4182380	11X345
II-4199400	II-4189400	8X360	II-4192400	II-4182400	11X360
II-3199340	II-3189340	8X375	II-3192340	II-3182340	11X375
II-3199360	II-3189360	8X390	II-3192360	II-3182360	11X390
II-3199380	II-3189380	8X405	II-3192380	II-3182380	11X405
II-3199400	II-3189400	8X420	II-3192400	II-3182400	11X420
II-4190260	II-4180260	9X255	II-4193260	II-4183260	12X255
II-4190280	II-4180280	9X270	II-4193280	II-4183280	12X270
II-4190300	II-4180300	9X285	II-4193300	II-4183300	12X285
II-4190320	II-4180320	9X300	II-4193320	II-4183320	12X300
II-4190340	II-4180340	9X315	II-4193340	II-4183340	12X315
II-4190360	II-4180360	9X330	II-4193360	II-4183360	12X330
II-4190380	II-4180380	9X345	II-4193380	II-4183380	12X345
II-4190400	II-4180400	9X360	II-4193400	II-4183400	12X360
II-3190340	II-3180340	9X375	II-3193340	II-3183340	12X375
II-3190360	II-3180360	9X390	II-3193360	II-3183360	12X390
II-3190380	II-3180380	9X405	II-3193380	II-3183380	12X405
II-3190400	II-3180400	9X420	II-3193400	II-3183400	12X420
II-4191260	II-4181260	10X255	II-4194260	II-4184260	13X255
II-4191280	II-4181280	10X270	II-4194280	II-4184280	13X270
II-4191300	II-4181300	10X285	II-4194300	II-4184300	13X285
II-4191320	II-4181320	10X300	II-4194320	II-4184320	13X300
II-4191340	II-4181340	10X315	II-4194340	II-4184340	13X315
II-4191360	II-4181360	10X330	II-4194360	II-4184360	13X330
II-4191380	II-4181380	10X345	II-4194380	II-4184380	13X345
II-4191400	II-4181400	10X360	II-4194400	II-4184400	13X360
II-3191340	II-3181340	10X375	II-3194340	II-3184340	13X375
II-3191360	II-3181360	10X390	II-3194360	II-3184360	13X390
II-3191380	II-3181380	10X405	II-3194380	II-3184380	13X405
II-3191400	II-3181400	10X420	II-3194400	II-3184400	13X420




Intended use : Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses of tibia. Especially used for tibia shaft fractures.

Intramedullary Nails/Tibia


ANT Tibia Intramedullary Nail

TI	DIA. x LENGTH (mm)	TI	DIA. x LENGTH (mm)
II-100 03 037 2708	8X270	II-100 03 037 2709	9X270
II-100 03 037 2808	8X285	II-100 03 037 2809	9X285
II-100 03 037 3008	8X300	II-100 03 037 3009	9X300
II-100 03 037 3108	8X315	II-100 03 037 3109	9X315
II-100 03 037 3308	8X330	II-100 03 037 3309	9X330
II-100 03 037 3408	8X345	II-100 03 037 3409	9X345
II-100 03 037 3608	8X360	II-100 03 037 3609	9X360
II-100 03 037 3808	8X375	II-100 03 037 3809	9X375
II-100 03 037 4008	8X390	II-100 03 037 4009	9X390
II-100 03 037 4208	8X405	II-100 03 037 4209	9X405
II-100 03 037 2710	10X270	II-100 03 037 4409	9X420
II-100 03 037 2810	10X285	II-100 03 037 2711	11X270
II-100 03 037 3010	10X300	II-100 03 037 2811	11X285
II-100 03 037 3110	10X315	II-100 03 037 3011	11X300
II-100 03 037 3310	10X330	II-100 03 037 3111	11X315
II-100 03 037 3410	10X345	II-100 03 037 3311	11X330
II-100 03 037 3610	10X360	II-100 03 037 3411	11X345
II-100 03 037 3810	10X375	II-100 03 037 3611	11X360
II-100 03 037 4010	10X390	II-100 03 037 3811	11X375
II-100 03 037 4210	10X405	II-100 03 037 4011	11X390
II-100 03 037 4410	10X420	II-100 03 037 4211	11X405
II-100 03 037 2712	12X270	II-100 03 037 4411	11X420
II-100 03 037 2812	12X285	II-100 03 037 2813	13X285
II-100 03 037 3012	12X300	II-100 03 037 3013	13X300
II-100 03 037 3112	12X315	II-100 03 037 3113	13X315
II-100 03 037 3312	12X330	II-100 03 037 3313	13X330
II-100 03 037 3412	12X345	II-100 03 037 3413	13X345
II-100 03 037 3612	12X360	II-100 03 037 3613	13X360
II-100 03 037 3812	12X375	II-100 03 037 3813	13X375
II-100 03 037 4012	12X390	II-100 03 037 4013	13X390
II-100 03 037 4212	12X405	II-100 03 037 4213	13X405
II-100 03 037 4412	12X420	II-100 03 037 4413	13X420



Temporary fixation of fractures, osteotomies, nonunions, malunions, pseudoarthroses of tibia. especially used for fixation of ipsilateral tibia plateau and shaft fractures.

4,5 mm Intramedullary Nail Locking Screw



TI	DIA x LENGTH (mm)	TI	DIA x LENGTH (mm)
II-4184020	4,5X20	II-4184050	4,5X50
II-4184025	4,5X25	II-4184055	4,5X55
II-4184030	4,5X30	II-4184060	4,5X60
II-4184035	4,5X35	II-4184065	4,5X65
II-4184040	4,5X40	II-4184070	4,5X70
II-4184045	4,5X45	II-4184075	4,5X75

ANT Tibia Intramedullary Nail End Cap




TI
II-100 03 040 4600

ELASTIC NAIL


product group

Elastic Nails

Elastic Nail




TI	DIAMETER (mm)	LENGTH (mm)
II-45015440	1,5	440
II-45020440	2,0	440
II-45025440	2,5	440
II-45030440	3,0	440
II-45035440	3,5	440
II-45040440	4,0	440
II-45045440	4,5	440
II-45050440	5,0	440
II-45055440	5,5	440



Intended use : Temporary fixation of fractures, osteotomies, malunions, nonunions, pseduarthroses of long bones (humerus, ulna, radius, femur, tibia, fibula). Especially used in pediatric and adolescent patients.

Elastic Nail End Cap



TI	DIAMETER (mm)
II-45015	1,5
II-45020	2,0
II-45025	2,5
II-45030	3,0
II-45035	3,5
II-45040	4,0
II-45045	4,5
II-45050	5,0
II-45055	5,5


SPINAL SYSTEM

product group

Asino Fixed Angle Screw



Intended use : Temporary fixation of fractures, pseudoarthrosis, spondylolisthesis of vertebrae.



TI	DIA x LENGTH (mm)
II-8124025	4,0X25
II-8124030	4,0X30
II-8124035	4,0X35
II-8124040	4,0X40
II-8124525	4,5X25
II-8124530	4,5X30
II-8124535	4,5X35
II-8124540	4,5X40
II-8124545	4,5X45
II-8125030	5,0X30
II-8125035	5,0X35
II-8125040	5,0X40
II-8125045	5,0X45
II-8125050	5,0X50
II-8125530	5,5X30
II-8125535	5,5X35
II-8125540	5,5X40
II-8125545	5,5X45
II-8125550	5,5X50
II-8126030	6,0X30
II-8126035	6,0X35
II-8126040	6,0X40
II-8126045	6,0X45
II-8126050	6,0X50
II-8126055	6,0X55

TI	DIA x LENGTH (mm)
II-8126530	6,5X30
II-8126535	6,5X35
II-8126540	6,5X40
II-8126545	6,5X45
II-8126550	6,5X50
II-8126555	6,5X55
II-8126560	6,5X60
II-8126565	6,5X65
II-8127030	7,0X30
II-8127035	7,0X35
II-8127040	7,0X40
II-8127045	7,0X45
II-8127050	7,0X50
II-8127055	7,0X55
II-8127060	7,0X60
II-8127065	7,0X65
II-8127530	7,5X30
II-8127535	7,5X35
II-8127540	7,5X40
II-8127545	7,5X45
II-8127550	7,5X50
II-8127555	7,5X55
II-8127560	7,5X60
II-8127565	7,5X65mm

Asino Fixed-Angle Reduction Screw




Intended use : Temporary fixation of fractures, pseudoarthrosis, spondylolisthesis of vertebrae. Especially used for reduction of displaced vertebrae.



TI	DIA x LENGTH (mm)
II-8164025	4,0X25
II-8164030	4,0X30
II-8164035	4,0X35
II-8164040	4,0X40
II-8164530	4,5X30
II-8164535	4,5X35
II-8164540	4,5X40
II-8164545	4,5X45
II-8165030	5,0X30
II-8165035	5,0X35
II-8165040	5,0X40
II-8165045	5,0X45
II-8165530	5,5X30
II-8165535	5,5X35
II-8165540	5,5X40
II-8165545	5,5X45
II-8165550	5,5X50

TI	DIA x LENGTH (mm)
II-8166030	6,0X30
II-8166035	6,0X35
II-8166040	6,0X40
II-8166045	6,0X45
II-8166050	6,0X50
II-8166530	6,5X30
II-8166535	6,5X35
II-8166540	6,5X40
II-8166545	6,5X45
II-8166550	6,5X50
II-8166555	6,5X55
II-8167030	7,0X30
II-8167035	7,0X35
II-8167040	7,0X40
II-8167045	7,0X45
II-8167050	7,0X50

Asino Multi-Axial Screw




Intended use : Temporary fixation of fractures, pseudoarthrosis, spondylolisthesis of vertebrae.

TI	DIA x LENGTH (mm)
II-8104025	4,0X25
II-8104030	4,0X30
II-8104035	4,0X35
II-8104040	4,0X40
II-8104530	4,5X30
II-8104535	4,5X35
II-8104540	4,5X40
II-8104545	4,5X45
II-8105030	5,0X30
II-8105035	5,0X35
II-8105040	5,0X40
II-8105045	5,0X45
II-8105530	5,5X30
II-8105535	5,5X35
II-8105540	5,5X40
II-8105545	5,5X45
II-8105550	5,5X50
II-8106030	6,0X30
II-8106035	6,0X35
II-8106040	6,0X40
II-8106045	6,0X45
II-8106050	6,0X50
II-8106055	6,0X55

TI	DIA x LENGTH (mm)
II-8106530	6,5X30
II-8106535	6,5X35
II-8106540	6,5X40
II-8106545	6,5X45
II-8106550	6,5X50
II-8106555	6,5X55
II-8107030	7,0X30
II-8107035	7,0X35
II-8107040	7,0X40
II-8107045	7,0X45
II-8107050	7,0X50
II-8107530	7,5X30
II-8107535	7,5X35
II-8107540	7,5X40
II-8107545	7,5X45
II-8107550	7,5X50
II-8107555	7,5X55
II-8107560	7,5X60
II-8107565	7,5X65

Asino Multi-Axial Reduction Screw



Intended use : Temporary fixation of fractures, pseudoarthrosis, spondylolisthesis of vertebrae. especially used for reduction of displaced vertebrae.


TI	DIA x LENGTH (mm)
II-8144025	4,0X25
II-8144030	4,0X30
II-8144035	4,0X35
II-8144040	4,0X40
II-8144530	4,5X30
II-8144535	4,5X35
II-8144540	4,5X40
II-8144545	4,5X45
II-8145030	5,0X30
II-8145035	5,0X35
II-8145040	5,0X40
II-8145045	5,0X45
II-8145050	5,0X50
II-8145530	5,5X30
II-8145535	5,5X35
II-8145540	5,5X40
II-8145545	5,5X45

TI	DIA x LENGTH (mm)
II-8146030	6,0X30
II-8146035	6,0X35
II-8146040	6,0X40
II-8146045	6,0X45
II-8146050	6,0X50
II-8146530	6,5X30
II-8146535	6,5X35
II-8146540	6,5X40
II-8146545	6,5X45
II-8146550	6,5X50
II-8147035	7,0X35
II-8147040	7,0X40
II-8147045	7,0X45

Asino Cross Link Plate



TI	DIA x LENGTH (mm)
II-8482001	6,0X28
II-8482002	6,0X48
II-8482003	6,0X68
II-8482004	6,0X88




Intended use : Temporary fixation of fractures, pseudoarthrosis, spondylolisthesis of vertebrae. Used for purpose of cross linking of two rods.

6,0 mm Hook



TI	TYPE
II-8460001	Pedicle Hook
II-8460002	Laminar Hook
II-8460003	Transverse Process Hook




Intended use : Temporary fixation of fractures, pseudoarthrosis, spondylolisthesis of vertebrae.



Set Screw





TI
II-8420600





Lateral Connector 6,0 mm



Connector 6,0 mm




Rod 6,0 mm



TI	DIA x LENGTH (mm)
II-8001030	6,0X30
II-8001035	6,0X35
II-8001040	6,0X40
II-8001050	6,0X50
II-8001060	6,0X60
II-8001070	6,0X70
II-8001080	6,0X80
II-8001090	6,0X90
II-8001100	6,0X100
II-8001110	6,0X110
II-8001250	6,0X250
II-8001500	6,0X500


Spinal Systems

Pediatric Rod 5,0 mm




TI	DIA x LENGTH (mm)
II-425 20 060 0060	5,0X60
II-425 20 060 0080	5,0X80
II-425 20 060 0100	5,0X100
II-425 20 060 0110	5,0X110
II-425 20 060 0120	5,0X120
II-425 20 060 0130	5,0X130
II-425 20 060 0140	5,0X140
II-425 20 060 0150	5,0X150
II-425 20 060 0160	5,0X160
II-425 20 060 0180	5,0X180


TI	DIA x LENGTH (mm)
II-425 20 060 0200	5,0X200
II-425 20 060 0240	5,0X240
II-425 20 060 0260	5,0X260
II-425 20 060 0280	5,0X280
II-425 20 060 0300	5,0X300
II-425 20 060 0320	5,0X320
II-425 20 060 0340	5,0X340
II-425 20 060 0360	5,0X360
II-425 20 060 0380	5,0X380



Anterior Cervical Plate 1



TI	LENGTH (mm)
II-433 02 011 0020	26
II-433 02 011 0030	30
II-433 02 011 0040	33
II-433 02 011 0050	36
II-433 02 011 0060	39
II-433 02 011 0070	42
II-433 02 011 0080	45
II-433 02 013 0020	48
II-433 02 013 0030	51
II-433 02 013 0040	54
II-433 02 013 0050	57
II-433 02 013 0060	61
II-433 02 013 0070	64
II-433 02 013 0080	70




Intended use : Temporary fixation of fractures, pseudoarthrosis, spondylolisthesis, fusion of cervical vertebrae.

Anterior Cervical Screw-Plate Locking Apparatus




TI
II-442 00 000 0001

Cervical Screw



TI	DIA x LENGTH (mm)
II-400 02 051 0030	4,0X13
II-400 02 051 0034	4,0X14
II-400 02 051 0036	4,0X15
II-400 02 051 0040	4,0X16
II-400 02 051 0044	4,0X17
II-400 02 052 0025	4,0X18


Anterior Cervical Plate 2



Intended use : Temporary fixation of fractures, pseudoarthrosis, spondylolisthesis, fusion of cervical vertebrae.

TI	LENGTH (mm)
II-433 02 015 0020	25
II-433 02 015 0030	27,5
II-433 02 015 0040	30
II-433 02 015 0050	32,5
II-433 02 015 0060	35
II-433 02 015 0070	37,5
II-433 02 015 0080	40
II-438 02 002 0070	45
II-438 02 002 0075	50
II-438 02 002 0080	55
II-438 02 002 0085	60
II-438 02 002 0090	65
II-438 02 002 0095	70
II-438 02 002 0100	75

Cervical Expansion Head Locking Screw



Cervical Screw Head Expansion Aparatus




TI	DIA x LENGTH (mm)
II-6133528	3,5X12
II-6133530	3,5X14
II-6133532	3,5X16
II-6133534	3,5X18
II-6133536	3,5X20

Anterior Thoracic and Lumbar Plate



TI	LENGTH (mm)
II-400 02 440 0040	60
II-400 02 440 0050	65
II-400 02 440 0060	70
II-400 02 440 0070	75
II-400 02 440 0080	80
II-400 02 440 0090	85
II-400 02 440 0100	90
II-400 02 440 0110	100




Intended use : Temporary fixation of fractures, pseudoarthrosis, spondylolisthesis, fusion of thoracic and lumbar vertebrae.

Anterior Thoracic and Lumbar Bolt




TI	DIA x LENGTH (mm)
II-6134510	6,5X30
II-6134512	6,5X35
II-6134514	6,5X40
II-6134516	6,5X45
II-6134518	6,5X50



Anterior Thoracic and Lumbar Screw



TI	DIA x LENGTH (mm)
II-6144014	6,5X30
II-6144016	6,5X35
II-6144018	6,5X40
II-6144020	6,5X45
II-6144022	6,5X50



External Fixator

product group


Dynamic Axial External Fixators

Dynamic Axial External Fixator Femur-Tibia



Half-Pin (Schanz Screw) to be used
Ø (5,0/5,5/6,0 mm)

Allen Wrench to be used
Ø (6,0 mm)




CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
II-600 11 100 0001	Long	60	270
II-600 11 100 0002	Medium	40	250
II-600 11 100 0003	Short	20	230

Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of femur and tibia, arthrodesis of hip, knee, ankle joints. Especially used for fixation of open fractures of femur, tibia and for distraction and compression purposes on fracture site.


| available as aluminium/stainless steel/peek.

Dynamic Axial External Fixator Femur-Tibia T-Clamp



Half-Pin (Schanz Screw) to be used
Ø (5,0/5,5/6,0 mm)

Allen Wrench to be used
Ø (6,0 mm)




CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
II-600 16 100 0006	Long	60	240
II-600 16 100 0007	Medium	40	220
II-600 16 100 0008	Short	20	200

Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of femur and tibia, arthrodesis of hip, knee, ankle joints. Especially used for fixation of open fractures of proximal and distal femur-tibia and for distraction and compression purposes on fracture site.

| available as aluminium/stainless steel/peek.


Dynamic Axial External Fixators

Dynamic Axial External Fixator Trochanteric Clamp (135°)



Half-Pin (Schanz Screw) to be used
Ø (5,0/5,5/6,0 mm)

Allen Wrench to be used
Ø (6,0 mm)



CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
II-600 11 100 0040	Long	60	270
II-600 11 100 0041	Medium	40	250
II-600 11 100 0042	Short	20	230

Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of femur. Especially used for fixation of fractures of proximal femur (intertrochanteric, pertrochanteric) in elderly patients for early mobilization, for distraction and compression purposes on fracture site.


| available as aluminium/stainless steel/peek.

Dynamic Axial External Fixator Square Clamp Femur-Tibia



Half-Pin (Schanz Screw) to be used
Ø (5,0/5,5/6,0 mm)

Allen Wrench to be used
Ø (6,0 mm)



CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
II-600 11 100 0140	Long	60	270
II-600 11 100 0141	Medium	40	250
II-600 11 100 0142	Short	20	230

Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of femur and tibia, arthrodesis of hip, knee, ankle joints. Especially used for fixation of open fractures of femur, tibia and for distraction and compression purposes on fracture site.

| available as aluminium/stainless steel/peek.


Dynamic Axial External Fixators

Limb Lengthening External Fixator Femur-Tibia



Half-Pin (Schanz Screw) to be used
Ø (5,0/5,5/6,0 mm)

Allen Wrench to be used
Ø (6,0 mm)



CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
II-600 11 100 0020	Long	97	250
II-600 11 100 0021	Medium	77	230
II-600 11 100 0022	Short	57	210

Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of femur and tibia, arthrodesis of hip knee ankle joints. Especially used for fixation of open fractures of femur, tibia and for distraction and compression purposes on fracture site also used for lengthening purposes of femur and tibia bones.


| available as aluminium/stainless steel/peek.

Dynamic Axial Ankle Fixator



Half-Pin (Schanz Screw) to be used
Ø (5,0/5,5/6,0 mm)

Allen Wrench to be used
Ø (6,0 mm)



CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
II-600 11 100 0004	Left - Long	80	275
II-600 11 100 0005	Left - Medium	60	255
II-600 11 100 0006	Left - Short	40	235
II-600 11 101 0004	Right - Long	80	275
II-600 11 101 0005	Right - Medium	60	255
II-600 11 101 0006	Right - Short	40	235

Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of distal tibia, arthrodesis of ankle joints. Especially used for fixation of open fractures of distal tibia and for distraction and compression purposes on fracture site.

| available as aluminium/stainless steel/peek.

Dynamic Axial External Fixators



Dynamic Axial External Fixator Humerus



Half-Pin (Schanz Screw) to be used
Ø (4,0/4,5/5,0 mm)

Allen Wrench to be used
Ø (5,0 mm)

CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
II-600 16 100 0001	Long	51	235
II-600 16 100 0002	Medium	31	215
II-600 16 100 0003	Short	11	195



Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of humerus, arthrodesis of elbow joint. Especially used for fixation of open fractures of humerus and for distraction and compression purposes on fracture site.

| available as aluminium/stainless steel/peek.



Dynamic Axial External Fixator T-Clamp Humerus



Half-Pin (Schanz Screw) to be used
Ø (4,0/4,5/5,0 mm)

Allen Wrench to be used
Ø (5,0 mm)

CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
II-600 16 101 0001	Long	51	207
II-600 16 101 0002	Medium	31	187
II-600 16 101 0003	Short	11	167



Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of proximal humerus, arthrodesis of shoulder joint. Especially used for fixation of open fractures of proximal humerus and for distraction and compression purposes on fracture

| available as aluminium/stainless steel/peek.

Dynamic Axial External Fixators


Limb Lengthening External Fixator Humerus



Half-Pin (Schanz Screw) to be used
Ø (4,0/4,5/5,0 mm)

Allen Wrench to be used
Ø (5,0 mm)

CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
II-600 16 100 0010	Long	81	215
II-600 16 100 0011	Medium	61	195
II-600 16 100 0012	Short	41	175



Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of humerus, arthrodesis of elbow joint. Especially used for fixation of open fractures of humerus and for distraction and compression purposes on fracture site also used for lengthening purposes of humerus bone.


| available as aluminium/stainless steel/peek.

Dynamic External Fixator Forearm

Allen Wrench to be used
Ø (5,0 mm)



Half-Pin (Schanz Screw) to be used
Ø (3,5/4,0/4,5 mm)



Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of ulna and radius, arthrodesis of wrist joint. Especially used for fixation of open fractures of ulna and radius and for distraction and compression purposes on fracture site. Also used for lengthening purposes ulna and radius. It is used for temporary fixation of PEDIATRIC FEMUR & TIBIA FRACTURES .

CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
II-600 17 100 0001	Long	42	200
II-600 17 100 0002	Medium	22	180
II-600 17 100 0003	Short	14	168

| available as aluminium/stainless steel/peek.

Dynamic Axial External Fixators


Colles Type Wrist Fixator



Allen Wrench to be used
Ø (3,0/4,0/5,0 mm)

Half-Pin (Schanz Screw) to be used
Ø (2,5/3,0/3,5 mm)

CAT. NO.	LENGTH (mm)
II-600 12 110 0010	218



Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of distal radius, arthrodesis of wrist joint. Especially used for fixation of open and/or communitated intra-articular fractures of distal radius and for distraction and compression purposes on fracture site.

| available as aluminium/stainless steel/peek.


Wrist Fixator



Half-Pin (Schanz Screw) to be used
Ø (2,5/3,0/3,5 mm)

Allen Wrench to be used
Ø (4,0 mm)

CAT. NO.	LENGTH (mm)
II-600 12 110 0011	210




Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of distal radius, arthrodesis of wrist joint. Especially used for fixation of open and/or communitated intra-articular fractures of distal radius and for distraction and compression purposes on fracture site.

Penning Type Wrist Fixator



Allen Wrench to be used
Ø (3,0/4,0 mm)

Half-Pin (Schanz Screw) to be used
Ø (2,5/3,0/3,5 mm)



Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of distal radius, arthrodesis of wrist joint. Especially used for fixation of open and/or communitated intra-articular fractures of distal radius and for distraction and compression purposes on fracture site.

| available as aluminium/stainless steel/peek.

CAT. NO	TYPE	LENGTH (mm)
II-600 12 110 0012	SHORT	190
II-600 12 110 0013	LONG	220

Dynamic Axial External Fixators


Pelvis Fixator



Allen Wrench to be used
Ø (6,0 mm)

Half-Pin (Schanz Screw) to be used
Ø (5,0/5,5/6,0 mm)

CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
II-600 25 000 0000	LONG	60	333
II-600 25 000 0001	STANDARD	40	373



Intended use : Temporary fixation of fractures, osteotomies of pelvis in adults. Especially used for fixation of open and/or communitated fractures of pelvis.

| available as aluminium/stainless steel/peek.


Pediatric Pelvis Fixator



Allen Wrench to be used
Ø (5,0 mm)

Half-Pin (Schanz Screw) to be used
Ø (4,0/4,5/5,0 mm)

CAT. NO	DISTRACTION (mm)	LENGTH (mm)
II-600 25 000 0110	25	275




Intended use : Temporary fixation of fractures, osteotomies of pelvis in adolescents.. Especially used for fixation of open and/or communitated fractures of pelvis.

| available as aluminium/stainless steel/peek.


Dynamic Axial External Fixators

Dynamic Axial Knee Fixator



Half-Pin (Schanz Screw) to be used
Ø (5,0/5,5/6,0 mm)

CAT. NO	DISTRACTION (mm)	LENGTH (mm)
II-600 15 100 0002	71,5	350



Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of distal femur and proximal tibia, arthrodesis of knee joint. Especially used for fixation of open and communitated fractures of distal femur and proximal tibia and for distraction and comp-ression purposes on knee joint.


| available as aluminium/stainless steel/peek.

Dynamic Axial Elbow Fixator



Half-Pin (Schanz Screw) to be used
Ø (3,5/4,0/4,5 mm)

CAT. NO	DISTRACTION (mm)	LENGTH (mm)
II-600 15 100 0001	59	298




Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of distal humerus and proximal radius/ulna, arthrodesis of elbow joint. Especially used for fixation of open and communitated fractures of distal humerus and proximal radius/ulna and for distraction and compression purposes on elbow joint.

| available as aluminium/stainless steel/peek.

Dynamic Axial External Fixators


Limb Reconstruction Fixator Femur-Tibia



Half-Pin (Schanz Screw) to be used
Ø (5,0/5,5/6,0 mm)

Allen Wrench to be used
Ø (6,0 mm)


CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
II-600 11 100 0010	Long	140	400
II-600 11 100 0013	Medium	90	300
II-600 11 100 0012	Short	40	250



Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of femur and tibia, arthrodesis of knee and ankle joints. Especially used for the treatment of reconstruction of femoral and tibial bone defects by sliding distal or proximal osteotomized bone with elongation of fibrous callus at osteotomy site. (new bone formation/reconstruction of femoral and tibial bone defects. For adult patients.


| available as aluminium/stainless steel/peek.

Limb Reconstruction Pediatric Fixator



Half-Pin (Schanz Screw) to be used
Ø (4,0/4,5/5,0 mm)

Allen Wrench to be used
Ø (5,0 mm)



CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
II-600 11 101 0010	Long	90	250
II-600 11 101 0013	Medium	90	200
II-600 11 101 0012	Short	45	150

Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of femur and tibia, arthrodesis of knee and ankle joints. Especially used for the treatment of reconstruction of femoral and tibial bone defects by sliding distal or proximal osteotomized bone with elongation of fibrous callus at osteotomy site. (new bone formation/reconstruction of femoral and tibial bone defects. For pediatric patients.

| available as aluminium/stainless steel/peek.

Dynamic Axial External Fixators


Polyaxial Femur-Tibia External Fixator



Allen Wrench to be used
Ø (6,0 mm)

Half-Pin (Schanz Screw) to be used
Ø (5,0/5,5/6,0 mm)

CAT. NO	LENGTH (mm)
II-600 11 115 0000	245



Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of femur/tibia. Especially used for fixation of open fractures of femur/ tibia and for distraction and compression purposes on fracture site.

| available as aluminium/stainless steel/peek.


Polyaxial Humerus External Fixator



Allen Wrench to be used
Ø (5,0/6,0 mm)

Half-Pin (Schanz Screw) to be used
Ø (4,0/4,5/5,0 mm)

CAT. NO	LENGTH (mm)
II-600 11 120 0000	170




Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of humerus,Especially used for fixation of open fractures of humerus and for distraction and compression purposes on fracture site.

| available as aluminium/stainless steel/peek.

Dynamic Axial External Fixators


Pertrochanteric Fixator



Allen Wrench to be used
Ø (6,0 mm)

Half-Pin (Schanz Screw) to be used
Ø (5,0/5,5/6,0 mm)

CAT. NO.	LENGTH (mm)
II-600 12 120 0003	117,4



Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of proximal femur. Especially used for fixation of open fractures of proximal femur. Especially used for fixation of fractures of proximal femur(intertrochanteric, pertrochanteric) in elderly patients for early mobilization, for distraction and compression purposes on fracture site.

Hybrid External Fixator Femur-Tibia




Allen Wrench to be used
Ø (6,0 mm)

Rings to be used : Ø (160 mm)

Half-Pin (Schanz Screw) to be used
: Ø (4,5/5,0/5,5/6,0 mm)

CAT. NO.	LENGTH (mm)
II-600 11 014 0005	230,5




Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of proximal femur. Especially used for fixation of open fractures of proximal femur. Especially used for fixation of fractures of proximal femur(intertrochanteric, pertrochanteric) in elderly patients for early mobilization. and for distraction and compression purposes on fracture site.

Dynamic Axial External Fixators

Hybrid External Fixator Wrist



CAT. NO.	LENGTH (mm)
II-600 25 001 0025	174,3




Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of distal radius and ulna, arthrodesis of wrist joint. Especially used for fixation of open fractures of distal radius and ulna and for distraction and compression purposes on fracture site. This fixator provides multiplanar and stronger fixation when needed.

Hybrid External Fixator Finger




CAT. NO.	LENGTH (mm)
II-600 25 001 0026	57,4




Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of metacarpal, metatarsal and phalangeal bones, arthrodesis of metacarpophalangeal and interphalangeal joints. Especially used for fixation of open fractures of for distraction and compression purposes on fracture site and joints. This fixator provides multiplanar and stronger fixation when needed.

Finger Fixator



CAT. NO.	LENGTH (mm)
II-600 12 120 0001	72,7




Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, pseduarthrosis, of metacarpal, metatarsal, phalangeal bones. Arthrodesis of metacarpophalangeal and interphalangeal joints. Especially used for fixation of open fracture, for lengthening purposes of metacarpal metatarsal, phalangeal bones.

Mini Rail External Fixators


Mini Rail Fixator Short

Allen Wrench to be used
Ø (3,0 mm)



Half-Pin (Schanz Screw) to be used
Ø (1,5/2,0/2,5 mm)

CAT. NO	DISTRACTION (mm)	LENGTH (mm)
II-600 12 120 0005	19,5	71,5




Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of metacarpal & metatarsal bones. Arthrodesis of metametacarpophalangeal & metatarsophalangeal joints. Especially used for fixation of open fracture, for lengthening purposes of metacarpal & metatarsal bones.

| available as aluminium/stainless steel/peek.


Mini Rail Fixator Medium

Allen Wrench to be used
Ø (3,0 mm)



Half-Pin (Schanz Screw) to be used
Ø (1,5/2,0/2,5 mm)

CAT. NO	DISTRACTION (mm)	LENGTH (mm)
II-600 12 120 0006	29,5	81,5




Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of metacarpal & metatarsal bones. Arthrodesis of metametacarpophalangeal & metatarsophalangeal joints. Especially used for fixation of open fracture, for lengthening purposes of metacarpal & metatarsal bones.

| available as aluminium/stainless steel/peek.


Mini Rail Fixator Long

Allen Wrench to be used
Ø (3,0 mm)



Half-Pin (Schanz Screw) to be used
Ø (1,5/2,0/2,5 mm)

CAT. NO	DISTRACTION (mm)	LENGTH (mm)
II-600 12 120 0007	39,5	91,5



Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of metacarpal, metatarsal, occasionally ulna, radius bones. Arthrodesis of metacarpophalangeal, matatarsophalangeal & occasionally wrist joints. Especially used for fixation of open fracture, for lengthening purposes of matacarpal, metatarsal, occasionally ulna, radius bones.

| available as aluminium/stainless steel/peek.


Mini Rail Fixator X Long

Allen Wrench to be used
Ø (3,0 mm)



Half-Pin (Schanz Screw) to be used
Ø (1,5/2,0/2,5 mm)

CAT. NO	DISTRACTION (mm)	LENGTH (mm)
II-600 12 120 0002	69,5	121,5



Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of metacarpal, metatarsal, occasionally ulna, radius bones. Arthrodesis of metacarpophalangeal, matatarsophalangeal & occasionally wrist joints. Especially used for fixation of open fracture, for lengthening purposes of matacarpal, metatarsal, occasionally ulna, radius bones.


| available as aluminium/stainless steel/peek.

Mini Rail External Fixators

Mini Rail Fixator XX Long




CAT. NO	DISTRACTION (mm)	LENGTH (mm)
II-600 12 120 0000	106,5	158,5




Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of metacarpal, metatarsal, occasionally ulna, radius bones. Arthrodesis of metacarpophalangeal, matatarsophalangeal & occasionally wrist joints. Especially used for fixation of open fracture, for lengthening purposes of maticarpal, metatarsal, occasionally ulna, radius bones.

| available as aluminium/stainless steel/peek.

Mini Rail Fixator Vertical Axis




CAT. NO	DISTRACTION (mm)	LENGTH (mm)
II-600 12 120 0009	11,7	71,5



Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of metacarpal & metatarsal bones. Arthrodesis of metametacarpophalangeal & metatarsophalangeal joints. Especially used for fixation of open fracture, for lengthening purposes of metacarpal & metatarsal bones.

| available as aluminium/stainless steel/peek.

Mini Rail Fixator Horizontal Axis




CAT. NO	DISTRACTION (mm)	LENGTH (mm)
II-600 12 120 0008	27,5	90




Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of metacarpal & metatarsal bones. Arthrodesis of metametacarpophalangeal & metatarsophalangeal joints. Especially used for fixation of open fracture, for lengthening purposes of metacarpal & metatarsal bones.

| available as aluminium/stainless steel/peek.

Mini Rail Fixator Horizontal Axis 90°



CAT. NO	DISTRACTION (mm)	LENGTH (mm)
II-600 12 120 0010	27,5	91




Intended use : Temporary fixation of fractures, nonunions, malunions, osteotomies, psuedarthrosis, of metacarpal & metatarsal bones. Arthrodesis of metametacarpophalangeal & metatarsophalangeal joints. Especially used for fixation of open fracture, for lengthening purposes of metacarpal & metatarsal bones.

| available as aluminium/stainless steel/peek.

Tubular External Fixators


Tubular Fixator Rod-Rod Clamp



ALUMINIUM	DIAMETER (mm)
II-600 11 006 0001	5,0
II-600 11 014 0001	8,0
II-600 11 010 0001	10,0

| available as aluminium/stainless steel/peek.

Tubular Fixator Rod-Pin Clamp



ALUMINIUM	DIAMETER (mm)
II-600 11 006 0002	5,0
II-600 11 014 0002	8,0
II-600 11 010 0002	10,0

| available as aluminium/stainless steel/peek.

Tubular External Fixators

Tubular Fixator Carbon Rod



CARBON	DIAMETER x LENGTH (mm)
II-600 11 005 0050	5,0X50
II-600 11 005 0100	5,0X100
II-600 11 005 0150	5,0X150
II-600 11 005 0200	5,0X200
II-600 11 005 0250	5,0X250
II-600 11 005 0300	5,0X300
II-600 11 005 0350	5,0X350
II-600 11 006 0080	6,0X80
II-600 11 006 0100	6,0X100
II-600 11 006 0150	6,0X150
II-600 11 006 0200	6,0X200
II-600 11 006 0250	6,0X250
II-600 11 006 0300	6,0X300
II-600 11 006 0350	6,0X350
II-600 11 008 0050	8,0X50
II-600 11 008 0100	8,0X100
II-600 11 008 0150	8,0X150

CARBON	DIAMETER x LENGTH (mm)
II-600 11 008 0200	8,0X200
II-600 11 008 0250	8,0X250
II-600 11 008 0300	8,0X300
II-600 11 008 0350	8,0X350
II-600 11 010 0100	10,0X100
II-600 11 010 0150	10,0X150
II-600 11 010 0200	10,0X200
II-600 11 010 0250	10,0X250
II-600 11 010 0300	10,0X300
II-600 11 010 0350	10,0X350
II-600 11 014 0100	14,0X100
II-600 11 014 0150	14,0X150
II-600 11 014 0200	14,0X200
II-600 11 014 0250	14,0X250
II-600 11 014 0300	14,0X300
II-600 11 014 0350	14,0X350

Tubular Fixator Multiple Pin Clamp



ALUMINIUM	DIAMETER (mm)
II-600 11 006 0003	5,0
II-600 11 014 0003	8,0
II-600 11 010 0003	10,0

| available as aluminium/stainless steel/peek.

Tubular External Fixators

Tubular Fixator Straight Support



SS	DIAMETER (mm)
II-600 11 005 0004	5,0
II-600 11 008 0004	8,0
II-600 11 010 0007	10,0

Tubular Fixator 30° Angled Support



SS	DIAMETER (mm)
II-600 29 121 0120	5,0
II-600 29 121 0080	8,0
II-600 29 121 0100	10,0

Tubular Fixator Multiple Pin T Clamp



ALUMINIUM	DIAMETER (mm)
II-600 11 006 0004	5,0
II-600 11 014 0004	8,0
II-600 11 010 0004	10,0

| available as aluminium/stainless steel/peek.

Tubular Fixator Semi Circular Rod



SS	DIAMETER x LENGTH (mm)
II-600 10 151 0160	8,0X160
II-600 10 151 0180	8,0X180
II-600 10 151 0200	8,0X200
II-600 10 121 0160	10,0X160
II-600 10 121 0180	10,0X180
II-600 10 121 0200	10,0X200

Tubular Fixator Compression Distraction Tube



ALUMINIUM	DIAMETER x LENGTH (mm)
II-600 11 007 0022	8,0X200

Tubular External Fixators

Tubular Fixator Ankle Hinge



SS	DIAMETER x LENGTH (mm)
II-600 11 007 0020	8,0x200

Tubular Fixator Elbow-Wrist Hinge



SS	DIAMETER x LENGTH (mm)
II-600 11 007 0019	5,0x200

Hybrid External Fixators

Hybrid Fixator Aluminium 2/3 Ring



CAT. NO	DIAMETER (mm)
II-600 11 007 0014	155
II-600 11 007 0016	185
II-600 11 007 0018	215

available as aluminium/stainless steel/peek.

Hybrid Fixator Aluminium 1/3 Ring



CAT. NO	DIAMETER (mm)
II-600 11 008 0014	155
II-600 11 008 0016	185
II-600 11 008 0018	215

available as aluminium/stainless steel/peek.

Hybrid Fixator Three Hole Sliding Wire Clamp



CAT. NO.
II-600 11 008 0026

available as aluminium/stainless steel/peek.

Washer



SS	DIAMETER (mm)
II-600 10 030 0012	12
II-600 10 030 0013	14

Hybrid Fixator Two Hole Wire Securing Pin



SS
II-600 10 153 0001

Hybrid External Fixators

Olive Wire



CAT. NO	DIA. x LENGTH (mm)
II-600 10 188 2030	2,0X300
II-600 10 188 2040	2,0X400

Trocar Pointed Wire



SS	DIAMETER (mm)	LENGTH (mm)
II-600 10 100 2030	2,0	300
II-600 10 100 2040	2,0	400

Hybrid Fixator Independent Wire Clamp



SS
II-600 11 008 0024

Hybrid Fixator Supplementary Pin Holder Clamp



CAT. NO
II-600 11 008 0025

| available as aluminium/stainless steel/peek.


Hybrid Fixator Carbon Rod



CAT. NO
II-600 11 006 0060

Hybrid External Fixators

Wire Fixation Bolt



SS
II-600 10 090 0000

Hybrid Fixator Straight Posts



SS
II-600 11 008 0021

Hybrid Fixator 30° Angled Posts



SS
II-600 11 008 0022

Half Pin Universal Retaining Bolt



SS
II-600 10 099 0001

Connection Bolt (M6)



SS	LENGTH (mm)
II-600 10 020 0025	25
II-600 10 020 0030	30

Spiked Washer



SS
II-600 10 032 0000

Nut M6



SS
II-600 10 021 0000

Hybrid Fixator Single Pin Clamp



SS
II-600 11 007 0012

Hybrid Fixator Hinge Clamp



| available as aluminium/stainless steel/peek.

CAT. NO
II-600 11 008 0019

Hybrid External Fixators

Hybrid Fixator Kit




CAT. NO

II-600 11 007 0023

| available as aluminium/stainless steel/peek.

Hybrid Fixator Translation Rotation Hinge



CAT. NO

II-600 11 008 0020

| available as aluminium/stainless steel/peek.

Hybrid Fixator Telescopic Reduction Unit




CAT. NO

II-600 11 007 0021

| available as aluminium/stainless steel/peek.

Square Socket



SS

HOLES

II-600 14 002 0001	1
II-600 14 002 0002	2
II-600 14 002 0003	3
II-600 14 002 0004	4

| available as aluminium/stainless steel/peek.

Hybrid Fixator Extension Plate




SS

II-600 11 050 2251

Hybrid External Fixators

Threaded Rod (M6)



SS	LENGTH (mm)
II-600 10 050 0050	50
II-600 10 050 0075	75
II-600 10 050 0100	100
II-600 10 050 0115	115
II-600 10 050 0125	125
II-600 10 050 0150	150
II-600 10 050 0175	175
II-600 10 050 0200	200
II-600 10 050 0250	250
II-600 10 050 0300	300

Circular External Fixators

Half Ring




ALUMINIUM	DIAMETER (mm)
II-600 10 120 0080	80
II-600 10 120 0100	100
II-600 10 120 0120	120
II-600 10 120 0130	130
II-600 10 120 0140	140
II-600 10 120 0150	150
II-600 10 120 0160	160
II-600 10 120 0170	170
II-600 10 120 0180	180
II-600 10 120 0200	200
II-600 10 120 0220	220

5/8 C Ring



ALUMINIUM	DIAMETER (mm)
II-600 10 150 0080	80
II-600 10 150 0100	100
II-600 10 150 0120	120
II-600 10 150 0140	140
II-600 10 150 0150	150
II-600 10 150 0160	160
II-600 10 150 0170	170
II-600 10 150 0180	180
II-600 10 150 0200	200
II-600 10 150 0220	220

3/4 Foot Ring



ALUMINIUM	DIAMETER (mm)
II-600 29 120 0220	80
II-600 29 120 0100	100
II-600 29 120 0120	120
II-600 29 120 0140	140
II-600 29 120 0160	160

Circular External Fixators

Femur Arch



ALUMINIUM	SS	ANGLE/DIAMETER (mm)
II-601 10 160 0090	II-601 11 160 0090	90° / Ø 160
II-601 10 180 0090	II-601 11 180 0090	90° / Ø 180
II-601 10 200 0090	II-601 11 200 0090	90° / Ø 200
II-601 10 160 0120	II-601 11 160 0120	120° / Ø 160
II-601 10 180 0120	II-601 11 180 0120	120° / Ø 180
II-601 10 200 0120	II-601 11 200 0120	120° / Ø 200

Multiple Pin Fixation Clamp



SS
II-601 10 013 0000
II-601 10 013 0001
II-601 10 013 0002
II-601 10 013 0003

Oblique Support Connector



SS	LENGTH (mm)
II-600 10 080 0000	30
II-600 10 080 0001	58
II-600 10 080 0002	82

Adjustable Clamp



SS
II-600 10 001 0001

Telescopic Rod



SS	LENGTH (mm)
II-600 10 071 0100	100
II-600 10 071 0125	125
II-600 10 071 0150	150
II-600 10 071 0175	175
II-600 10 071 0215	215

Double Female Hinge



SS
II-601 10 099 0010

Circular External Fixators

Male Half Hinge



SS

II-601 10 099 0015


Female Half Hinge



SS

II-601 10 099 0020

Cannulated Bolt



SS

II-600 10 090 0001

Slotted Bolt



SS

II-600 10 091 0000

Half Pin Universal Retaining Bolt



SS

II-600 10 099 0001

Single Pin Fixation Bolt



SS

II-601 10 010 0000

Female Support



SS

HOLES

**LENGTH
(mm)**

II-600 10 065 0000	1	23
II-600 10 065 0002	2	32
II-600 10 065 0003	3	41

Male Support



SS

HOLES

**LENGTH
(mm)**

II-600 10 060 0112	1	33
II-600 10 060 0222	2	42
II-600 10 060 0332	3	51

Circular External Fixators

Connection Bolt (M6)



SS	LENGTH (mm)
II-600 10 020 0016	16
II-600 10 020 0020	20
II-600 10 020 0025	25
II-600 10 020 0030	30

Connecting Plate



SS	HOLES	LENGTH (mm)
II-600 10 050 2035	2	41
II-600 10 050 3050	3	51
II-600 10 050 4060	4	61
II-600 10 050 5070	5	71
II-600 10 050 6085	6	81
II-600 10 050 7100	7	91
II-600 10 050 8110	8	101

Connecting Plate with Threaded End



SS	HOLES	LENGTH (mm)
II-600 11 050 2131	5	131
II-600 11 050 2171	7	171
II-600 11 050 2211	9	211

90 ° Angled Connection Plate



SS	HOLES	LENGTH (mm)
II-600 14 000 1150	2	50
II-600 14 000 1175	4	75

Twisted Plate



SS	HOLES	LENGTH (mm)
II-600 10 054 0046	2	50
II-600 10 054 0067	3	70
II-600 10 054 0088	4	90

Universal Hinge



SS
II-601 15 000 0000

Curved Plate



ALUMINIUM
II-601 15 000 0020

Circular External Fixators

Square Socket



SS	HOLES
II-600 14 002 0001	1
II-600 14 002 0002	2
II-600 14 002 0003	3
II-600 14 002 0004	4

Square Socket Centering Sleeve



SS	DIAMETER (mm)
II-600 14 002 0605	6

Washer



SS	DIAMETER (mm)
II-600 10 030 0012	12
II-600 10 030 0013	14

Slotted Washer



SS
II-600 10 034 0000

Oval Washer



SS	DIAMETER (mm)
II-600 10 031 0012	12

Conical Washer



SS
II-600 10 110 0001

Star Washer



SS
II-600 10 032 0000


Nut M6



SS
II-600 10 021 0000

Circular External Fixators

Threaded Rod (M6)




SS	LENGTH (mm)
II-600 10 050 0050	50
II-600 10 050 0075	75
II-600 10 050 0100	100
II-600 10 050 0115	115
II-600 10 050 0125	125
II-600 10 050 0150	150
II-600 10 050 0175	175
II-600 10 050 0200	200
II-600 10 050 0250	250
II-600 10 050 0300	300
II-600 10 050 0350	350
II-600 10 050 0400	400

Lengthening Rod (M6)



CAT. NO	LENGTH (mm)
II-600 10 011 0060	60
II-600 10 011 0080	80
II-600 10 011 0100	100
II-600 10 011 0120	120
II-600 10 011 0150	150
II-600 10 011 0200	200

Slotted Rod (M6)



SS	LENGTH (mm)
II-600 08 011 0040	40
II-600 08 011 0050	50
II-600 08 011 0060	60
II-600 08 011 0070	70
II-600 08 011 0100	100

Trocar Pointed Wire



SS	DIA x LENGTH (mm)
II-600 10 100 1830	1,8X300
II-600 10 100 1840	1,8X400
II-600 10 100 2030	2,0X300
II-600 10 100 2040	2,0X400

Circular External Fixators

Bayonet Pointed Wire



SS	DIA x LENGTH (mm)
II-600 10 139 1830	1,8X300
II-600 10 139 1840	1,8X400
II-600 10 139 2030	2,0X300
II-600 10 139 2040	2,0X400

Olive Wire



SS	DIA x LENGTH (mm)
II-600 10 188 1830	1,8X300
II-600 10 188 1840	1,8X400
II-600 10 188 2030	2,0X300
II-600 10 188 2040	2,0X400

Hybrid External Fixator (For adaptation to External Circular Fixation System)



CAT.NO	TYPE	LENGTH (mm)
II-600 25 001 0025	Medium	230
II-600 11 014 0005	Long	250

Pediatric Circular External Fixators

Pediatric Half Ring



ALUMINIUM	DIAMETER (mm)
II-600 11 121 0070	70
II-600 11 121 0080	80
II-600 11 121 0090	90
II-600 11 121 0100	100
II-600 11 121 0110	110
II-600 11 121 0120	120

Pediatric 5/8 C Ring



ALUMINIUM	DIAMETER (mm)
II-600 11 151 0070	70
II-600 11 151 0080	80
II-600 11 151 0090	90
II-600 11 151 0100	100
II-600 11 151 0110	110
II-600 11 151 0120	120

Pediatric Femur Arch



ALUMINIUM	ANGLE	DIAMETER (mm)
II-601 11 090 0090	90°	90
II-601 11 110 0090	90°	110
II-601 11 090 0120	120°	90
II-601 11 110 0120	120°	110

Pediatric Adjustable Clamp



SS
II-600 11 002 0002

Pediatric Multiple Pin Fixation Clamp



SS
II-601 11 014 0000

Pediatric Circular External Fixators

Pediatric Slotted Bolt



SS

II-600 11 091 0000

Pediatric Oblique Support Connector



SS

**LENGTH
(mm)**

II-600 11 080 0000

25


II-600 11 080 0001

50

II-600 11 080 0002

75

Pediatric Cannulated Bolt



SS

II-600 11 090 0000

Pediatric Telescopic Rod



SS

II-600 11 072 0001

Pediatric Half Pin Universal Retaining Bolt



SS

II-600 11 099 0001

Pediatric Male Half Hinge



SS

II-601 11 099 0015

Pediatric Female Half Hinge



SS

II-601 11 099 0020

Pediatric Lengthening Rod



CAT. NO.

II-601 11 001 0101

Pediatric Circular External Fixators

Pediatric Double Female Hinge



SS

II-601 11 099 0010

Pediatric Connecting Plate



SS	HOLES	LENGTH (mm)
II-600 11 050 2035	2	25
II-600 11 050 3050	3	45
II-600 11 050 4060	4	55
II-600 11 050 5070	5	65

Pediatric Universal Hinge



SS

II-601 16 000 0000

Pediatric Washer



SS

II-600 11 030 0101

Pediatric Star Washer



SS

II-600 11 032 0000

Pediatric Curved Plate



ALUMINIUM

II-601 16 000 0020

Pediatric Nut (M5)



SS

II-600 11 021 0000

Pediatric Slotted Washer



SS

II-600 11 034 0000

Pediatric Oval Washer



SS

II-600 11 031 0101

Pediatric Circular External Fixators

Pediatric Square Socket



SS	HOLES
II-600 16 002 0001	1
II-600 16 002 0002	2
II-600 16 002 0003	3
II-600 16 002 0004	4

Pediatric Square Socket Centering Sleeve



SS	DIAMETER (mm)
II-600 14 002 0305	3
II-600 14 002 0405	4
II-600 14 002 0505	5

Pediatric Male Support



SS	HOLES	LENGTH (mm)
II-600 11 060 0112	1	31,5
II-600 11 060 0222	2	40,5
II-600 11 060 0332	3	49,5

Pediatric Connection Bolt (M5)



SS	LENGTH (mm)
II-600 11 020 0012	12
II-600 11 020 0016	16

Pediatric 90° Angled Connection Plate



SS	HOLES	LENGTH (mm)
II-600 14 001 1150	2	41
II-600 14 001 1175	4	65

Twisted Plate



SS	HOLES	LENGTH (mm)
II-600 11 054 0046	2	45
II-600 11 054 0067	3	63
II-600 11 054 0088	4	81

Pediatric Female Support



SS	HOLES	LENGTH (mm)
II-600 11 065 0000	1	22,5
II-600 11 065 0002	2	31,5
II-600 11 065 0003	3	40,5

Pediatric Threaded Socket



SS	LENGTH (mm)
II-600 16 001 1115	15
II-600 16 001 1125	25

Pediatric Circular External Fixators

Pediatric Trocar Pointed Wire



SS	DIA x LENGTH (mm)
II-600 11 100 1520	1,5X200
II-600 11 100 1525	1,5X250
II-600 11 100 1820	1,8X200
II-600 11 100 1825	1,8X250

Pediatric Bayonet Pointed Wire




SS	DIA x LENGTH (mm)
II-600 11 135 1520	1,5X200
II-600 11 135 1525	1,5X250
II-600 11 135 1820	1,8X200
II-600 11 135 1825	1,8X250

Pediatric Olive Wire



SS	DIA x LENGTH (mm)
II-600 11 188 1520	1,5X200
II-600 11 188 1525	1,5X250
II-600 11 188 1820	1,8X200
II-600 11 188 1825	1,8X250

Pediatric Threaded Rod (M5)



SS	LENGTH (mm)
II-600 11 050 0040	40
II-600 11 050 0050	50
II-600 11 050 0060	60
II-600 11 050 0080	80
II-600 11 050 0090	90
II-600 11 050 0100	100
II-600 11 050 0120	120
II-600 11 050 0150	150
II-600 11 050 0180	180

WIRE PIN


Staple

Drill Bit

product group


Wires, Pins, Staples & Drill Bits

Kirschner Wires with Trocar Point



SS	DIAMETER (mm)	SS	DIAMETER (mm)
II-100 03 070 0525	0,5	II-100 03 070 2028	2,0
II-100 03 070 0620	0,6	II-100 03 070 2225	2,2
II-100 03 070 0825	0,8	II-100 03 070 2510	2,5
II-100 03 070 0925	0,9	II-100 03 070 2810	2,8
II-100 03 070 1025	1,0	II-100 03 070 3010	3,0
II-100 03 070 1210	1,2	II-100 03 070 3225	3,2
II-100 03 070 1510	1,4	II-100 03 070 3510	3,5
II-100 03 070 1525	1,5	II-100 03 070 4010	4,0
II-100 03 070 1625	1,6	II-100 03 070 4529	4,5
II-100 03 070 1810	1,8	II-100 03 070 5025	5,0

Kirschner Wires with Double Trocar Point



SS	DIAMETER (mm)	SS	DIAMETER (mm)
II-100 03 073 0525	0,5	II-100 03 073 2012	2,0
II-100 03 073 0625	0,6	II-100 03 073 2212	2,2
II-100 03 073 0812	0,8	II-100 03 073 2510	2,5
II-100 03 073 0925	0,9	II-100 03 073 3015	2,8
II-100 03 073 1012	1,0	II-100 03 073 3010	3,0
II-100 03 073 1212	1,2	II-100 03 073 3229	3,2
II-100 03 073 1429	1,4	II-100 03 073 3510	3,5
II-100 03 073 1512	1,5	II-100 03 073 4010	4,0
II-100 03 073 1629	1,6	II-100 03 073 6032	4,5
II-100 03 073 1812	1,8	II-100 03 073 5020	5,0

Wires, Pins, Staples & Drill Bits

Threaded Kirschner Wires with Trocar Point



SS	DIAMETER (mm)	SS	DIAMETER (mm)
II-100 03 071 0020	2,0	II-100 03 071 0032	3,2
II-100 03 071 0025	2,5	II-100 03 071 0035	3,5
II-100 03 071 0030	3,0	II-100 03 071 0040	4,0

Cerclage Wire



SS	DIA x LENGTH (mm)	SS	DIA x LENGTH (mm)
II-400 03 011 0329	0,3X5000	II-400 03 011 1019	1,0X5000
II-400 03 011 0427	0,4X5000	II-400 03 011 1218	1,2X5000
II-400 03 011 0525	0,5X5000	II-400 03 011 1517	1,5X5000
II-400 03 011 0623	0,6X5000	II-400 03 011 1826	1,8X5000
II-400 03 011 0722	0,7X5000	II-400 03 011 2027	2,0X5000
II-400 03 011 0821	0,8X5000	II-400 03 011 2328	2,3X5000
II-400 03 011 0920	0,9X5000	II-400 03 011 2529	2,5X5000

Steinmann Pin with Trocar Point



SS	DIAMETER (mm)	SS	DIAMETER (mm)
II-100 03 050 1829	1,8	II-100 03 050 4012	4,0
II-100 03 050 2029	2,0	II-100 03 050 4512	4,5
II-100 03 050 2529	2,5	II-100 03 050 5012	5,0
II-100 03 050 3012	3,0	II-100 03 050 6012	6,0
II-100 03 050 3512	3,5		

Wires, Pins, Staples & Drill Bits

Steinmann Pins with Central Thread



SS	DIAMETER (mm)	THREAD LENGTH (mm)	SS	DIAMETER (mm)	THREAD LENGTH (mm)
II-100 03 051 3230	3,0	60	II-100 03 051 5230	5,0	60
II-100 03 051 4230	4,0	60	II-100 03 051 5524	5,5	60
II-100 03 051 4523	4,5	60	II-100 03 050 6018	6,0	60

Schanz Screw



SS	DIAMETER (mm)	SS	DIAMETER (mm)
II-100 03 090 5012	1,5	II-100 03 090 4011	4,0
II-100 03 090 6026	2,0	II-100 03 090 4517	4,5
II-100 03 091 6020	2,5	II-100 03 090 5013	5,0
II-100 03 090 3115	3,0	II-100 03 090 5515	5,5
II-100 03 090 6030	3,5	II-100 03 090 6012	6,0

Schanz Screw Cortical



SS	DIA.x LENGTH (mm)
II-600 11 110 0130	6,0X130
II-600 11 110 0115	6,0X150
II-600 11 110 0160	6,0X160
II-600 11 110 0180	6,0X180
II-600 11 110 0200	6,0X200
II-600 11 110 0220	6,0X220

Schanz Screw Cancellous



SS	DIA.x LENGTH (mm)
II-600 11 111 0150	6,0X150
II-600 11 111 0160	6,0X160
II-600 11 111 0180	6,0X180
II-600 11 111 0200	6,0X200
II-600 11 111 0220	6,0X220

Calibrated Self Tapping Schanz Screw



SS	DIAMETER (mm)
II-600 13 110 4018	4,0
II-600 13 110 5013	5,0
II-600 13 110 0160	6,0

Rush Intramedullary Pin



SS	DIAMETER (mm)	SS	DIAMETER (mm)
II-100 04 051 2016	2,0	II-100 04 051 4514	4,5
II-100 04 051 2518	2,5	II-100 04 051 5016	5,0
II-100 04 051 3016	3,0	II-100 04 051 5522	5,5
II-100 04 051 3218	3,2	II-100 04 051 6020	6,0
II-100 04 051 3220	3,5	II-100 04 051 7025	7,0
II-100 04 051 4016	4,0		


Pelvic Traction Screw



SS	DIAMETER (mm)
II-602 00 010 3232	3,2
II-602 00 010 4545	4,5
II-602 00 010 8016	8,0
II-602 00 010 8020	8,0


Wires, Pins, Staples & Drill Bits

Epiphyseal Staple Stainless Steel




SS	A LENGTH (mm)	B LENGTH (mm)	DIAMETER (mm)
II-100 03 110 0015	19	16	1,5
II-100 03 110 0020	19	22	2,0
II-100 03 110 0025	19	26	2,5

Coventry Staple Stainless Steel




SS	A LENGTH (mm)	B LENGTH (mm)	C LENGTH (mm)	DIAMETER (mm)
II-100 03 110 0015	33	25	14	2,5
II-100 03 110 0020	33	25	10	2,5
II-100 03 110 0025	33	25	5	2,5

Thorny Epiphyseal Staple Titanium



TI	A LENGTH (mm)	B LENGTH (mm)
II-100 03 115 0650	20	6,5
II-100 03 115 0800	20	8
II-100 03 115 0115	20	10
II-100 03 115 0150	20	15

Thorny Coventry Staple Titanium



TI	A LENGTH (mm)	B LENGTH (mm)	C LENGTH (mm)
II-100 03 111 0050	33	25	5
II-100 03 111 0100	33	25	10
II-100 03 111 0140	33	25	14
II-100 03 111 0200	33	25	16

Thorny Washer



SS

II-600 12 032 0000

Tibial Bolt



SS

DIAMETER
(mm)

II-100 03 135 1000 3

II-100 03 130 0800 4

Knowless Hip Pin



SS

DIAMETER
(mm)

II-100 14 051 4070 3,0

II-100 14 051 8075 3,2

II-100 14 051 5060 4,0

II-100 14 051 4585 4,5

II-100 14 051 5016 5,0

Drill Bit




SS	DIAMETER (mm)
II-101 03 090 0020	1,2
II-101 03 091 0027	1,5
II-101 03 091 0020	1,8
II-101 03 090 2012	2,0
II-101 03 090 2212	2,2
II-101 03 091 0022	2,5
II-101 03 090 2712	2,7
II-101 03 092 0030	3,0
II-101 03 090 3212	3,2
II-101 03 090 3512	3,5
II-101 03 090 0045	3,7
II-101 03 092 0040	4,0
II-101 03 090 4512	4,5
II-101 03 090 4028	5,0
II-101 03 090 0032	5,5
II-101 03 091 0045	6,0

Gigli Saw



SS	LENGTH (mm)
II-400 09 111 1030	300
II-400 09 111 1040	400
II-400 09 111 1050	500
II-400 09 111 1060	600



Implants | International

+33 4 67 30 34 32

* çã & } 0 ã] | ã • ã ç | } ã } ã ã
{ { ^ \ @ ã ã ã] | ã • ã ç | } ã } ã ã